
NEET Exam Model Question Paper - 1

1. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is




- $(1) \frac{1}{3}$
- (2) $\frac{2}{3}$
- (3) $\frac{2}{5}$
- $(4) \frac{2}{7}$
- 2. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is
 - (1) 12·5 cm
 - (2) 8 cm
 - (3) 13·2 cm
 - (4) 16 cm
- **3.** At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere?


 (Given:


Mass of oxygen molecule (m) = 2.76×10^{-26} kg Boltzmann's constant $k_B = 1.38 \times 10^{-23}$ J K⁻¹)


- (1) $5.016 \times 10^4 \text{ K}$
- (2) $8.360 \times 10^4 \text{ K}$
- (3) $2.508 \times 10^4 \text{ K}$
- (4) $1.254 \times 10^4 \text{ K}$
- 4. The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
 - $(1) \quad 6.25\%$
 - (2) 20%
 - (3) 26.8%
 - (4) 12.5%

- 5. A carbon resistor of (47 ± 4.7) k Ω is to be marked with rings of different colours for its identification. The colour code sequence will be
 - (1) Yellow Green Violet Gold
 - (2) Yellow Violet Orange Silver
 - (3) Violet Yellow Orange Silver
 - (4) Green Orange Violet Gold
- 6. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
 - (1) 20
 - (2) 11
 - (3) 10
 - (4) 9
- A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?









- 8. Unpolarised light is incident from air on a plane surface of a material of refractive index '\mu'. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation?
 - $(1) \quad i = \sin^{-1} \left(\frac{1}{\mu}\right)$
 - (2) Reflected light is polarised with its electric vector perpendicular to the plane of incidence
 - (3) Reflected light is polarised with its electric vector parallel to the plane of incidence
 - $(4) \quad i = \tan^{-1} \left(\frac{1}{\mu}\right)$
- 9. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength λ of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0.20° . To increase the fringe angular width to 0.21° (with same λ and D) the separation between the slits needs to be changed to
 - (1) $2\cdot 1 \text{ mm}$
 - (2) 1·9 mm
 - (3) 1·8 mm
 - (4) 1·7 mm
- 10. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
 - (1) large focal length and large diameter
 - (2) large focal length and small diameter
 - (3) small focal length and large diameter
 - (4) small focal length and small diameter


- 11. The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is
 - (1) 2:-1
 - (2) 1:-1
 - (3) 1:1
 - (4) 1:-2
- 12. An electron of mass m with an initial velocity $\vec{V} = \overset{\wedge}{V_0} \hat{i} \ (V_0 > 0) \quad \text{enters} \quad \text{an electric field}$ $\vec{E} = \, E_0 \, \hat{i} \ (E_0 = \text{constant} > 0) \ \text{at } t = 0. \ \text{If } \lambda_0 \ \text{is}$ its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is
 - (1) $\lambda_0 t$

$$(2) \quad \ \, \lambda_0 \left(1 + \frac{e E_0}{m V_0} t \right)$$


$$(3) \qquad \frac{\lambda_0}{\left(1+\frac{eE_0}{mV_0}t\right)}$$

- (4) λ_0
- 13. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
 - (1) 30
 - (2) 10
 - (3) 20
 - (4) 15
- 14. When the light of frequency $2v_0$ (where v_0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v_1 . When the frequency of the incident radiation is increased to $5v_0$, the maximum velocity of electrons emitted from the same plate is v_2 . The ratio of v_1 to v_2 is
 - (1) 4:1
 - (2) 1:4
 - (3) 1:2
 - (4) 2:1

15. In the circuit shown in the figure, the input voltage V_i is 20 V, V_{BE} = 0 and V_{CE} = 0. The values of I_B , I_C and β are given by



- (1) $I_B = 20 \mu A$, $I_C = 5 mA$, $\beta = 250$
- (2) $I_B = 25 \mu A$, $I_C = 5 mA$, $\beta = 200$
- (3) $I_B = 40 \mu A$, $I_C = 10 \text{ mA}$, $\beta = 250$
- (4) $I_B = 40 \mu A$, $I_C = 5 mA$, $\beta = 125$
- **16.** In a p-n junction diode, change in temperature due to heating
 - (1) does not affect resistance of p-n junction
 - (2) affects only forward resistance
 - (3) affects only reverse resistance
 - (4) affects the overall V-I characteristics of p-n junction 20.
- 17. In the combination of the following gates the output Y can be written in terms of inputs A and B as



- (1) $\overline{A \cdot B} + A \cdot B$
- (2) $A \cdot \overline{B} + \overline{A} \cdot B$
- (3) $\overline{A \cdot B}$
- $(4) \quad \overline{A + B}$


- 8. An em wave is propagating in a medium with a velocity V = Vî. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along
 - (1) y direction
 - (2) + z direction
 - (3) z direction
 - (4) x direction
- 19. The refractive index of the material of a prism is √2 and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is
 - (1) 30°
 - (2) 45°
 - (3) 60°
 - (4) zero
- **20.** An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
 - (1) 30 cm towards the mirror
 - (2) 36 cm away from the mirror
 - (3) 30 cm away from the mirror
 - (4) 36 cm towards the mirror
- 21. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
 - (1) 1·389 H
 - (2) 138·88 H
 - (3) 0·138 H
 - (4) 13·89 H

- 22. An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
 - (1) 10 times greater
 - (2) 5 times greater
 - (3) smaller
 - (4) equal
- **23.** The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is
 - (1) proportional to the square root of the distance between the plates.
 - (2) linearly proportional to the distance between the plates.
 - (3) independent of the distance between the plates.
 - (4) inversely proportional to the distance between the plates.
- **24.** A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
 - (1) 350 m/s
 - (2) 339 m/s
 - (3) 330 m/s
 - (4) 300 m/s
- 25. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s² at a distance of 5 m from the mean position. The time period of oscillation is
 - (1) 2 s
 - (2) π s
 - (3) $2\pi s$
 - (4) 1 s

- A metallic rod of mass per unit length 0.5 kg m⁻¹ is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
 - (1) 14.76 A
 - (2) 5.98 A
 - (3) 7.14 A
 - (4) 11·32 A
- 27. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from
 - (1) the lattice structure of the material of the
 - (2) the magnetic field
 - (3) the current source
 - (4) the induced electric field due to the changing magnetic field
- 28. An inductor 20 mH, a capacitor 100 μF and a resistor 50 Ω are connected in series across a source of emf, $V = 10 \sin 314 t$. The power loss in the circuit is
 - (1) 2.74 W
 - $(2) \quad 0.43 \text{ W}$
 - (3) 0.79 W
 - (4) 1.13 W
- 29. Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is
 - (1) 250Ω
 - (2) 25Ω
 - (3) 40 Ω
 - (4) 500 Ω


ACHLA/AA/Page 5 English

30. A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to




- $(1) \qquad \frac{7}{5} \, D$
- (2) D
- (3) $\frac{3}{2}$ D
- $(4) \qquad \frac{5}{4} \, \mathrm{D}$
- 31. Three objects, A: (a solid sphere), B: (a thin circular disk) and C: (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed ω about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation
 - $(1) \quad W_B > W_A > W_C$
 - $(2) \quad \mathbf{W}_{\mathrm{A}} > \mathbf{W}_{\mathrm{B}} > \mathbf{W}_{\mathrm{C}}$
 - $(3) \quad W_C > W_B > W_A$
 - $(4) \quad W_{A} > W_{C} > W_{B}$
- **32.** A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be
 - (1) 0.8
 - (2) 0.25
 - (3) 0.5
 - (4) 0.4
- **33.** Which one of the following statements is *incorrect*?
 - $(1) \quad \hbox{Frictional force opposes the relative motion}.$
 - (2) Limiting value of static friction is directly proportional to normal reaction.
 - (3) Rolling friction is smaller than sliding friction.
 - (4) Coefficient of sliding friction has dimensions of length.

- A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field \overrightarrow{E} . Due to the force q \overrightarrow{E} , its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
 - (1) 1 m/s, 3.5 m/s
 - (2) 1 m/s, 3 m/s
 - (3) 2 m/s, 4 m/s
 - (4) 1.5 m/s, 3 m/s
- 35. A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and θ for the block to remain stationary on the wedge is



- (1) $a = g \cos \theta$
- (2) $a = \frac{g}{\sin \theta}$
- (3) $a = \frac{g}{\csc \theta}$
- (4) $a = g \tan \theta$
- **36.** The moment of the force, $\vec{F} = 4\hat{i} + 5\hat{j} 6\hat{k}$ at (2, 0, -3), about the point (2, -2, -2), is given by
 - $(1) -7\hat{i} -8\hat{j} -4\hat{k}$
 - (2) $-4\hat{i} \hat{j} 8\hat{k}$
 - $(3) \quad -8\, \hat{i}\, -4\, \hat{j}\, -7\, \hat{k}$
 - $(4) \quad -7\, \dot{\hat{i}}\, -4\, \dot{\hat{j}}\, -8\, \dot{\hat{k}}$
 - A student measured the diameter of a small steel ball using a screw gauge of least count 0·001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of 0·004 cm, the correct diameter of the ball is
 - (1) 0.053 cm
 - (2) 0.525 cm
 - (3) 0.521 cm
 - (4) 0.529 cm

- 38. A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere?
 - (1) Rotational kinetic energy
 - (2) Moment of inertia
 - (3) Angular velocity
 - (4) Angular momentum
- **39.** The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are K_A , K_B and K_C , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then



- $(1) \quad K_{B} < K_{A} < K_{C}$
- (2) $K_A > K_B > K_C$
- $(3) \quad K_A < K_B < K_C$
- $(4) \quad K_{B} > K_{A} > K_{C}$
- **40.** If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is **not** correct?
 - (1) Time period of a simple pendulum on the Earth would decrease.
 - (2) Walking on the ground would become more difficult.
 - (3) Raindrops will fall faster.
 - (4) 'g' on the Earth will not change.
- $\begin{array}{c} \textbf{41.} \quad \text{A solid sphere is in rolling motion. In rolling} \\ \text{motion a body possesses translational kinetic} \\ \text{energy } (K_t) \text{ as well as rotational kinetic energy} \\ (K_r) \text{ simultaneously. The ratio } K_t: (K_t + K_r) \text{ for the sphere is} \\ \end{array}$
 - (1) 10:7
 - (2) 5:7
 - (3) 7:10
 - (4) 2:5

- 42. A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to
 - (1) r^5
 - (2) r^2
 - (3) r^3
 - (4) \mathbf{r}^4
- 43. The power radiated by a black body is P and it radiates maximum energy at wavelength, λ_0 . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength $\frac{3}{4}\lambda_0$, the power radiated by it becomes nP. The value of n is
 - $(1) \quad \frac{256}{81}$
 - (2) $\frac{4}{3}$
 - (3) $\frac{3}{4}$
 - $(4) \frac{81}{256}$
- 44. Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by Δl on applying a force F, how much force is needed to stretch the second wire by the same amount?
 - (1) 4 F
 - (2) 6 F
 - (3) 9 F
 - (4) F
- 45. A sample of 0·1 g of water at 100°C and normal pressure (1·013 × 10⁵ Nm⁻²) requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167·1 cc, the change in internal energy of the sample, is
 - (1) 42.2 J
 - (2) 208·7 J
 - (3) 104.3 J
 - (4) 84·5 J

- **46.** The correct order of N-compounds in its decreasing order of oxidation states is
 - (1) HNO₃, NH₄Cl, NO, N₂
 - (2) HNO₃, NO, NH₄Cl, N₂
 - (3) HNO₃, NO, N₂, NH₄Cl
 - (4) NH₄Cl, N₂, NO, HNO₃
- **47.** Which one of the following elements is unable to form MF_6^{3-} ion?
 - (1) B
 - (2) Al
 - (3) Ga
 - (4) In
- **48.** Considering Ellingham diagram, which of the following metals can be used to reduce alumina?
 - (1) Mg
 - (2) Zn
 - (3) Fe
 - (4) Cu
- **49.** The correct order of atomic radii in group 13 elements is
 - (1) B < Ga < Al < Tl < In
 - (2) B < Al < Ga < In < Tl
 - (3) B < Al < In < Ga < Tl
 - (4) B < Ga < Al < In < Tl
- **50.** Which of the following statements is *not* true for halogens?
 - (1) All but fluorine show positive oxidation states.
 - (2) All are oxidizing agents.
 - (3) All form monobasic oxyacids.
 - (4) Chlorine has the highest electron-gain enthalpy.
- **51.** In the structure of ClF₃, the number of lone pairs of electrons on central atom 'Cl' is
 - (1) four
 - (2) two
 - (3) one
 - (4) three

52. Identify the major products P, Q and R in the following sequence of reactions:

$$\begin{array}{c} \text{Anhydrous} \\ & \text{AlCl}_3 \\ \\ & \text{P} \xrightarrow{\text{(i) O}_2} \\ & \text{(ii) H}_3\text{O}^+\!/\!\Delta} \\ \end{array} \rightarrow \text{Q} + \text{R}$$

P Q R

(2)
$$\begin{array}{c|cccc} \mathrm{CH_2CH_2CH_3} & \mathrm{CHO} & \mathrm{COOH} \\ & & & \\ \end{array}$$

(3)
$$\begin{array}{c} \mathrm{CH_2CH_2CH_3} & \mathrm{CHO} \\ \\ \end{array}$$

$$(4) \quad \overbrace{\hspace{1cm}}^{\text{CH}(\text{CH}_3)_2} \quad \overbrace{\hspace{1cm}}^{\text{OH}}, \quad \text{CH}_3 - \text{CO} - \text{CH}_3$$

- **53.** Which of the following compounds can form a zwitterion?
 - (1) Benzoic acid
 - (2) Acetanilide
 - (3) Aniline
 - (4) Glycine

- **54.** Regarding cross-linked or network polymers, which of the following statements is *incorrect*?
 - (1) Examples are bakelite and melamine.
 - (2) They are formed from bi- and tri-functional monomers.
 - (3) They contain covalent bonds between various linear polymer chains.
 - (4) They contain strong covalent bonds in their polymer chains.
- **55.** Nitration of aniline in strong acidic medium also gives m-nitroaniline because
 - (1) In absence of substituents nitro group always goes to m-position.
 - (2) In electrophilic substitution reactions amino group is meta directive.
 - (3) In spite of substituents nitro group always goes to only m-position.
 - (4) In acidic (strong) medium aniline is present as anilinium ion.
- **56.** The difference between amylose and amylopectin is
 - (1) Amylopectin have 1 \rightarrow 4 α -linkage and 1 \rightarrow 6 β -linkage
 - (2) Amylose have 1 \rightarrow 4 α -linkage and 1 \rightarrow 6 β -linkage
 - (3) Amylopectin have $1 \rightarrow 4$ α -linkage and $1 \rightarrow 6$ α -linkage
 - (4) Amylose is made up of glucose and galactose
- 57. A mixture of $2\cdot 3$ g formic acid and $4\cdot 5$ g oxalic acid is treated with conc. H_2SO_4 . The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
 - (1) 2.8
 - $(2) \quad 3.0$
 - (3) 1.4
 - (4) 4.4
- **58.** Which of the following oxides is most acidic in nature?
 - (1) BaO
 - (2) BeO
 - (3) MgO
 - (4) CaO

- **59.** Which oxide of nitrogen is **not** a common pollutant introduced into the atmosphere both due to natural and human activity?
 - (1) N_2O
 - (2) NO_2
 - (3) N_2O_5
 - (4) NO
- **60.** The compound A on treatment with Na gives B, and with PCl₅ gives C. B and C react together to give diethyl ether. A, B and C are in the order
 - $(1)\quad \mathrm{C_2H_5Cl},\,\mathrm{C_2H_6},\,\mathrm{C_2H_5OH}$
 - (2) C_2H_5OH , C_2H_5Cl , C_2H_5ONa
 - $(3)\quad \mathrm{C_2H_5OH},\,\mathrm{C_2H_6},\,\mathrm{C_2H_5Cl}$
 - (4) C_2H_5OH , C_2H_5ONa , C_2H_5Cl
- **61.** The compound C_7H_8 undergoes the following reactions:

$$C_7H_8 \xrightarrow{3 \text{ Cl}_2/\Delta} A \xrightarrow{\text{Br}_2/\text{Fe}} B \xrightarrow{\text{Zn}/\text{HCl}} C$$

The product 'C' is

- (1) 3-bromo-2,4,6-trichlorotoluene
- (2) o-bromotoluene
- (3) *m*-bromotoluene
- (4) *p*-bromotoluene
- **62.** Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is
 - (1) $CH_3 CH_3$
 - (2) $CH_2 = CH_2$
 - (3) $CH \equiv CH$
 - (4) CH₄

63. Which of the following molecules represents the order of hybridisation sp², sp², sp, sp from left to right atoms?

(1)
$$CH_2 = CH - CH = CH_2$$

(2)
$$CH_2 = CH - C \equiv CH$$

(3)
$$HC \equiv C - C \equiv CH$$

$$(4) \quad CH_3 - CH = CH - CH_3$$

64. Which of the following carbocations is expected to be most stable?

(1)
$$H$$
 Ψ

$$(2) \qquad \begin{array}{c} \text{NO}_2 \\ \\ \hline \\ \text{Y} \end{array}$$

$$(3) \qquad \bigvee_{Y \quad H}^{NO_2}$$

$$(4) \qquad \stackrel{\text{NO}_2}{Y}$$

65. Which of the following is correct with respect to – I effect of the substituents ? (R = alkyl)

$$(1) - NH_2 > - OR > - F$$

$$(2) - NR_2 < -OR < -F$$

$$(3) \quad -NH_2 < -OR < -F$$

$$(4) \quad -NR_2 > -OR > -F$$

66. In the reaction

$$\begin{array}{c} \text{OH} & \text{O-Na+} \\ \hline \\ \text{O} & + \text{CHCl}_3 + \text{NaOH} \end{array} \longrightarrow \begin{array}{c} \text{O-Na+} \\ \hline \\ \text{O} \end{array}$$

the electrophile involved is

- (1) dichloromethyl anion $(CHCl_2)$
- (2) formyl cation (CHO)
- (3) dichloromethyl cation ($CHCl_2$)
- (4) dichlorocarbene (:CCl₂)
- **67.** Carboxylic acids have higher boiling points than aldehydes, ketones and even alcohols of comparable molecular mass. It is due to their
 - (1) more extensive association of carboxylic acid via van der Waals force of attraction
 - (2) formation of carboxylate ion
 - (3) formation of intramolecular H-bonding
 - (4) formation of intermolecular H-bonding
- **68.** Compound A, $C_8H_{10}O$, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

(1)
$$\sim$$
 CH – CH $_3$ and I $_2$ OH

(2)
$$\sim$$
 CH₂ – CH₂ – OH and I₂

(3)
$$H_3C - CH_2 - OH \text{ and } I_2$$

$$(4) \qquad \text{CH}_{3} \longrightarrow \begin{array}{c} \text{CH}_{3} \\ \text{OH and I}_{2} \end{array}$$

69. Match the metal ions given in Column I with the 74. spin magnetic moments of the ions given in Column II and assign the *correct* code:

Column I

Column II

- Co^{3+} a.
- $\sqrt{8}$ B.M.
- b.
- ii. $\sqrt{35}$ B.M.
- Fe³⁺ c.
- $\sqrt{3}$ B.M. iii.
- Ni^{2+} d.
- iv. $\sqrt{24}$ B.M.
- $\sqrt{15}$ B.M. v.

iii

- a
- d \mathbf{c}
- **(1)** iv
- ii
- (2)
- iii iv
- (3)
- ii
- (4)iii
- i ii
- 70. Which one of the following ions exhibits d-d transition and paramagnetism as well?
 - (1) MnO_4
 - $Cr_2O_7^{2-}$ (2)
 - $\operatorname{CrO}_4^{2-}$ (3)
 - MnO_4^{2-} (4)
- 71. Iron carbonyl, Fe(CO)₅ is
 - (1) trinuclear
 - (2)mononuclear
 - (3)tetranuclear
 - (4) dinuclear
- The type of isomerism shown by the complex **72.** $[CoCl_2(en)_2]$ is
 - (1) Ionization isomerism
 - (2)Coordination isomerism
 - (3)Geometrical isomerism
 - Linkage isomerism (4)
- **73.** The geometry and magnetic behaviour of the complex [Ni(CO)₄] are
 - square planar geometry and paramagnetic (1)
 - (2)tetrahedral geometry and diamagnetic
 - (3)square planar geometry and diamagnetic
 - tetrahedral geometry and paramagnetic

- Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations:
 - $60 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 40 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
 - $55 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 45 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
 - 75 mL $\frac{M}{5}$ HCl + 25 mL $\frac{M}{5}$ NaOH c.
 - $100 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 100 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$

pH of which one of them will be equal to 1?

- (1) d
- (2)a
- (3)b
- (4)c
- **75.** On which of the following properties does the coagulating power of an ion depend?
 - Both magnitude and sign of the charge on the ion
 - (2)Size of the ion alone
 - (3)The magnitude of the charge on the ion
 - (4) The sign of charge on the ion alone
- **76.** Given van der Waals constant for NH₃, H₂, O₂ and CO₂ are respectively 4·17, 0·244, 1·36 and 3.59, which one of the following gases is most easily liquefied?
 - (1) O_{2}
 - (2) H_{2}
 - (3) NH_3
 - (4) CO_{2}
- 77. solubility of BaSO₄ in water $2{\cdot}42\times10^{-3}~\mathrm{gL}^{-1}$ at 298 K. The value of its solubility product (K_{sp}) will be

(Given molar mass of $BaSO_4 = 233 \text{ g mol}^{-1}$)

- $1.08 \times 10^{-14} \text{ mol}^2 \text{ L}^{-2}$ (1)
- $1.08 \times 10^{-12} \text{ mol}^2 \text{ L}^{-2}$ (2)
- $1.08 \times 10^{-10} \text{ mol}^2 \text{ L}^{-2}$
- (4) $1.08 \times 10^{-8} \text{ mol}^2 \text{ L}^{-2}$

- 78. In which case is the number of molecules of water maximum?
 - (1) 0.00224~L of water vapours at 1 atm and 273~K
 - (2) 0.18 g of water
 - (3) 18 mL of water
 - (4) 10^{-3} mol of water
- **79.** The correct difference between first- and second-order reactions is that
 - (1) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
 - (2) the half-life of a first-order reaction does not depend on $[A]_0$; the half-life of a second-order reaction does depend on $[A]_0$
 - (3) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
 - (4) the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
- 80. Among CaH_2 , BeH_2 , BaH_2 , the order of ionic character is
 - $(1) \quad \mathrm{BeH}_2 < \mathrm{BaH}_2 < \mathrm{CaH}_2$
 - $(2) \quad \text{CaH}_2 < \text{BeH}_2 < \text{BaH}_2$
 - $(3) \quad \operatorname{BeH}_2 < \operatorname{CaH}_2 < \operatorname{BaH}_2$
 - $(4) \quad BaH_2 < BeH_2 < CaH_2$
- **81.** Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below:

$$BrO_4^- \xrightarrow{1.82 \text{ V}} BrO_3^- \xrightarrow{1.5 \text{ V}} HBrO$$

$$Br^- \xleftarrow{1.0652 \text{ V}} Br_2 \xleftarrow{1.595 \text{ V}}$$

Then the species undergoing disproportionation is

- (1) Br₂
- (2) BrO_4^-
- (3) BrO $_3^-$
- (4) HBrO

82. For the redox reaction

$$MnO_4^- + C_2O_4^{2-} + H^+ \longrightarrow Mn^{2+} + CO_2 + H_2O$$

the correct coefficients of the reactants for the balanced equation are

	MnO_4^-	$C_2^{O_4^{2-}}$	H^{+}
(1)	2	16	5

- (2) 2 5 16
- (3) 16 5 2
- (4) 5 16 2
- **83.** Which one of the following conditions will favour maximum formation of the product in the reaction,

$$A_2(g) + B_2(g) \rightleftharpoons X_2(g) \quad \Delta_r H = -X kJ$$
?

- (1) High temperature and high pressure
- (2) Low temperature and low pressure
- (3) Low temperature and high pressure
- (4) High temperature and low pressure
- **84.** When initial concentration of the reactant is doubled, the half-life period of a zero order reaction
 - (1) is tripled
 - (2) is doubled
 - (3) is halved
 - (4) remains unchanged
- **85.** The bond dissociation energies of X_2 , Y_2 and XY are in the ratio of 1:0.5:1. ΔH for the formation of XY is -200 kJ mol^{-1} . The bond dissociation energy of X_2 will be
 - (1) 800 kJ mol^{-1}
 - (2) 100 kJ mol⁻¹
 - (3) 200 kJ mol^{-1}
 - (4) 400 kJ mol⁻¹
- **86.** The correction factor 'a' to the ideal gas equation corresponds to
 - (1) electric field present between the gas molecules
 - (2) volume of the gas molecules
 - (3) density of the gas molecules
 - (4) forces of attraction between the gas molecules

87. Consider the following species:

CN⁺, CN⁻, NO and CN

Which one of these will have the highest bond order?

- (1) CN⁺
- (2) CN^-
- (3) NO
- (4) CN
- 88. Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is $1s^2 2s^2 2p^3$, the simplest formula for this compound is
 - (1) Mg_2X
 - (2) MgX₂
 - (3) Mg_2X_3
 - (4) Mg_3X_2
- 89. Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is
 - $(1) \qquad \frac{3\sqrt{3}}{4\sqrt{2}}$
 - $(2) \qquad \frac{4\sqrt{3}}{3\sqrt{2}}$
 - $(3) \qquad \frac{\sqrt{3}}{\sqrt{2}}$
 - $(4) \frac{1}{2}$
- **90.** Which one is a *wrong* statement?
 - (1) The electronic configuration of N atom is

$1s^2$	$2s^2$	$2p_x^1$	$2p_y^1$	$2p_z^1$
$\uparrow \downarrow$	$\uparrow \downarrow$	1	1	\downarrow

- (2) An orbital is designated by three quantum numbers while an electron in an atom is designated by four quantum numbers.

 97.
- (3) Total orbital angular momentum of electron in 's' orbital is equal to zero.
- (4) The value of m for $d_{7}2$ is zero.

- **91.** Oxygen is *not* produced during photosynthesis by
 - (1) Cycas
 - (2) Nostoc
 - (3) Green sulphur bacteria
 - (4) Chara
- **92.** Double fertilization is
 - (1) Fusion of two male gametes with one egg
 - (2) Fusion of one male gamete with two polar nuclei
 - (3) Fusion of two male gametes of a pollen tube with two different eggs
 - (4) Syngamy and triple fusion
- **93.** Which one of the following plants shows a very close relationship with a species of moth, where none of the two can complete its life cycle without the other?
 - (1) Banana
 - (2) Yucca
 - (3) Hydrilla
 - (4) Viola
- **94.** Pollen grains can be stored for several years in liquid nitrogen having a temperature of
 - $(1) 196^{\circ}C$
 - $(2) 80^{\circ}C$
 - $(3) 120^{\circ}C$
 - $(4) 160^{\circ}C$
- **95.** Which of the following elements is responsible for maintaining turgor in cells ?
 - (1) Potassium
 - (2) Sodium
 - (3) Magnesium
 - (4) Calcium
- **96.** What is the role of NAD⁺ in cellular respiration?
 - $(1) \quad \text{It is a nucleotide source for ATP synthesis}.$
 - (2) It functions as an electron carrier.
 - (3) It functions as an enzyme.
 - (4) It is the final electron acceptor for anaerobic respiration.
- **97.** In which of the following forms is iron absorbed by plants?
 - (1) Free element
 - (2) Ferrous
 - (3) Ferric
 - (4) Both ferric and ferrous

Which of the following is commonly used as a 104. Which of the following pairs is wrongly 98. vector for introducing a DNA fragment in human matched? lymphocytes? (1) XO type sex Grasshopper determination (1) λ phage Co-dominance (2)ABO blood grouping (2)Ti plasmid (3)Starch synthesis in pea Multiple alleles (3)Retrovirus (4) T.H. Morgan Linkage (4) pBR 322 **105.** Select the *correct* statement : 99. Use of bioresources by multinational companies and organisations without authorisation from the Spliceosomes take part in translation. concerned country and its people is called Punnett square was developed by a British (2)Biodegradation scientist. (1) (2)(3)Franklin Stahl coined the term "linkage". **Biopiracy** Transduction was discovered by S. Altman. (3)**Bio-infringement** (4) (4)Bioexploitation **106.** The experimental proof for semiconservative replication of DNA was first shown in a **100.** In India, the organisation responsible for (1) Plant. assessing the safety of introducing genetically (2)Bacterium modified organisms for public use is (3)**Fungus (1)** Research Committee Genetic on (4) Virus Manipulation (RCGM) 107. Which of the following flowers only once in its (2)Council for Scientific Industrial and life-time? Research (CSIR) **(1)** Mango (3)Indian Council of Medical Research (ICMR) (2)Jackfruit (4) Genetic Engineering Appraisal Committee (3)Bamboo species (GEAC) (4) Papaya **108.** Offsets are produced by 101. The correct order of steps in Polymerase Chain Parthenocarpy (1) Reaction (PCR) is (2)Mitotic divisions (1)Denaturation, Extension, Annealing Meiotic divisions (3)(2)Annealing, Extension, Denaturation (4) Parthenogenesis (3)Extension, Denaturation, Annealing **109.** Select the *correct* match : (4) Denaturation, Annealing, Extension (1) Matthew Meselson Pisum sativum **102.** Select the *correct* match : and F. Stahl (1) T.H. Morgan Transduction Alfred Hershey and TMV(2)Dihybrid cross Martha Chase (2) $F_2 \times \text{Recessive parent}$ (3)Alec Jeffreys - Streptococcus Ribozyme Nucleic acid (3)pneumoniae (4)G. Mendel Transformation (4) François Jacob and - Lac operon 103. A 'new' variety of rice was patented by a foreign Jacques Monod company, though such varieties have been 110. Which of the following has proved helpful in present in India for a long time. This is related to preserving pollen as fossils? (1) Lerma Rojo **(1)** Oil content (2)Sharbati Sonora (2)Cellulosic intine (3)Co-667 (3)Pollenkitt (4) Basmati (4)Sporopollenin

ACHLA/AA/Page 14 English

- **111.** Natality refers to
 - (1) Number of individuals leaving the habitat
 - (2) Birth rate
 - (3) Death rate
 - (4) Number of individuals entering a habitat
- 112. World Ozone Day is celebrated on
 - (1) 16th September
 - (2) 21^{st} April
 - (3) 5th June
 - (4) 22nd April
- **113.** Which of the following is a secondary pollutant?
 - (1) SO_2
 - (2) CO_2
 - (3) CO
 - (4) O_3
- 114. Niche is
 - (1) the range of temperature that the organism needs to live
 - (2) the physical space where an organism lives
 - (3) all the biological factors in the organism's environment
 - (4) the functional role played by the organism where it lives
- **115.** What type of ecological pyramid would be obtained with the following data?

Secondary consumer: 120 g

Primary consumer: 60 g

Primary producer: 10 g

- (1) Upright pyramid of numbers
- (2) Pyramid of energy
- (3) Inverted pyramid of biomass
- (4) Upright pyramid of biomass
- **116.** In stratosphere, which of the following elements acts as a catalyst in degradation of ozone and release of molecular oxygen?
 - (1) Fe
 - (2) Cl
 - (3) Carbon
 - (4) Oxygen

- **117.** The two functional groups characteristic of sugars are
 - (1) carbonyl and phosphate
 - (2) carbonyl and methyl
 - (3) hydroxyl and methyl
 - (4) carbonyl and hydroxyl
- **118.** Which among the following is *not* a prokaryote?
 - (1) Nostoc
 - (2) Mycobacterium
 - (3) Saccharomyces
 - (4) Oscillatoria
- 119. The Golgi complex participates in
 - (1) Respiration in bacteria
 - (2) Formation of secretory vesicles
 - (3) Fatty acid breakdown
 - (4) Activation of amino acid
- **120.** Which of the following is **not** a product of light reaction of photosynthesis?
 - (1) NADPH
 - (2) NADH
 - (3) ATP
 - (4) Oxygen
- **121.** Which of the following is true for nucleolus?
 - (1) It takes part in spindle formation.
 - (2) It is a membrane-bound structure.
 - (3) Larger nucleoli are present in dividing cells.
 - (4) It is a site for active ribosomal RNA synthesis.
- **122.** Stomatal movement is *not* affected by
 - $(1) \quad {\rm O}_2 \ {\rm concentration}$
 - (2) Light
 - (3) Temperature
 - (4) CO₂ concentration
- **123.** The stage during which separation of the paired homologous chromosomes begins is
 - (1) Diakinesis
 - (2) Diplotene
 - (3) Pachytene
 - (4) Zygotene
- 124. Stomata in grass leaf are
 - (1) Rectangular
 - (2) Kidney shaped
 - (3) Dumb-bell shaped
 - (4) Barrel shaped

ACHLA/AA/Page 15 English

125. Secondary xylem and phloem in dicot stem are 132. After karyogamy followed by meiosis, spores are produced by produced exogenously in (1) Phellogen (1) Agaricus (2)Vascular cambium (2)Alternaria (3)Apical meristems (3)Neurospora (4) Saccharomyces (4) Axillary meristems **126.** Pneumatophores occur in 133. Match the items given in Column I with those in (1) Carnivorous plants Column II and select the *correct* option given (2)Free-floating hydrophytes below: (3)Halophytes Column I Column II Submerged hydrophytes (4) Herbarium i. a. It is a place having a **127.** Casparian strips occur in collection of preserved (1)Cortex plants and animals. (2)Pericvcle Key A list that enumerates b. ii. (3)**Epidermis** methodically all the species found in an area (4) **Endodermis** with brief description 128. Plants having little or no secondary growth are aiding identification. **(1)** Conifers Museum iii. Is a place where dried and c. (2)Deciduous angiosperms pressed plant specimens (3)Grasses mounted on sheets are (4) Cycads kept. **129.** Sweet potato is a modified d. Catalogue A booklet containing a list iv. of characters and their (1) Tap root alternates which are Adventitious root (2)helpful in identification of (3)Stem various taxa. (4) Rhizome d b \mathbf{c} a **130.** Which of the following statements is *correct*? i (1) ii iv iii Horsetails are gymnosperms. (2)iii i ii iv (2)Selaginella is heterosporous, while Salvinia i ii (3)iii iv is homosporous. i ii iii (4) iv (3)Ovules are not enclosed by ovary wall in gymnosperms. **134.** Winged pollen grains are present in Stems are usually unbranched in both (4) (1) Mango Cycas and Cedrus. (2)Cycas(3)Mustard **131.** Select the *wrong* statement : Pinus (4) Pseudopodia are locomotory and feeding (1) structures in Sporozoans. **135.** Which one is *wrongly* matched? (2)Mushrooms belong to Basidiomycetes. **(1)** Gemma cups Marchantia (3)Cell wall is present in members of Fungi Brown algae (2)Biflagellate zoospores and Plantae. (3)Uniflagellate gametes -Polysiphonia

ACHLA/AA/Page 16 English

(4)

Unicellular organism -

Chlorella

Mitochondria are the powerhouse of the cell

in all kingdoms except Monera.

options correctly 139. The transparent lens in the human eye is held in of the following **136.** Which represents the lung conditions in asthma and its place by emphysema, respectively? (1) Increased respiratory surface: (2)Inflammation of bronchioles Increased number of bronchioles; Increased (2)(3)respiratory surface (4) Inflammation of bronchioles: Decreased (3)respiratory surface (4) Decreased respiratory surface; hormone? Inflammation of bronchioles **(1)** Estradiol 137. Match the items given in Column I with those in Column II and select the correct option given (2)Ecdysone below: Column I Column II (3)**Epinephrine** Tricuspid valve i. Between left atrium a. (4)Estriol and left ventricle Bicuspid valve b. ii. Between right ventricle and pulmonary artery (1) Semilunar valve Between right c. (2)atrium and right (3)ventricle a b \mathbf{c} (4) i (1) ii iii (2)i iii ii iii i ii (3)(4) ii i iii Hypothalamus

Column II

138. Match the items given in Column I with those in Column II and select the correct option given below:

Column I

a.	Tidal volume			i.	2500 – 3000 mL
b.	-	Inspiratory Reserve			$1100 - 1200 \; mL$
	volum	e			
c.	Expira	atory Re	eserve	iii.	$500-550\;mL$
	volum	e			
d.	Residu	ıal volu	me	iv.	1000 – 1100 mL
	a	b	\mathbf{c}	d	
(1)	i	iv	ii	iii	
(2)	iii	i	iv	ii	
(3)	iii	ii	i	iv	
(4)	iv	iii	ii	i	

- - smooth muscles attached to the iris
 - ligaments attached to the iris
 - ligaments attached to the ciliary body
 - smooth muscles attached to the ciliary body
- 140. Which of the following is an amino acid derived

- 141. Which of the following hormones can play a significant role in osteoporosis?
 - Estrogen and Parathyroid hormone
 - Progesterone and Aldosterone
 - Aldosterone and Prolactin
 - Parathyroid hormone and Prolactin
- 142. Which of the following structures or regions is incorrectly paired with its function?
 - production of

releasing hormones and regulation of temperature, hunger and thirst.

consists of fibre (2)Limbic system

> tracts that interconnect different regions of brain: controls

movement.

(3)Medulla oblongata: controls respiration

and cardiovascular

reflexes.

Corpus callosum band of fibers (4)

> connecting left and right cerebral hemispheres.

ACHLA/AA/Page 17 **English**

- 143. The amnion of mammalian embryo is derived 147. Ciliates differ from all other protozoans in from
 - (1) mesoderm and trophoblast
 - (2)endoderm and mesoderm
 - (3)ectoderm and mesoderm
 - (4)ectoderm and endoderm
- 144. Hormones secreted by the placenta to maintain pregnancy are
 - hCG, hPL, progestogens, estrogens
 - (2)hCG, hPL, estrogens, relaxin, oxytocin
 - (3)hCG, hPL, progestogens, prolactin
 - (4) hCG, progestogens, estrogens, glucocorticoids
- 145. The difference between spermiogenesis and spermiation is
 - In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
 - (2)In spermiogenesis spermatozoa are formed, while in spermiation spermatids formed.
 - (3)In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
 - In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.
- **146.** The contraceptive 'SAHELI'
 - (1) is an IUD.
 - (2)increases the concentration of estrogen and prevents ovulation in females.
 - (3)blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
 - (4) is a post-coital contraceptive.

- - using pseudopodia for capturing prev
 - (2)having a contractile vacuole for removing excess water
 - (3)using flagella for locomotion
 - (4) having two types of nuclei
- **148.** Identify the vertebrate group of animals characterized by crop and gizzard in its digestive system.
 - **(1)** Aves
 - (2)Reptilia
 - (3)**Amphibia**
 - (4) Osteichthyes
- **149.** Which of the following features is used to identify a male cockroach from a female cockroach?
 - Forewings with darker tegmina
 - (2)Presence of caudal styles
 - (3)Presence of a boat shaped sternum on the 9th abdominal segment
 - Presence of anal cerci (4)
- **150.** Which one of these animals is nothomeotherm?
 - Camelus(1)
 - (2)Chelone
 - (3)Macropus
 - Psittacula(4)
- **151.** Which of the following animals does *not* undergo metamorphosis?
 - (1) Moth
 - (2)**Tunicate**
 - (3)Earthworm
 - (4) Starfish
- **152.** Which of the following organisms are known as chief producers in the oceans?
 - Cvanobacteria (1)
 - (2)**Diatoms**
 - Dinoflagellates (3)
 - Euglenoids (4)

ACHLA/AA/Page 18 **English**

153.	inter the j (1) (2) (3)	ractions is widely used in medical science for production of antibiotics? Parasitism Mutualism Commensalism		(1)(2)(3)(4)	an enh structu an oper a prom	ancer Iral gen rator oter	ies		f an operon <i>except</i>
154.		Amensalism of the following are included in 'Ex-situ ervation' except Botanical gardens Sacred groves Wildlife safari parks Seed banks		X	oman ha chromos crited by Only go Only so Only do Both so	omes. randchi ons aughte	This ildren rs	ch	ndition on one of her romosome can be
155.		ch the items given in Column I with those in the items given the correct option given by: Column I Column II Eutrophication i. UV-B radiation Sanitary landfill ii. Deforestation Snow blindness iii. Nutrient enrichment Jhum cultivation iv. Waste disposal a b c d iii iv i ii i iii iv ii ii iii iv ii ii iii i		evol (1) (2) (3) (4) AGO stra	ution is Phenot Saltati Multip Minor	cypic value on le step mutation CAT is gene. We the tran AUGCO UTCGO	mutatons s a se What w nscrib GAU CAT	ns tions quer vill b	nce from the coding be the corresponding
156.		growing population of a country, reproductive and pre-reproductive individuals are equal in number. reproductive individuals are less than the post-reproductive individuals. pre-reproductive individuals are more than the reproductive individuals. pre-reproductive individuals are less than	162.		ımn II a	and sel	lect th	ne c o	umn I with those in orrect option given Column II Breakdown of endometrial lining Follicular Phase
157.		the reproductive individuals. The part of poppy plant is used to obtain the subsection of the subsect		c.(1)(2)(3)(4)	ii i iii	ruation b iii iii ii i	c i ii ii ii	iii.	Luteal Phase

ACHLA/AA/Page 19 English

Column II and select the correct option given below:

	Colum	n I		$Column\ II$
a.	Glycos	suria	i.	Accumulation of uric acid in joints
b.	Gout		ii.	Mass of crystallised salts within the kidney
c.	Renal	calculi	iii.	Inflammation in glomeruli
d.	Glome nephri		iv.	Presence of glucose in urine
	a	b	\mathbf{c}	d
(1)	ii	iii	i	iv
(2)	i	ii	iii	iv
(3)	iii	ii	iv	i
(4)	iv	i	ii	iii

164. Match the items given in Column I with those in Column II and select the correct option given below:

	Colum (Funct				Column II (Part of Excretory System)
a.	Ultraf	iltratior	ı	i.	Henle's loop
b.	Concentration of urine			ii.	Ureter
c.	Transport of urine			iii.	Urinary bladder
d.	Storage of urine			iv.	Malpighian corpuscle
				v.	Proximal convoluted tubule
	a	b	c	Ċ	i
(1)	v	iv	i	i	i
(2)	iv	i	ii	i	ii
(3)	iv	v	ii	i	ii

i

iii

(4)

- 163. Match the items given in Column I with those in 165. Which of the following gastric cells indirectly help in erythropoiesis?
 - (1) Goblet cells
 - (2)Mucous cells
 - (3)Chief cells
 - (4) Parietal cells

166. Match the items given in Column I with those in Column II and select the *correct* option given below:

	Colu	mn I		$Column \; II$
a.	Fibri	inogen	i.	Osmotic balance
b.	Globulin		ii.	Blood clotting
c.	Albumin		iii.	Defence mechanism
	a	b	\mathbf{c}	
(1)	i	iii	ii	
(2)	i	ii	iii	
(3)	iii	ii	i	
(4)	ii	iii	i	

- **167.** Which of the following is an occupational respiratory disorder?
 - **(1)** Botulism
 - (2)Silicosis
 - (3)Anthracis
 - (4) Emphysema
- **168.** Calcium is important in skeletal muscle contraction because it
 - detaches the myosin head from the actin filament.
 - activates the myosin ATPase by binding to it.
 - binds to troponin to remove the masking of active sites on actin for myosin.
 - prevents the formation of bonds between (4) the myosin cross bridges and the actin filament.

ACHLA/AA/Page 20 **English**

- **169.** Nissl bodies are mainly composed of
 - (1) Nucleic acids and SER
 - (2) DNA and RNA
 - (3) Proteins and lipids
 - (4) Free ribosomes and RER
- **170.** Which of these statements is *incorrect*?
 - (1) Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.
 - (2) Glycolysis occurs in cytosol.
 - (3) Enzymes of TCA cycle are present in mitochondrial matrix.
 - (4) Oxidative phosphorylation takes place in outer mitochondrial membrane.
- 171. Select the *incorrect* match:
 - (1) Submetacentric L-shaped chromososmes chromosomes
 - (2) Allosomes Sex chromosomes
 - (3) Lampbrush Diplotene bivalents chromosomes
 - (4) Polytene Oocytes of amphibians chromosomes
- **172.** Which of the following terms describe human dentition?
 - (1) Pleurodont, Monophyodont, Homodont
 - (2) Thecodont, Diphyodont, Heterodont
 - (3) Thecodont, Diphyodont, Homodont
 - (4) Pleurodont, Diphyodont, Heterodont
- **173.** Which of the following events does *not* occur in rough endoplasmic reticulum?
 - (1) Cleavage of signal peptide
 - (2) Protein glycosylation
 - (3) Protein folding
 - (4) Phospholipid synthesis
- 174. Many ribosomes may associate with a single mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as
 - (1) Plastidome
 - (2) Polyhedral bodies
 - (3) Polysome
 - (4) Nucleosome

- **175.** In which disease does mosquito transmitted pathogen cause chronic inflammation of lymphatic vessels?
 - (1) Ringworm disease
 - (2) Ascariasis
 - (3) Elephantiasis
 - (4) Amoebiasis
- **176.** Which of the following is *not* an autoimmune disease?
 - (1) Alzheimer's disease
 - (2) Rheumatoid arthritis
 - (3) Psoriasis
 - (4) Vitiligo
- **177.** Among the following sets of examples for divergent evolution, select the *incorrect* option :
 - (1) Brain of bat, man and cheetah
 - (2) Heart of bat, man and cheetah
 - (3) Forelimbs of man, bat and cheetah
 - (4) Eye of octopus, bat and man
- **178.** Conversion of milk to curd improves its nutritional value by increasing the amount of
 - (1) Vitamin B₁₂
 - (2) Vitamin A
 - (3) Vitamin D
 - (4) Vitamin E
- **179.** The similarity of bone structure in the forelimbs of many vertebrates is an example of
 - (1) Convergent evolution
 - (2) Analogy
 - (3) Homology
 - (4) Adaptive radiation
- **180.** Which of the following characteristics represent 'Inheritance of blood groups' in humans?
 - a. Dominance
 - b. Co-dominance
 - c. Multiple allele
 - d. Incomplete dominance
 - e. Polygenic inheritance
 - (1) b, d and e
 - (2) a, b and c
 - (3) b, c and e
 - (4) a, c and e

ACHLA/AA/Page 21 English