Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RA) Section A Recodes

AGER(3692-3693)

Variable Type: recode

Description: R's age at interview (RECODE)

value	label	Total
15	15 YEARS	186
16	16 YEARS	186
17	17 YEARS	223
18	18 YEARS	230
19	19 YEARS	207
20	20 YEARS	117
21	21 YEARS	131
22	22 YEARS	139
23	23 YEARS	133
24	24 YEARS	146
25	25 YEARS	140
26	26 YEARS	135
27	27 YEARS	156
28	28 YEARS	193
29	29 YEARS	145
30	30 YEARS	162
31	31 YEARS	163
32	32 YEARS	199
33	33 YEARS	190
34	34 YEARS	135
35	35 YEARS	162
36	36 YEARS	143
37	37 YEARS	127
38	38 YEARS	125
39	39 YEARS	153
40	40 YEARS	127
41	41 YEARS	125
42	42 YEARS	138
43	43 YEARS	99
44	44 YEARS	105
45	45 YEARS	94
46	46 YEARS	116
47	47 YEARS	136
48	48 YEARS	117
49-50	49 YEARS	123
	Total	5206

Universe: Applicable for all respondents

Notes: Respondents age 50 were 49 at screener. The century-month variable for respondent's birth has been suppressed for public use, but is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FMARITAL(3694-3694)

Variable Type: recode

Description: Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	1465
2	WIDOWED	19

	Total	5206
5	NEVER MARRIED	3245
4	SEPARATED	129
3	DIVORCED OR ANNULLED	348

Universe: Applicable for all respondents

RMARITAL(3695-3695)

Variable Type: recode

Description: Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1465
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	525
3	WIDOWED	14
4	DIVORCED OR ANNULLED	264
5	SEPARATED FOR REASONS OF MARITAL DISCORD	110
6	NEVER BEEN MARRIED	2828
	Total	5206

Universe: Applicable for all respondents

EDUCAT(3696-3697)

Variable Type: recode

Description: Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	545
10	10TH GRADE	334
11	11TH GRADE	426
12	12TH GRADE	1426
13	1 YEAR OF COLLEGE/GRAD SCHOOL	494
14	2 YEARS OF COLLEGE/GRAD SCHOOL	531
15	3 YEARS OF COLLEGE/GRAD SCHOOL	220
16	4 YEARS OF COLLEGE/GRAD SCHOOL	672
17	5 YEARS OF COLLEGE/GRAD SCHOOL	168
18	6 YEARS OF COLLEGE/GRAD SCHOOL	196
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	194
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HIEDUC(3698-3699)

Variable Type: recode

Description: Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	449
6	10TH GRADE	285
7	11TH GRADE	336
8	12TH GRADE, NO DIPLOMA (NOR GED)	24
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1635
10	SOME COLLEGE BUT NO DEGREE	981
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	340

15	PROFESSIONAL DEGREE Total	50 5206
14	DOCTORATE DEGREE	33
13	MASTER'S DEGREE	251
12	BACHELOR'S DEGREE	822

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HISPANIC(3700-3700)

Variable Type: recode

Description: Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	1368
2	NON-HISPANIC	3838
	Total	5206

Universe: Applicable for all respondents

RACE(3701-3701)

Variable Type: recode

Description: Race of respondent (RECODE)

value	label	Total
1	BLACK	1124
2	WHITE	3620
3	OTHER	462
	Total	5206

Universe: Applicable for all respondents

HISPRACE2(3702-3702)

Variable Type : recode

Description: Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	1368
2	Non-Hispanic White, Single Race	2427
3	Non-Hispanic Black, Single Race	899
4	Non-Hispanic Other or Multiple Race	512
	Total	5206

Universe: Applicable for all respondents

NUMKDHH(3703-3703)

Variable Type: recode

Description: Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	3693
1	1 CHILD	572
2	2 CHILDREN	593
3	3 CHILDREN	249

4 4 CHILDREN OR 99 MORE **5206**

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

NUMFMHH(3704-3704)

Variable Type: recode

Description: Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	1128
1	1 FAMILY MEMBER	1168
2	2 FAMILY MEMBERS	1080
3	3 FAMILY MEMBERS	1009
4	4 FAMILY MEMBERS	500
5	5 FAMILY MEMBERS	192
6	6 FAMILY MEMBERS	74
7	7 FAMILY MEMBERS OR MORE	55
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HHFAMTYP(3705-3705)

Variable Type: recode

Description: Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	3056
2	Spouse/partner, but no child(ren) (of R) 18 or younger	688
3	Spouse and R's child(ren) 18 or younger	1039
4	Cohabiting partner and R's child(ren) 18 or younger	246
5	No spouse/partner, but child(ren) of R, 18 or younger	177
	Total	5206

Universe: Applicable for all respondents

HHPARTYP(3706-3706)

Variable Type: recode

Description: Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	781
2	Biological and step- or adoptive parent	201
3	Single parent (biological, adoptive, or stepparent)	824
4	Other	3400
	Total	5206

Universe: Applicable for all respondents

NCHILDHH(3707-3707)

Variable Type: recode

Description: Number of R's children (18 or younger) living in household (RECODE)

value	label	Total
0	No children of respondent age 18 or younger in the household	3744
1	1 of respondent's children 18 or younger in the household	552
2	2 of respondent's children 18 or younger in the household	573
3	3 or more of respondent's children 18 or younger in the household	337
	Total	5206

Universe: Applicable for all respondents

HHKIDTYP(3708-3708)

Variable Type: recode

Description: Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

value	label	Total
0	No child(ren) 18 or younger in HH or only older child(ren)	3744
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	1227
2	Any non-biological child (of R's) 18 or younger in HH	235
	Total	5206

Universe: Applicable for all respondents

CSPBBHH(3709-3709)

Variable Type: recode

Description: Number of R's biological children (18 or younger) with current spouse/ cohabiting partner who live in household (RECODE)

value	label	Total
value		
·	INAPPLICABLE	3216
0	No joint biological children	836
1	1 joint biological child	470
2	2 joint biological children	464
3	3 or more joint biological children	220
	Total	5206

Universe: Applicable if R is currently married or cohabiting with a female partner (AD-7b MARSTAT = 1 or 2)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPSBHH(3710-3710)

Variable Type: recode

Description: Number of R's nonbiological children (18 or younger) in household who are the biological children of his current wife/cohabiting partner (RECODE)

value	label	Total
ļ.	INAPPLICABLE	3216
0	No such child	1786
1	1 or more such children	204
	Total	5206

Universe: Applicable if R is currently married or cohabiting with a female partner (AD-7b MARSTAT = 1 or 2)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPOKDHH(3711-3711)

Variable Type: recode

Description: Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
	INAPPLICABLE	3216
0	No such child	1890
1	1 or more such children	100
	Total	5206

Universe: Applicable if R is currently married or cohabiting with a female partner (AD-7b MARSTAT = 1 or 2)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

INTCTFAM(3712-3712)

Variable Type: recode

Description: Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2946
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2260
	Total	5206

Universe: Applicable for all respondents

PARAGE14(3713-3713)

Variable Type: recode

Description: Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL OR BOTH ADOPTIVE PARENTS AT AGE 14	3346
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	478
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	1382
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

EDUCMOM(3714-3715)

Variable Type: recode

Description: Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	974
2	High school graduate or GED	1648
3	Some college, including 2-year degrees	1244
4	Bachelor's degree or higher	1305
95	No mother/mother-figure identified	35
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEMOMB1(3716-3717)

Variable Type: recode

Description: Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	729
2	18-19 YEARS	835
3	20-24 YEARS	1874
4	25-29 YEARS	1061
5	30 OR OLDER	628
95	NO MOTHER OR MOTHER-FIGURE	35
96	MOTHER-FIGURE HAD NO CHILDREN	44
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FMARNO(3718-3718)

Variable Type: recode

Description: Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	3245
1	1 TIME	1673
2	2 TIMES	250
3	3 TIMES	32
4	4 TIMES	4
5	5 TIMES	2
	Total	5206

Universe: Applicable for all respondents

AGER_I(3719-3719)

Variable Type: imputation flag

Description: AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

FMARITAL_I(3720-3720)

Variable Type: imputation flag

Description: FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5200
2	LOGICAL IMPUTATION	6

Total 5206

Universe: Applicable for all respondents

RMARITAL_I(3721-3721)

Variable Type: imputation flag

Description: RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5200
2	LOGICAL IMPUTATION	6
	Total	5206

Universe: Applicable for all respondents

EDUCAT_I(3722-3722)

Variable Type: imputation flag

Description: EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5201
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

HIEDUC_I(3723-3723)

Variable Type: imputation flag

Description: HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5200
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

HISPANIC_I(3724-3724)

Variable Type: imputation flag

Description: HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

RACE_I(3725-3725)

Variable Type: imputation flag

Description: RACE Imputation Flag

value label Total

 0
 QUESTIONNAIRE DATA (NOT IMPUTED)
 5205

 2
 LOGICAL IMPUTATION
 1

 Total
 5206

Universe: Applicable for all respondents

HISPRACE2_I(3726-3726)

Variable Type: imputation flag

Description: HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

NUMKDHH_I(3727-3727)

Variable Type: imputation flag

Description: NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

NUMFMHH_I(3728-3728)

Variable Type: imputation flag

Description: NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

HHFAMTYP_I(3729-3729)

Variable Type: imputation flag

Description: HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

HHPARTYP_I(3730-3730)

Variable Type: imputation flag

Description: HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

NCHILDHH_I(3731-3731)

Variable Type: imputation flag

Description: NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

HHKIDTYP_I(3732-3732)

Variable Type: imputation flag

Description: HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

CSPBBHH_I(3733-3733)

Variable Type: imputation flag

Description: CSPBBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

CSPSBHH_I(3734-3734)

Variable Type: imputation flag

Description: CSPSBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

CSPOKDHH_I(3735-3735)

Variable Type: imputation flag

Description: CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

INTCTFAM_I(3736-3736)

Variable Type: imputation flag

Description: INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

PARAGE14_I(3737-3737)

Variable Type: imputation flag

Description: PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

EDUCMOM_I(3738-3738)

Variable Type: imputation flag

Description: EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5095
1	MULTIPLE REGRESSION IMPUTATION	111
	Total	5206

Universe: Applicable for all respondents

AGEMOMB1_I(3739-3739)

Variable Type: imputation flag

Description: AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5151
1	MULTIPLE REGRESSION IMPUTATION	55
	Total	5206

Universe: Applicable for all respondents

FMARNO_I(3740-3740)

Variable Type: imputation flag

Description: FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
2	LOGICAL IMPUTATION	3
	Total	5206

Universe: Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RB-RF) Sections

B-F Recodes

HADSEX(3741-3741)

Variable Type: recode

Description: Whether R ever had sexual intercourse (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	4356
2	NO, R NEVER HAD INTERCOURSE	850
	Total	5206

Universe: Applicable for all respondents

SEXONCE(3742-3742)

Variable Type: recode

Description: Whether R has had sex only once (RECODE)

value	label	Total
	INAPPLICABLE	850
1	YES (R HAS HAD SEX ONLY ONCE)	73
2	NO (R HAS HAD SEX MORE THAN ONCE)	4283
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

VRY1STSX(3743-3746)

Variable Type: recode

Description: CM date of 1st sex (RECODE)

value	label	Total
	INAPPLICABLE	850
900-1340	Before Sept 2011	3351
1341-1352	Sept 2011-Aug 2012	109
1353-1364	Sept 2012-Aug 2013	131
1365-1376	Sept 2013-Aug 2014	135
1377-1388	Sept 2014-Aug 2015	148
1389-1400	Sept 2015-Aug 2016	159
1401-1412	Sept 2016-Aug 2017	151
1413-1424	Sept 2017-Aug 2018	98
1425-1437	Sept 2018-Sept 2019	36
9997	Not ascertained	38
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FIRSTPFLAG(3747-3747)

Variable Type : intermediate

Description: Flag indicating which section and which series reflects R's first sexual partner

value	label	Total
	INAPPLICABLE	850
1	cmfstsex - CM of first sex ever, based on DL series	3686
2	cmlsxp - CM when R last had sex with most recent partner	76
3	cmlsxp2 - CM when R last had sex with 2nd-to-last partner	5
4	cmlsxn3 - CM when R last had sex with 3rd-to-last partner	1

5	cmfsxp - CM when R first had sex with most recent partner	267
6	cmfsxp2 - CM when R first had sex with 2nd-to-last partner	19
7	cmfsxp3 - CM when R first had sex with 3rd-to-last partner	2
8	cmfsxcwp - CM when R first had sex with CWP	292
9	unable to determine: raw variable(s) missing	8
	Total	5206

VRY1STAG(3748-3749)

Variable Type: recode

Description: R's age at 1st sex (RECODE)

value	label	Total
ļ	INAPPLICABLE	850
10	10 YEARS OR YOUNGER	46
11	11	29
12	12	122
13	13	236
14	14	438
15-17	15-17 YEARS	2039
18-19	18-19 YEARS	783
20-49	20 YEARS OR OLDER	663
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

ELAPSED(3750-3752)

Variable Type: intermediate

Description: # of mos btwn 1st sex and last sex:R's 1st partner (DF series only)

value	label	Total
ļ.	INAPPLICABLE	4932
0	0	39
1-995	Number of months	235
	Total	5206

Universe : Applicable if cmlsxp[x] and cmfsxp[x] are not blank

SEXMAR(3753-3753)

Variable Type: recode

Description: Months between 1st intercourse and 1st marriage (RECODE)

value	label	Total
	INAPPLICABLE	850
1	0-12 months	292
2	13-24 months	201
3	25-36 months	246
4	More than 3 years	3605
5	First intercourse after first marriage	12
	Total	5206

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

SEXUNION(3754-3754)

Variable Type: recode

Description: Months between 1st intercourse and 1st coresidential union or interview (marriage or cohabitation) (RECODE)

value	label	Total
	INAPPLICABLE	850
1	0-12 months	453
2	13-24 months	298
3	25-36 months	392
4	More than 3 years	3144
5	First intercourse after first union	69
	Total	5206

Universe: Applicable if R ever had sexual intercourse with a female (HADSEX = 1)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FSEXRLTN(3755-3755)

Variable Type: recode

Description: Relationship with 1st sexual partner at time of 1st sex (RECODE)

value	label	Total
	INAPPLICABLE	850
1	MARRIED TO HER	124
2	ENGAGED TO HER, AND LIVING TOGETHER	15
3	ENGAGED TO HER, BUT NOT LIVING TOGETHER	32
4	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	28
5	GOING OUT WITH HER OR GOING STEADY	2003
6	GOING OUT WITH HER ONCE IN A WHILE	453
7	JUST FRIENDS	1251
8	HAD JUST MET HER	313
9	SOMETHING ELSE	137
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX1MTHD1(3756-3757)

Variable Type : recode

Description: Contraceptive method use at 1st sexual intercourse: 1st mentioned (RECODE)

value	label	Total
	INAPPLICABLE	850
1	Condom	2833
2	Withdrawal	219
3	Vasectomy	1
4	Pill	194
5	Female sterilization	6
6	Injection Depo-Provera/Lunelle	13
7	Spermicidal foam/jelly/cream/film/suppository	3
8	Hormonal implant Norplant/Implanon/Nexplanon	4
10	Contraceptive Patch	5

	Total	5206
96	No method used at first intercourse	1059
13	Something else	6
12	IUD, coil, loop	7
11	Vaginal contraceptive ring	6

SEX1MTHD2(3758-3759)

Variable Type: recode

Description: Contraceptive method use at 1st sexual intercourse: 2nd mentioned (RECODE)

value	label	Total
	INAPPLICABLE	3433
1	Condom	31
2	Withdrawal	163
4	Pill	450
5	Female sterilization	3
6	Injection Depo-Provera/Lunelle	26
7	Spermicidal foam/jelly/cream/film/suppository	10
8	Hormonal implant Norplant/Implanon/Nexplanon	9
9	Rhythm or safe period	6
10	Contraceptive Patch	2
11	Vaginal contraceptive ring	2
12	IUD, coil, loop	9
13	Something else	3
96	No method used at first intercourse	1059
	Total	5206

Universe: Applicable if R reported more than 1 method at 1st sexual intercourse (see recode SEX1MTHD1)

SEX1MTHD3(3760-3761)

Variable Type: recode

Description: Contraceptive method use at 1st sexual intercourse: 3rd mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4081
2	Withdrawal	5
4	Pill	45
6	Injection Depo-Provera/Lunelle	1
7	Spermicidal foam/jelly/cream/film/suppository	3
8	Hormonal implant Norplant/Implanon/Nexplanon	3
9	Rhythm or safe period	6
11	Vaginal contraceptive ring	1
12	IUD, coil, loop	1
13	Something else	1
96	No method used at first intercourse	1059
	Total	5206

Universe: Applicable if R reported more than 2 methods at 1st sexual intercourse (see recode SEX1MTHD1)

SEX1MTHD4(3762-3763)

Variable Type : recode

Description: Contraceptive method use at 1st sexual intercourse: 4th mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4142

Total	5206
No method used at first intercourse	1059
Rhythm or safe period	4
Spermicidal foam/jelly/cream/film/suppository	1
	Rhythm or safe period No method used at first intercourse

Universe: Applicable if R reported more than 3 methods at 1st sexual intercourse (see recode SEX1MTHD1)

LSEXDATE(3764-3767)

Variable Type: recode

Description: Date of last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	850
900-1340	Before Sept 2011	109
1341-1352	Sept 2011-Aug 2012	26
1353-1364	Sept 2012-Aug 2013	30
1365-1376	Sept 2013-Aug 2014	44
1377-1388	Sept 2014-Aug 2015	73
1389-1400	Sept 2015-Aug 2016	95
1401-1412	Sept 2016-Aug 2017	251
1413-1424	Sept 2017-Aug 2018	1904
1425-1437	Sept 2018-Sept 2019	1824
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX3MO(3768-3768)

Variable Type: recode

Description: Whether R had sexual intercourse in past 3 months (based on LSEXDATE) (RECODE)

value	label	Total
	INAPPLICABLE	850
1	YES, HAD INTERCOURSE	3262
2	NO, DID NOT HAVE INTERCOURSE	1094
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX12MO(3769-3769)

Variable Type: recode

Description: Whether R had sexual intercourse in past 12 months (based on LSEXDATE) (RECODE)

value	label	Total
	INAPPLICABLE	850
1	YES, HAD INTERCOURSE	3795
2	NO, DID NOT HAVE INTERCOURSE	561
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXRAGE(3770-3771)

Variable Type: recode

Description: R's age at last (or most recent) sexual intercourse (RECODE)

value label Total

	Total	5206
35-50	35-49 YEARS	1746
25-34	25-34 YEARS	1514
20-24	20-24 YEARS	577
18-19	18-19 YEARS	292
0-17	UNDER 18 YEARS	227
	INAPPLICABLE	850

Notes: Respondents aged 50 were 49 at time of household screener

Isexprac(3772-3772)

Variable Type: computed

Description: Race/ethnicity of last (or most recent) sexual partner (computed in post-processing)

value	label	Total
	INAPPLICABLE	879
1	Hispanic	1102
2	Non-Hispanic White	2266
3	Non-Hispanic Black	666
4	Non-Hispanic Other	293
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXRLTN(3773-3773)

Variable Type : recode

Description: Relationship with last sexual partner at last sex ever (RECODE)

value	label	Total
ļ.	INAPPLICABLE	850
1	Married to her	1531
3	Living together in a sexual relationship	619
4	Going out with her or going steady	1067
5	Going out with her once in a while	355
6	Just friends	514
7	Had just met her	74
8	Something else	108
9	Engaged to her: only asked of a subset of Rs	88
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXUSE1(3774-3775)

Variable Type: recode

Description: Contraceptive method used at last sexual intercourse ever - 1st mentioned (RECODE)

value	label	Total
	INAPPLICABLE	850
1	CONDOM	1550
2	WITHDRAWAL	413
3	VASECTOMY	197
4	PILL	395
5	FEMALE STERILIZATION	312
6	INJECTION DEPO-PROVERA/LUNELLE	72
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	2

8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	64
9	RHYTHM OR SAFE PERIOD	10
10	CONTRACEPTIVE PATCH	48
11	VAGINAL CONTRACEPTIVE RING	31
12	IUD, COIL LOOP	250
13	SOMETHING ELSE	25
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	20
96	NO METHOD USED AT LAST SEX	967
	Total	5206

LSEXUSE2(3776-3777)

Variable Type: recode

Description: Contraceptive method used at last sexual intercourse ever - 2nd mentioned (RECODE)

value	label	Total
	INAPPLICABLE	3242
1	CONDOM	4
2	WITHDRAWAL	81
3	VASECTOMY	4
4	PILL	555
5	FEMALE STERILIZATION	56
6	INJECTION DEPO-PROVERA/LUNELLE	62
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	7
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	33
9	RHYTHM OR SAFE PERIOD	41
10	CONTRACEPTIVE PATCH	17
11	VAGINAL CONTRACEPTIVE RING	13
12	IUD, COIL LOOP	72
13	SOMETHING ELSE	32
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	20
96	NO METHOD USED AT LAST SEX	967
	Total	5206

Universe: Applicable if R reported more than 1 method at last sexual intercourse (see recode LSEXUSE1)

LSEXUSE3(3778-3779)

Variable Type : recode

Description: Contraceptive method used at last sexual intercourse ever - 3rd mentioned (RECODE)

value	label	Total
ļ.	INAPPLICABLE	4118
1	CONDOM	2
2	WITHDRAWAL	71
3	VASECTOMY	9
4	PILL	2
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	1
9	RHYTHM OR SAFE PERIOD	3
10	CONTRACEPTIVE PATCH	7
11	VAGINAL CONTRACEPTIVE RING	5
13	SOMETHING ELSE	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	20
96	NO METHOD USED AT LAST SEX	967
	Total	5206

Universe: Applicable if R reported more than 2 methods at last sexual intercourse (see recode LSEXUSE1)

LSEXUSE4(3780-3781)

Variable Type: recode

Description: Contraceptive method used at last sexual intercourse ever - 4th mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4211
9	RHYTHM OR SAFE PERIOD	3
10	CONTRACEPTIVE PATCH	3
13	SOMETHING ELSE	2
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	20
96	NO METHOD USED AT LAST SEX	967
	Total	5206

Universe: Applicable if R reported more than 3 methods at last sexual intercourse (see recode LSEXUSE1)

METH12M1(3782-3783)

Variable Type: recode

Description: Contraceptive method used at last sexual intercourse in past 12 mos: 1st mentioned (RECODE)

value	label	Total
	INAPPLICABLE	1411
1	CONDOM	1243
2	WITHDRAWAL	367
3	VASECTOMY	189
4	PILL	356
5	FEMALE STERILIZATION	288
6	INJECTION DEPO-PROVERA/LUNELLE	64
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	2
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	60
9	RHYTHM OR SAFE PERIOD	10
10	CONTRACEPTIVE PATCH	42
11	VAGINAL CONTRACEPTIVE RING	28
12	IUD, COIL LOOP	236
13	SOMETHING ELSE	23
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	13
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	874
	Total	5206

Universe: Applicable if R had sex in the past 12 months (SEX12MO = 1)

METH12M2(3784-3785)

Variable Type : recode

Description: Contraceptive method used at last sexual intercourse in past 12 mos: 2nd mentioned (RECODE)

valu	ie label	Total
	INAPPLICABLE	3508
1	CONDOM	4
2	WITHDRAWAL	64
3	VASECTOMY	4
4	PILL	446
5	FEMALE STERILIZATION	50
6	INJECTION DEPO-PROVERA/LUNELLE	55
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	7
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	30
9	RHYTHM OR SAFE PERIOD	36
10	CONTRACEPTIVE PATCH	14
11	VAGINAL CONTRACEPTIVE RING	10

12	IUD, COIL LOOP	66
13	SOMETHING ELSE	25
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	13
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	874
	Total	5206

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

METH12M3(3786-3787)

Variable Type: recode

Description: Contraceptive method used at last sexual intercourse in past 12 mos: 3rd mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4236
1	CONDOM	2
2	WITHDRAWAL	57
3	VASECTOMY	8
4	PILL	2
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	1
9	RHYTHM OR SAFE PERIOD	3
10	CONTRACEPTIVE PATCH	6
11	VAGINAL CONTRACEPTIVE RING	3
13	SOMETHING ELSE	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	13
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	874
	Total	5206

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

METH12M4(3788-3789)

Variable Type: recode

Description: Contraceptive method used at last sexual intercourse in past 12 mos: 4th mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4314
9	RHYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	2
13	SOMETHING ELSE	2
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	13
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	874
	Total	5206

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

METH3M1(3790-3791)

Variable Type : recode

Description: Contraceptive method used last sexual intercourse in past 3 mos: 1st mentioned (RECODE)

valu	ıe	label	Total
	INAPPLICABLE		1944
1	CONDOM		943
2	WITHDRAWAL		317
3	VASECTOMY		181
4	PILL		327

5	FEMALE STERILIZATION	268
6	INJECTION DEPO-PROVERA/LUNELLE	58
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	2
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	57
9	RHYTHM OR SAFE PERIOD	10
10	CONTRACEPTIVE PATCH	36
11	VAGINAL CONTRACEPTIVE RING	23
12	IUD, COIL LOOP	227
13	SOMETHING ELSE	21
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	783
	Total	5206

Universe: Applicable if R had sex in the past 3 months (SEX3MO = 1)

METH3M2(3792-3793)

Variable Type: recode

Description: Contraceptive method used last sexual intercourse in past 3 mos: 2nd mentioned (RECODE)

value	label	Total
	INAPPLICABLE	3787
1	CONDOM	4
2	WITHDRAWAL	52
3	VASECTOMY	4
4	PILL	324
5	FEMALE STERILIZATION	40
6	INJECTION DEPO-PROVERA/LUNELLE	46
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	4
8	HORMONAL IMPLANT NORPLANT/IMPLANON/NEXPLANON	26
9	RHYTHM OR SAFE PERIOD	27
10	CONTRACEPTIVE PATCH	12
11	VAGINAL CONTRACEPTIVE RING	8
12	IUD, COIL LOOP	60
13	SOMETHING ELSE	20
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	783
	Total	5206

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

METH3M3(3794-3795)

Variable Type: recode

Description: Contraceptive method used last sexual intercourse in past 3 mos: 3rd mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4357
1	CONDOM	2
2	WITHDRAWAL	40
3	VASECTOMY	6
4	PILL	2
9	RHYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	5
11	VAGINAL CONTRACEPTIVE RING	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	783
	Total	5206

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

METH3M4(3796-3797)

Variable Type: recode

Description: Contraceptive method used last sexual intercourse in past 3 mos: 4th mentioned (RECODE)

value	label	Total
	INAPPLICABLE	4409
9	RHYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	2
13	SOMETHING ELSE	2
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	783
	Total	5206

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

NUMP3MOS(3798-3798)

Variable Type: recode

Description: Number of female sexual partners in last 3 mos (RECODE)

value	label	Total
	INAPPLICABLE	850
0	0 PARTNERS	1094
1	1 PARTNER	2992
2	2 PARTNERS	178
3	3 PARTNERS EXACTLY	23
4	3, POSSIBLY MORE PARTNERS	69
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LIFPRTNR(3799-3800)

Variable Type: recode

Description: Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	0 PARTNERS	850
1	1 PARTNER	593
2	2 PARTNERS	382
3	3 PARTNERS	385
4	4 PARTNERS	329
5	5 PARTNERS	343
6	6 PARTNERS	317
7	7 PARTNERS	179
8	8 PARTNERS	89
9	9 PARTNERS	103
10-19	10-19 PARTNERS	881
20-49	20-49 PARTNERS	525
50	50 OR MORE PARTNERS	230
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PARTS1YR(3801-3802)

Variable Type: recode

Description: Number of opposite-sex partners in past 12 mos (RECODE)

value	label	Total
0	NONE	1411
1	1 PARTNER	3004
2	2 PARTNERS	427
3	3 PARTNERS	151
4	4 PARTNERS	79
5	5 PARTNERS	52
6	6 PARTNERS	15
7	7 OR MORE PARTNERS	67
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PARTDUR1(3803-3805)

Variable Type: recode

Description: Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
ļ	INAPPLICABLE	850
0-440	Number of months between first and most recent sex with this partner	4058
997	Only had sex once with partner	298
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

PARTDUR2(3806-3808)

Variable Type: recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
	INAPPLICABLE	4415
0-440	Number of months between first and most recent sex with this partner	607
997	Only had sex once with partner	184
	Total	5206

Universe: Applicable if r had more than one female partner in the past 12 months (PARTS1YR > 1)

PARTDUR3(3809-3811)

Variable Type: recode

Description: Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
	INAPPLICABLE	4842
0-440	Number of months between first and most recent sex with this partner	269

997 Only had sex once with partner 95 **Total 5206**

Universe: Applicable if r had more than two female partners in the past 12 months (PARTS1YR > 2)

COHEVER(3812-3812)

Variable Type: recode

Description: Whether R ever cohabited (including premarital cohabitation) (RECODE)

value	label	Total
1	Yes, ever cohabited (lived with a woman outside of marriage)	2578
2	No, never cohabited (lived with a woman outside of marriage)	2628
	Total	5206

Universe: Applicable for all respondents

EVMARCOH(3813-3813)

Variable Type : recode

Description: Whether R ever married or cohabited (RECODE)

value	label	Total
1	Yes, ever married or cohabited	3062
2	No, never married or cohabited	2144
	Total	5206

Universe: Applicable for all respondents

PMARRNO(3814-3815)

Variable Type: recode

Description: Number of premarital cohabitations (RECODE)

value	label	Total
0	None	3850
1	One	1200
2	Two	142
3	Three	12
4	Four	2
	Total	5206

Universe: Applicable for all respondents

NONMARR(3816-3816)

Variable Type: recode

Description: Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	3458
1	One	937
2	Two	450
3	Three	199
4	Four	78
5	Five or more	84
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

TIMESCOH(3817-3817)

Variable Type: recode

Description: Total number of cohabitations (RECODE)

value	label	Total
0	None	2634
1	One	1420
2	Two	614
3	Three	294
4	Four	118
5	Five or more	126
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

fmar1age(3818-3819)

Variable Type: computed

Description: R's age at 1st formal marriage (computed in post-processing)

value	label	Total
	INAPPLICABLE	3245
0-19	Under 20 years	133
20-24	20-24 years	640
25-29	25-29 years	679
30-34	30-34 years	334
35-49	35-49 years	175
	Total	5206

Universe: Applicable if R has ever been married (FMARITAL NE 5)

Notes: This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT01(3820-3823)

Variable Type: recode

Description: Year of R's 1st marriage (RECODE)

value	label	Total
	INAPPLICABLE	3245
1967-2019	1967-2019	1961
	Total	5206

Universe: Applicable if R has ever been married (FMARITAL NE 5)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT02(3824-3827)

Variable Type: recode

Description: Year of R's 2nd marriage (RECODE)

value	label	Total
ļ.	INAPPLICABLE	4918
1967- 2019	1967-2019	288
	Total	5206

Universe: Applicable if R has been married more than once (FMARNO GT 1)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT03(3828-3831)

Variable Type: recode

Description: Year of R's 3rd marriage (RECODE)

value	label	Total
	INAPPLICABLE	5168
1967-2019	1967-2019	38
	Total	5206

Universe: Applicable if R has been married more than 2 times (FMARNO GT 2)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT04(3832-3835)

Variable Type: recode

Description: Year of R's 4th marriage (RECODE)

value	label	Total
	INAPPLICABLE	5200
1967-2019	1967-2019	6
	Total	5206

Universe: Applicable if R has been married more than 3 times (FMARNO GT 3)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT05(3836-3839)

Variable Type : recode

Description: Year of R's 5th marriage (RECODE)

value	label	Total
	INAPPLICABLE	5204
1967-2019	1967-2019	2
	Total	5206

Universe: Applicable if R has been married more than 4 times (FMARNO GT 4)

MAREND01(3840-3840)

Variable Type: recode

Description: How R's 1st marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	4488
1	DIVORCED OR ANNULLED	579

	Total	5206
3	WIDOWED	19
2	SEPARATED	120

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MAREND02(3841-3841)

Variable Type: recode

Description: How R's 2nd marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5111
1	DIVORCED OR ANNULLED	77
2	SEPARATED	14
3	WIDOWED	4
	Total	5206

Universe: Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MAREND03(3842-3842)

Variable Type: recode

Description: How R's 3rd marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5192
1	DIVORCED OR ANNULLED	13
2	SEPARATED	1
	Total	5206

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MAREND04(3843-3843)

Variable Type: recode

Description: How R's 4th marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5203
1	DIVORCED OR ANNULLED	2
2	SEPARATED	1
	Total	5206

Universe: Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MAREND05(3844-3844)

Variable Type: recode

Description: How R's 5th marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5206
	Total	5206

Universe: Applicable if R has been married more than 5 times (FMARNO GT 5) or R's fifth marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

MARDIS01(3845-3848)

Variable Type: recode

Description: Year when R's 1st marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	4488
1967-2019	1967-2019	718
	Total	5206

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS02(3849-3852)

Variable Type: recode

Description: Year when R's 2nd marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5111
1967-2019	1967-2019	95
	Total	5206

Universe: Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS03(3853-3856)

Variable Type: recode

Description: Year when R's 3rd marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5192
1967-2019	1967-2019	14
	Total	5206

Universe: Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS04(3857-3860)

Variable Type: recode

Description: Year when R's 4th marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5203
1967-2019	1967-2019	3
	Total	5206

Universe: Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS05(3861-3861)

Variable Type: recode

Description: CM date when R's 5th marriage ended (RECODE)

value	label	Total
	INAPPLICABLE	5206
	Total	5206

Universe: Applicable if R has been married more than 5 times (FMARNO GT 5) or R's fifth marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

MAR1DISS(3862-3862)

Variable Type: recode

Description: Months between 1st marriage and dissolution of 1st marriage (or interview) (RECODE)

value	label	Total
	INAPPLICABLE	3245
1	0-12 months	197
2	13-24 months	215
3	25-36 months	163
4	37-48 months	115
5	More than 4 years	1271
	Total	5206

Universe: Applicable if R has ever been married (FMARITAL NE 5)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PREMARW1(3863-3863)

Variable Type : recode

Description: Whether R lived premaritally with his first wife (RECODE)

value	label	Total
	INAPPLICABLE	3245
1	YES	1268
2	NO	693
	Total	5206

Universe: Applicable if R has ever been married (FMARITAL NE 5)

COHAB1(3864-3867)

Variable Type: recode

Description: Year of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
	INAPPLICABLE	2628
1967-2019	1967-2019	2578
	Total	5206

Universe: Applicable if R has ever cohabited outside of marriage (COHEVER = 1)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

COHSTAT(3868-3868)

Variable Type: recode

Description: Cohabitation status experience relative to 1st marriage (RECODE)

value	label	Total
1	Never cohabited outside of marriage	2628
2	First cohabited before first marriage	2434
3	First cohabited after first marriage	144
	Total	5206

Universe: Applicable for all respondents

COHOUT(3869-3869)

Variable Type: recode

Description: Outcome of R's first (if premarital) cohabitation (RECODE)

value	label	Total
	INAPPLICABLE	2772
1	Intact cohabitation	236
2	Intact marriage	596
3	Dissolved marriage	340
4	Dissolved cohabitation	1262
	Total	5206

Universe: Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

COH1DUR(3870-3870)

Variable Type: recode

Description: Duration (in months) of R's first (if premarital) cohabitation (RECODE)

value	label	Total
	INAPPLICABLE	2771
1	0-12 months	801
2	13-24 months	534
3	25-36 months	342
4	37-48 months	195
5	More than 4 years	563
	Total	5206

Universe: Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPBIOKD(3871-3871)

Variable Type: recode

Description: Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
	INAPPLICABLE	3216

	Total	5206
	CHILDREN	
4-95	4 OR MORE	63
3	3 CHILDREN	195
2	2 CHILDREN	512
1	1 CHILD	469
0	NONE	751

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

DATBABY1(3872-3875)

Variable Type: recode

Description: Year when R fathered his first biological child (RECODE)

value	label	Total
	INAPPLICABLE	3177
1967-2019	1967-2019	2029
	Total	5206

Universe: Applicable if R has ever had a biological child (biokids > 0)

Notes: The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEBABY1(3876-3877)

Variable Type: recode

Description: Age when R fathered his first biological child (RECODE)

value	label	Total
ļ.	INAPPLICABLE	3177
0-19	Under 20 years	266
20-24	20-24 years	627
25-29	25-29 years	585
30-49	30-49 years	551
	Total	5206

Universe: Applicable if R has ever had a biological child (biokids > 0)

B1PREMAR(3878-3878)

Variable Type : recode

Description: Whether R's first biological child was born before his first marriage (premaritally) (RECODE)

value	label	Total
	INAPPLICABLE	3177
1	Yes (1st biological child born before 1st marriage)	973
2	No (1st biological child born in same month as or later than 1st marriage)	1056
	Total	5206

Universe: Applicable if R has ever had a biological child (biokids > 0)

MARBABY1(3879-3879)

Variable Type : recode

Description: Formal marital status at time of R's first biological child's birth (RECODE)

value	label	Total
	INAPPLICABLE	3177
1	Yes, married to child's mother	964

2 No, not married to child's mother Total 5206

Universe: Applicable if R has ever had a biological child (biokids > 0)

CEBOW(3880-3881)

Variable Type: recode

Description: Number of biological children born out of wedlock (RECODE)

value	label	Total
ļ.	INAPPLICABLE	3177
0	None	912
1	1 child	599
2	2 children	315
3	3 children	131
4	4 children	42
5-10	5 or more	30
	Total	5206

Universe: Applicable if R has ever had a biological child (biokids > 0)

CEBOWC(3882-3882)

Variable Type: recode

Description: Number of biological children born out of wedlock, in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	3177
0	NONE	1219
1	1 CHILD	503
2	2 CHILDREN	216
3	3 CHILDREN	78
4-10	4 OR MORE CHILDREN	13
	Total	5206

Universe: Applicable if R has ever had a biological child (biokids > 0)

CEBOWP(3883-3883)

Variable Type: recode

Description: Number of biological children born out of wedlock, but paternity established (RECODE)

value	label	Total
	INAPPLICABLE	4089
0	NONE	207
1	1 CHILD	530
2	2 CHILDREN	255
3	3 CHILDREN	95
4-10	4 OR MORE CHILDREN	30
	Total	5206

Universe: Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

EVRNOPAT(3884-3884)

Variable Type: recode

Description : Whether R has never established paternity for his biological children born out of wedlock (RECODE)

value	label	Total
	INAPPLICABLE	4089
1	YES, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT NO ESTABLISHED PATERNITY	207
2	NO, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT ESTABLISHED PATERNITY	910
	Total	5206

Universe: Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

NONLIVEB(3885-3886)

Variable Type: recode

Description: Number of non-live birth pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	4163
1	1 PREGNANCY	663
2	2 PREGNANCIES	225
3	3 PREGNANCIES	75
4	4 OR MORE PREGNANCIES	60
98	REFUSED	10
99	DON'T KNOW	10
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

COMPREG(3887-3888)

Variable Type: recode

Description: Number of completed pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	2820
1	1 PREGNANCY	741
2	2 PREGNANCIES	708
3	3 PREGNANCIES	467
4	4 PREGNANCIES	237
5	5 PREGNANCIES	118
6	6 PREGNANCIES	56
7	7 PREGNANCIES	29
8	8 PREGNANCIES	9
9	9 PREGNANCIES	7
10	10 OR MORE PREGNANCIES	14
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

ABORTION(3889-3890)

Variable Type: recode

Description: Number of abortions R has fathered (RECODE)

value label Total

	Total	5206
•	PREGNANCIES	
4	4 OR MORE	13
3	3 PREGNANCIES	23
2	2 PREGNANCIES	55
1	1 PREGNANCY	286
0	NONE	2009
	INAPPLICABLE	2820

Universe: Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

LOSSNUM(3891-3891)

Variable Type: recode

Description: Number of spontaneous pregnancy losses R has fathered (RECODE)

value	label	Total
ļ.	INAPPLICABLE	2816
0	NONE	1636
1	1 PREGNANCY	523
2	2 PREGNANCIES	154
3	3 PREGNANCIES	50
4	4 OR MORE PREGNANCIES	27
	Total	5206

Universe: Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PARENT01(3892-3892)

Variable Type: recode

Description: Other biological parent of R's 1st biological child (RECODE)

value	label	Total
	INAPPLICABLE	3177
1	Current wife	908
2	Current cohabiting partner	156
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	130
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	40
5	Former wife (reported in Section E)	323
6	First cohabiting partner (reported in Section E)	187
7	Other sexual partner, not otherwise classified in codes 1-6	285
	Total	5206

Universe: Applicable if R reported a biological child in Sections C, D, E, or F (biokids >0)

PARENT02(3893-3893)

Variable Type: recode

Description: Other biological parent of R's 2nd biological child (RECODE)

valu	lelabel	Total
	INAPPLICABLE	3904
1	Current wife	694
2	Current cohabiting partner	94
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	77

	Total	5206
7	Other sexual partner, not otherwise classified in codes 1-6	136
6	First cohabiting partner (reported in Section E)	76
5	Former wife (reported in Section E)	206
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	19

Universe: Applicable if R reported more than 1 biological child in Sections C, D, E, or F (biokids >1)

PARENT03(3894-3894)

Variable Type: recode

Description: Other biological parent of R's 3rd biological child (RECODE)

value	label	Total
	INAPPLICABLE	4665
1	Current wife	280
2	Current cohabiting partner	47
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	42
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	8
5	Former wife (reported in Section E)	70
6	First cohabiting partner (reported in Section E)	29
7	Other sexual partner, not otherwise classified in codes 1-6	65
	Total	5206

Universe: Applicable if R reported more than 2 biological children in Sections C, D, E, or F (biokids >2)

PARENT04(3895-3895)

Variable Type: recode

Description: Other biological parent of R's 4th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5015
1	Current wife	94
2	Current cohabiting partner	16
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	16
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	2
5	Former wife (reported in Section E)	25
6	First cohabiting partner (reported in Section E)	9
7	Other sexual partner, not otherwise classified in codes 1-6	29
	Total	5206

Universe: Applicable if R reported more than 3 biological children in Sections C, D, E, or F (biokids >3)

PARENT05(3896-3896)

Variable Type: recode

Description: Other biological parent of R's 5th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5138
1	Current wife	32
2	Current cohabiting partner	6
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	8
5	Former wife (reported in Section E)	4
6	First cohabiting partner (reported in Section E)	2
7	Other sexual partner, not otherwise classified in codes 1-6	16
	Total	5206

Universe: Applicable if R reported more than 4 biological children in Sections C, D, E, or F (biokids >4)

PARENT06(3897-3897)

Variable Type: recode

Description: Other biological parent of R's 6th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5179
1	Current wife	9
2	Current cohabiting partner	3
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	4
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
5	Former wife (reported in Section E)	3
7	Other sexual partner, not otherwise classified in codes 1-6	7
	Total	5206

Universe: Applicable if R reported more than 5 biological children in Sections C, D, E, or F (biokids >5)

PARENT07(3898-3898)

Variable Type: recode

Description: Other biological parent of R's 7th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5189
1	Current wife	5
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	3
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
5	Former wife (reported in Section E)	1
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	6
	Total	5206

Universe: Applicable if R reported more than 6 biological children in Sections C, D, E, or F (biokids >6)

PARENT08(3899-3899)

Variable Type: recode

Description: Other biological parent of R's 8th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5193
1	Current wife	4
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	2
5	Former wife (reported in Section E)	2
7	Other sexual partner, not otherwise classified in codes 1-6	5
	Total	5206

Universe: Applicable if R reported more than 7 biological children in Sections C, D, E, or F (biokids >7)

PARENT09(3900-3900)

Variable Type: recode

Description: Other biological parent of R's 9th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5199
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	2
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
7	Other sexual partner, not otherwise classified in codes 1-6	4
	Total	5206

Universe: Applicable if R reported more than 8 biological children in Sections C, D, E, or F (biokids >8)

PARENT10(3901-3901)

Variable Type: recode

Description: Other biological parent of R's 10th biological child (RECODE)

value	label	Total
	INAPPLICABLE	5202
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
7	Other sexual partner, not otherwise classified in codes 1-6	2
	Total	5206

Universe: Applicable if R reported more than 9 biological children in Sections C, D, E, or F (biokids >9)

WANTB01(3902-3902)

Variable Type: recode

Description: Wantedness of pregnancy: R's first biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	3554
1	LATER, OVERDUE	120
2	RIGHT TIME	909
3	TOO SOON, MISTIMED	421
4	DIDN'T CARE, INDIFFERENT	15
5	UNWANTED	167
6	DON'T KNOW, NOT SURE	2
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	18
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage1 LE 18 or bioagegp1 = 1 or 2)

WANTB02(3903-3903)

Variable Type : recode

Description: Wantedness of pregnancy: R's 2nd biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	4072
1	LATER, OVERDUE	62
2	RIGHT TIME	712
3	TOO SOON, MISTIMED	206
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	128
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	13
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage2 LE 18 or bioagegp2 = 1 or 2)

WANTB03(3904-3904)

Variable Type : recode

Description: Wantedness of pregnancy: R's 3rd biological child, if 18 or younger (RECODE)

value label Total

	INAPPLICABLE	4720
1	LATER, OVERDUE	24
2	RIGHT TIME	270
3	TOO SOON, MISTIMED	69
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	109
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	5
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage3 LE 18 or bioagegp3 = 1 or 2)

WANTB04(3905-3905)

Variable Type: recode

Description: Wantedness of pregnancy: R's 4th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5032
1	LATER, OVERDUE	3
2	RIGHT TIME	102
3	TOO SOON, MISTIMED	19
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	43
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	2
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage4 LE 18 or bioagegp4 = 1 or 2)

WANTB05(3906-3906)

Variable Type: recode

Description: Wantedness of pregnancy: R's 5th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5145
1	LATER, OVERDUE	3
2	RIGHT TIME	28
3	TOO SOON, MISTIMED	4
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	21
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage5 LE 18 or bioagegp5 = 1 or 2)

WANTB06(3907-3907)

Variable Type: recode

Description: Wantedness of pregnancy: R's 6th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5182
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	8
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	2
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage6 LE 18 or bioagegp6 = 1 or 2)

WANTB07(3908-3908)

Variable Type: recode

Description: Wantedness of pregnancy: R's 7th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5192
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	1
5	UNWANTED	6
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage7 LE 18 or bioagegp7 = 1 or 2)

WANTB08(3909-3909)

Variable Type: recode

Description: Wantedness of pregnancy: R's 8th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5195
2	RIGHT TIME	6
5	UNWANTED	4
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage8 LE 18 or bioagegp8 = 1 or 2)

WANTB09(3910-3910)

Variable Type: recode

Description: Wantedness of pregnancy: R's 9th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5201
2	RIGHT TIME	2
5	UNWANTED	2
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage9 LE 18 or bioagegp9 = 1 or 2)

WANTB10(3911-3911)

Variable Type : recode

Description: Wantedness of pregnancy: R's 10th biological child, if 18 or younger (RECODE)

value	label	Total
	INAPPLICABLE	5203
2	RIGHT TIME	2
5	UNWANTED	1
	Total	5206

Universe: Applicable if this biological child is aged 18 or younger (bioage10 LE 18 or bioagegp10 = 1 or 2)

HADSEX_I(3912-3912)

Variable Type: imputation flag

Description: HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

SEXONCE_I(3913-3913)

Variable Type: imputation flag

Description: SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

VRY1STSX_I(3914-3914)

Variable Type: imputation flag

Description: VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4995
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	169
	Total	5206

Universe: Applicable for all respondents

VRY1STAG_I(3915-3915)

Variable Type: imputation flag

Description: VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5161
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	3
	Total	5206

Universe: Applicable for all respondents

SEXMAR_I(3916-3916)

Variable Type: imputation flag

Description: SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5137
1	MULTIPLE REGRESSION IMPUTATION	68
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

SEXUNION_I(3917-3917)

Variable Type: imputation flag

Description: SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5033
1	MULTIPLE REGRESSION IMPUTATION	170
2	LOGICAL IMPUTATION	3
	Total	5206

Universe: Applicable for all respondents

FSEXRLTN_I(3918-3918)

Variable Type: imputation flag

Description: FSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5177
1	MULTIPLE REGRESSION IMPUTATION	29
	Total	5206

Universe: Applicable for all respondents

SEX1MTHD1_I(3919-3919)

Variable Type: imputation flag

Description: SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5137
1	MULTIPLE REGRESSION IMPUTATION	69
	Total	5206

Universe: Applicable for all respondents

SEX1MTHD2_I(3920-3920)

Variable Type: imputation flag

Description: SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5128
1	MULTIPLE REGRESSION IMPUTATION	78
	Total	5206

Universe: Applicable for all respondents

SEX1MTHD3_I(3921-3921)

Variable Type: imputation flag

Description: SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5128
1	MULTIPLE REGRESSION IMPUTATION	78
	Total	5206

Universe: Applicable for all respondents

SEX1MTHD4_I(3922-3922)

Variable Type: imputation flag

Description: SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5128
1	MULTIPLE REGRESSION IMPUTATION	78
	Total	5206

Universe: Applicable for all respondents

LSEXDATE_I(3923-3923)

Variable Type: imputation flag

Description: LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5150
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	7
	Total	5206

Universe: Applicable for all respondents

SEX3MO_I(3924-3924)

Variable Type: imputation flag

Description: SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5157
1	MULTIPLE REGRESSION IMPUTATION	49
	Total	5206

Universe: Applicable for all respondents

SEX12MO_I(3925-3925)

Variable Type: imputation flag

Description: SEX12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5157
1	MULTIPLE REGRESSION IMPUTATION	49
	Total	5206

Universe: Applicable for all respondents

LSEXRAGE_I(3926-3926)

Variable Type : imputation flag

Description: LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5156
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	1
	Total	5206

LSEXRLTN_I(3927-3927)

Variable Type: imputation flag

Description: LSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5175
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

LSEXUSE1_I(3928-3928)

Variable Type: imputation flag

Description: LSEXUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5175
1	MULTIPLE REGRESSION IMPUTATION	31
	Total	5206

Universe: Applicable for all respondents

LSEXUSE2_I(3929-3929)

Variable Type: imputation flag

Description: LSEXUSE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5055
1	MULTIPLE REGRESSION IMPUTATION	151
	Total	5206

Universe : Applicable for all respondents

LSEXUSE3_I(3930-3930)

Variable Type: imputation flag

Description: LSEXUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5044
1	MULTIPLE REGRESSION IMPUTATION	162
	Total	5206

Universe: Applicable for all respondents

LSEXUSE4_I(3931-3931)

Variable Type: imputation flag

Description: LSEXUSE4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5043
1	MULTIPLE REGRESSION IMPUTATION	163
	Total	5206

METH12M1_I(3932-3932)

Variable Type: imputation flag

Description: METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5145
1	MULTIPLE REGRESSION IMPUTATION	61
	Total	5206

Universe: Applicable for all respondents

METH12M2_I(3933-3933)

Variable Type: imputation flag

Description: METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5057
1	MULTIPLE REGRESSION IMPUTATION	149
	Total	5206

Universe: Applicable for all respondents

METH12M3_I(3934-3934)

Variable Type: imputation flag

Description: METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5050
1	MULTIPLE REGRESSION IMPUTATION	156
	Total	5206

Universe: Applicable for all respondents

METH12M4_I(3935-3935)

Variable Type: imputation flag

Description: METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5049
1	MULTIPLE REGRESSION IMPUTATION	157
	Total	5206

Universe: Applicable for all respondents

METH3M1_I(3936-3936)

Variable Type: imputation flag

Description: METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5147
1	MULTIPLE REGRESSION IMPUTATION	59

Total 5206

Universe: Applicable for all respondents

METH3M2_I(3937-3937)

Variable Type: imputation flag

Description: METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5088
1	MULTIPLE REGRESSION IMPUTATION	118
	Total	5206

Universe: Applicable for all respondents

METH3M3_I(3938-3938)

Variable Type: imputation flag

Description: METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5084
1	MULTIPLE REGRESSION IMPUTATION	122
	Total	5206

Universe: Applicable for all respondents

METH3M4_I(3939-3939)

Variable Type: imputation flag

Description: METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5083
1	MULTIPLE REGRESSION IMPUTATION	123
	Total	5206

Universe: Applicable for all respondents

NUMP3MOS_I(3940-3940)

Variable Type: imputation flag

Description: NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5154
1	MULTIPLE REGRESSION IMPUTATION	52
	Total	5206

Universe: Applicable for all respondents

LIFPRTNR_I(3941-3941)

Variable Type: imputation flag

Description: LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5006
1	MULTIPLE REGRESSION IMPUTATION	200

Total 5206

Universe: Applicable for all respondents

PARTS1YR_I(3942-3942)

Variable Type: imputation flag

Description: PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	5206

Universe: Applicable for all respondents

PARTDUR1_I(3943-3943)

Variable Type: imputation flag

Description: PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5072
1	MULTIPLE REGRESSION IMPUTATION	104
2	LOGICAL IMPUTATION	30
	Total	5206

Universe: Applicable for all respondents

PARTDUR2_I(3944-3944)

Variable Type: imputation flag

Description: PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5189
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	8
	Total	5206

Universe: Applicable for all respondents

PARTDUR3_I(3945-3945)

Variable Type: imputation flag

Description: PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5190
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	6
	Total	5206

Universe: Applicable for all respondents

COHEVER_I(3946-3946)

Variable Type: imputation flag

Description: COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

EVMARCOH_I(3947-3947)

Variable Type: imputation flag

Description: EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PMARRNO_I(3948-3948)

Variable Type: imputation flag

Description: PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	5206

Universe: Applicable for all respondents

NONMARR_I(3949-3949)

Variable Type: imputation flag

Description: NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5195
1	MULTIPLE REGRESSION IMPUTATION	11
	Total	5206

Universe: Applicable for all respondents

TIMESCOH_I(3950-3950)

Variable Type: imputation flag

Description: TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5192
1	MULTIPLE REGRESSION IMPUTATION	14
	Total	5206

Universe: Applicable for all respondents

MARDAT01_I(3951-3951)

Variable Type: imputation flag

Description: MARDAT01 Imputation Flag

value label Total

	Total	5206
2	LOGICAL IMPUTATION	15
1	MULTIPLE REGRESSION IMPUTATION	30
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5161

MARDAT02_I(3952-3952)

Variable Type: imputation flag

Description: MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5185
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	16
	Total	5206

Universe: Applicable for all respondents

MARDAT03_I(3953-3953)

Variable Type: imputation flag

Description: MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

MARDAT04_I(3954-3954)

Variable Type: imputation flag

Description: MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

MARDAT05_I(3955-3955)

Variable Type: imputation flag

Description: MARDAT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

MAREND01_I(3956-3956)

Variable Type: imputation flag

Description: MAREND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5162
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	28
	Total	5206

Universe: Applicable for all respondents

MAREND02_I(3957-3957)

Variable Type: imputation flag

Description: MAREND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5193
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	10
	Total	5206

Universe: Applicable for all respondents

MAREND03_I(3958-3958)

Variable Type: imputation flag

Description: MAREND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

MAREND04_I(3959-3959)

Variable Type: imputation flag

Description: MAREND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

MAREND05_I(3960-3960)

Variable Type: imputation flag

Description: MAREND05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

MARDIS01_I(3961-3961)

Variable Type: imputation flag

Description: MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5139
1	MULTIPLE REGRESSION IMPUTATION	39
2	LOGICAL IMPUTATION	28
	Total	5206

Universe: Applicable for all respondents

MARDIS02_I(3962-3962)

Variable Type: imputation flag

Description: MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5195
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	4
	Total	5206

Universe: Applicable for all respondents

MARDIS03_I(3963-3963)

Variable Type: imputation flag

Description: MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

MARDIS04_I(3964-3964)

Variable Type: imputation flag

Description: MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

MARDIS05_I(3965-3965)

Variable Type: imputation flag

Description: MARDIS05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

MAR1DISS_I(3966-3966)

Variable Type: imputation flag

Description: MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5157
1	MULTIPLE REGRESSION IMPUTATION	48
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

PREMARW1_I(3967-3967)

Variable Type: imputation flag

Description: PREMARW1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5185
1	MULTIPLE REGRESSION IMPUTATION	21
	Total	5206

Universe: Applicable for all respondents

COHAB1_I(3968-3968)

Variable Type: imputation flag

Description: COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5075
1	MULTIPLE REGRESSION IMPUTATION	129
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

COHSTAT_I(3969-3969)

Variable Type: imputation flag

Description: COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5141
1	MULTIPLE REGRESSION IMPUTATION	64
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

COHOUT_I(3970-3970)

Variable Type: imputation flag

Description: COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5062
1	MULTIPLE REGRESSION IMPUTATION	125
2	LOGICAL IMPUTATION	19
	Total	5206

COH1DUR_I(3971-3971)

Variable Type: imputation flag

Description: COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5048
1	MULTIPLE REGRESSION IMPUTATION	158
	Total	5206

Universe: Applicable for all respondents

CSPBIOKD_I(3972-3972)

Variable Type: imputation flag

Description: CSPBIOKD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

DATBABY1_I(3973-3973)

Variable Type: imputation flag

Description: DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5183
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

AGEBABY1_I(3974-3974)

Variable Type: imputation flag

Description: AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5183
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

B1PREMAR_I(3975-3975)

Variable Type: imputation flag

Description: B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5166
1	MULTIPLE REGRESSION IMPUTATION	40

Total 5206

Universe: Applicable for all respondents

MARBABY1_I(3976-3976)

Variable Type: imputation flag

Description: MARBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

CEBOW_I(3977-3977)

Variable Type: imputation flag

Description: CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

CEBOWC_I(3978-3978)

Variable Type: imputation flag

Description: CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

CEBOWP_I(3979-3979)

Variable Type: imputation flag

Description: CEBOWP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5196
1	MULTIPLE REGRESSION IMPUTATION	10
	Total	5206

Universe: Applicable for all respondents

EVRNOPAT_I(3980-3980)

Variable Type: imputation flag

Description: EVRNOPAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5196
1	MULTIPLE REGRESSION IMPUTATION	10
	Total	5206

NONLIVEB_I(3981-3981)

Variable Type: imputation flag

Description: NONLIVEB Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

COMPREG_I(3982-3982)

Variable Type: imputation flag

Description: COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5194
1	MULTIPLE REGRESSION IMPUTATION	12
	Total	5206

Universe: Applicable for all respondents

ABORTION_I(3983-3983)

Variable Type: imputation flag

Description: ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5179
1	MULTIPLE REGRESSION IMPUTATION	27
	Total	5206

Universe: Applicable for all respondents

LOSSNUM_I(3984-3984)

Variable Type: imputation flag

Description: LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5182
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	12
	Total	5206

Universe: Applicable for all respondents

PARENT01_I(3985-3985)

Variable Type: imputation flag

Description: PARENT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	5206

PARENT02_I(3986-3986)

Variable Type: imputation flag

Description: PARENT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT03_I(3987-3987)

Variable Type: imputation flag

Description: PARENT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT04_I(3988-3988)

Variable Type: imputation flag

Description: PARENT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT05_I(3989-3989)

Variable Type: imputation flag

Description: PARENT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENTO6_I(3990-3990)

Variable Type: imputation flag

Description: PARENT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT07_I(3991-3991)

Variable Type: imputation flag

Description: PARENT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT08_I(3992-3992)

Variable Type: imputation flag

Description: PARENT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT09_I(3993-3993)

Variable Type: imputation flag

Description: PARENT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

PARENT10_I(3994-3994)

Variable Type: imputation flag

Description: PARENT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

WANTB01_I(3995-3995)

Variable Type: imputation flag

Description: WANTB01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

WANTB02_I(3996-3996)

Variable Type: imputation flag

Description: WANTB02 Imputation Flag

value label Total

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	5206

WANTB03_I(3997-3997)

Variable Type: imputation flag

Description: WANTB03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

WANTB04_I(3998-3998)

Variable Type: imputation flag

Description: WANTB04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

WANTB05_I(3999-3999)

Variable Type: imputation flag

Description: WANTB05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

WANTB06_I(4000-4000)

Variable Type: imputation flag

Description: WANTB06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

WANTB07_I(4001-4001)

Variable Type: imputation flag

Description: WANTB07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206

Total 5206

Universe: Applicable for all respondents

WANTB08_I(4002-4002)

Variable Type: imputation flag

Description: WANTB08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

WANTB09_I(4003-4003)

Variable Type: imputation flag

Description: WANTB09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
2	LOGICAL IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

WANTB10_I(4004-4004)

Variable Type: imputation flag

Description: WANTB10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RG) Section G

Recodes

DADTYPE(4005-4005)

Variable Type: recode

Description: Type of children aged 18 or younger that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN	1367
2	ONLY NON-CORESIDENTIAL CHILDREN	360
3	BOTH CORESIDENTIAL AND NON-CORESIDENTIAL CHILDREN	183
4	NO CHILDREN 18 OR YOUNGER, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	3296
	Total	5206

Universe: Applicable for all respondents

DADTYPU5(4006-4006)

Variable Type: recode

Description: Type of children under 5 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN UNDER 5	790
2	ONLY NON-CORESIDENTIAL CHILDREN UNDER 5	133
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN UNDER 5	15
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN UNDER 5, NO CHILDREN, OR NEVER HAD SEXUAL INTERCOURSE	4268
	Total	5206

DADTYP518(4007-4007)

Variable Type: recode

Description: Type of children 5-18 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN 5 TO 18	1002
2	ONLY NON-CORESIDENTIAL CHILDREN 5 TO 18	328
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN 5 TO 18	134
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN 5 TO 18, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	3742
	Total	5206

Universe: Applicable for all respondents

NUMCRU18(4008-4008)

Variable Type: recode

Description: Number of coresidential children (<= 18 yrs old) (RECODE)

value	label	Total
0	NONE	3656
1	1 CHILD	607
2	2 CHILDREN	602
3	3 CHILDREN	247
4	4 OR MORE CHILDREN	94
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

NUMNCU18(4009-4010)

Variable Type: recode

Description: Number of noncoresidential children (< = 18 yrs old) (RECODE)

value	label	Total
0	NONE	4663
1	1 CHILD	302
2	2 CHILDREN	179
3	3 CHILDREN	42
4-95	4 OR MORE CHILDREN	20
	Total	5206

Universe: Applicable for all respondents

SUPP12MO(4011-4011)

Variable Type: recode

Description: Contribution of child support in last 12 months (RECODE)

value	label	Total
	INAPPLICABLE	4663
1	CONTRIBUTED CHILD SUPPORT ON A REGULAR BASIS IN LAST 12 MONTHS	405
2	CONTRIBUTED CHILD SUPPORT ONCE IN A WHILE IN LAST 12 MONTHS	66
3	DID NOT CONTRIBUTE CHILD SUPPORT IN LAST 12 MONTHS	72
	Total	5206

Universe : Applicable if R has any non-coresidential biological or adopted children aged 18 or younger (ncall > 0)

DADTYPE_I(4012-4012)

Variable Type: imputation flag

Description: DADTYPE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

DADTYPU5_I(4013-4013)

Variable Type: imputation flag

Description: DADTYPU5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

DADTYP518_I(4014-4014)

Variable Type: imputation flag

Description: DADTYP518 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

NUMCRU18_I(4015-4015)

Variable Type: imputation flag

Description: NUMCRU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

NUMNCU18_I(4016-4016)

Variable Type: imputation flag

Description: NUMNCU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

SUPP12MO_I(4017-4017)

Variable Type: imputation flag

Description: SUPP12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RH) Section H

Recodes

INTENT(4018-4018)

Variable Type: recode

Description: Intentions for additional births (RECODE)

value	label	Total
1	R intends to have (more) children	2975
2	R does not intend to have (more) children	2186
3	R does not know his intent	45
	Total	5206

Universe: Applicable for all respondents

ADDEXP(4019-4021)

Variable Type : recode

Description: Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	2134
5	.5 ADDITIONAL BIRTHS	4
10	1 ADDITIONAL BIRTH	893
15	1.5 ADDITIONAL BIRTHS	30
20	2 ADDITIONAL BIRTHS	1488
25	2.5 ADDITIONAL BIRTHS	10
30	3 ADDITIONAL BIRTHS	460
35	3.5 ADDITIONAL BIRTHS	4
40	4 ADDITIONAL BIRTHS	111
45	4.5 ADDITIONAL BIRTHS	3
50	5 ADDITIONAL BIRTHS	36
60	6 ADDITIONAL BIRTHS	19
70	7 ADDITIONAL BIRTHS	4
80	8 ADDITIONAL BIRTHS	5
90	9 ADDITIONAL BIRTHS	2
100-995	10 OR MORE ADDITIONAL BIRTHS	3
	Total	5206

INTENT_I(4022-4022)

Variable Type: imputation flag

Description: INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	5206

Universe: Applicable for all respondents

ADDEXP_I(4023-4023)

Variable Type: imputation flag

Description: ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5194
1	MULTIPLE REGRESSION IMPUTATION	12
	Total	5206

Universe: Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RI) Section I

Recodes

CURR_INS(4024-4024)

Variable Type : recode

Description: Current health insurance status (RECODE)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	3113
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	881
3	Currently covered by Medicare, military health care, or other government health care	322
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	890
	Total	5206

Universe: Applicable for all respondents

INFEVER(4025-4025)

Variable Type: recode

Description: Ever used infertility services (RECODE)

value	label	Total
	INAPPLICABLE	850
1	YES	275
2	NO	4081
	Total	5206

Universe: Applicable if respondent has ever had sexual intercourse with a female (HADSEX = 1)

EVHIVTST(4026-4026)

Variable Type: recode

Description: Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1822
1	YES, ONLY AS PART OF BLOOD DONATION	922
2	YES, ONLY OUTSIDE OF BLOOD DONATION	1283
3	YES, IN BOTH CONTEXTS	1179
	Total	5206

CURR_INS_I(4027-4027)

Variable Type: imputation flag

Description: CURR_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5067
1	MULTIPLE REGRESSION IMPUTATION	139
	Total	5206

Universe: Applicable for all respondents

INFEVER_I(4028-4028)

Variable Type: imputation flag

Description: INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe: Applicable for all respondents

EVHIVTST_I(4029-4029)

Variable Type: imputation flag

Description: EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5137
1	MULTIPLE REGRESSION IMPUTATION	69
	Total	5206

Universe: Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RJ) Section J Recodes

METRO(4030-4030)

Variable Type: recode

Description: Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	1950
2	OTHER MSA	2457
3	NOT MSA	799
	Total	5206

Universe: Applicable for all respondents

RELIGION(4031-4031)

Variable Type: recode

Description: Current religious affiliation (RECODE)

value	label	Total
1	No religion	1704
2	Catholic	1075
3	Protestant	1910
4	Other religion	517
	Total	5206

Universe: Applicable for all respondents

Notes: Please refer to the 2017-2019 user's guide for more information on religion data in the NSFG

LABORFOR(4032-4032)

Variable Type: recode

Description: Labor force status (RECODE)

value	label	Total
1	Working full-time	2984
2	Working part-time	790
3	Working, but on vacation, strike, or had temporary illness	148
4	Working - paternity or family leave	8
5	Not working but looking for work	209
6	In school	562
7	Keeping house	249
8	Caring for family	34
9	Other	222
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

RELIGION_I(4033-4033)

Variable Type: imputation flag

Description: RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5192
1	MULTIPLE REGRESSION IMPUTATION	14
	Total	5206

Universe: Applicable for all respondents

LABORFOR_I(4034-4034)

Variable Type: imputation flag

Description: LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	5206

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RK) Section K

Recodes

POVERTY(4035-4037)

Variable Type: recode

Description: Poverty level income (RECODE)

value	label	Total
50	50 percent of poverty level or less	380
51-99	51-99 percent of poverty level	487
100-199	100-199 percent of poverty level	1161
200-299	200-299 percent of poverty level	936
300-399	300-399 percent of poverty level	574
400-499	400-499 percent of poverty level	749
500-599	500-599 percent of poverty level	295
600-699	600-699 percent of poverty level	315
700	700 percent of poverty level or greater	309
	Total	5206

Universe: Applicable for all respondents

Notes: This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

TOTINCR(4038-4039)

Variable Type: recode

Description: Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	182
2	\$5000-\$7499	103
3	\$7500-\$9999	86
4	\$10,000-\$12,499	162
5	\$12,500-\$14,999	146
6	\$15,000-\$19,999	171
7	\$20,000-\$24,999	288
8	\$25,000-\$29,999	332
9	\$30,000-\$34,999	317
10	\$35,000-\$39,999	326
11	\$40,000-\$49,999	449
12	\$50,000-\$59,999	470
13	\$60,000-\$74,999	573
14	\$75,000-\$99,999	571
15	\$100,000 or more	1030
	Total	5206

Universe: Applicable for all respondents

PUBASSIS(4040-4040)

Variable Type: recode

Description: Whether R or any member of his family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR -1])	1275
2	No (did not receive public assistance in [INTERVIEW YEAR -1])	3931

Total 5206

Universe: Applicable for all respondents

POVERTY_I(4041-4041)

Variable Type: imputation flag

Description: POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4634
1	MULTIPLE REGRESSION IMPUTATION	570
2	LOGICAL IMPUTATION	2
	Total	5206

Universe : Applicable for all respondents

TOTINCR_I(4042-4042)

Variable Type: imputation flag

Description: TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4634
1	MULTIPLE REGRESSION IMPUTATION	570
2	LOGICAL IMPUTATION	2
	Total	5206

Universe: Applicable for all respondents

PUBASSIS_I(4043-4043)

Variable Type: imputation flag

Description: PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4973
1	MULTIPLE REGRESSION IMPUTATION	233
	Total	5206

Universe: Applicable for all respondents