



1 variable: Number of sites 50 & Number of patients in each site = 1000 & Number of hetero site = 2 -0.90Estimated Log Odds Ratio -1.05ODAL1 ODAL1 ODAL2 Meta ODAL1 ODAL1 ODAL2 ODAL2 ODAL2 Meta median median median median fixed random mean mean mean mean (w/o hetero site)w/o hetero site) median median effect effect (AII)(All) mean mean

1 variable: Number of sites 50 & Number of patients in each site = 100 & Number of hetero site = 1 -0.6 Estimated Log Odds Ratio -1.2ODAL1 ODAL2 ODAL2 ODAL2 Meta ODAL1 ODAL1 ODAL1 Meta ODAL2 median median median median fixed random mean mean mean mean (w/o hetero site)w/o hetero site) median effect effect (AII)(AII)median mean mean





1 variable: Number of sites 50 & Number of patients in each site = 100 & Number of hetero site = 2 -0.6 Estimated Log Odds Ratio -1.2ODAL1 ODAL2 ODAL2 ODAL2 Meta ODAL1 ODAL1 ODAL1 ODAL2 Meta median median median median fixed random mean mean mean mean (w/o hetero site)w/o hetero site) median effect effect (AII)(AII)median mean mean

1 variable: Number of sites 50 & Number of patients in each site = 500 & Number of hetero site = 2 -0.90Estimated Log Odds Ratio -1.05-1.10ODAL1 ODAL2 Meta ODAL1 ODAL1 ODAL1 ODAL2 ODAL2 ODAL2 Meta median median median median fixed random mean mean mean mean (w/o hetero site)w/o hetero site) median median effect effect (All) (All) mean mean

Estimated Log Odds Ratio