JIDHUNPP | BSc(Hons) Computer Science | 20211419 | Practical-8

Plot the integral surface of a given first order PDE with the initial data

Problem 1: Obtain the solution of the linear equation u[(x,y),x]-u[(x,y),y]=1 with the Cauchy data $u(x,0) = x^*x$.

Plot the integral surface with in the range $\{x,-4,4\}$ and $\{y,-5,5\}$.

pde = D[u[x, y], x] - D[u[x, y], y] == 1

Solution:

```
DSolve[{D[u[x, y], x] - D[u[x, y], y] = 1, u[x, 0] = (x * x)}, u[x, y], {x, y}]

Plot3D[u[x, y] /. %, {x, -4, 4}, {y, -5, 5},

PlotLabel → "Integral Surface"]

-u<sup>(θ,1)</sup> [x, y] + u<sup>(1,θ)</sup> [x, y] = 1


{{u[x, y] → x² - y + 2 x y + y²}}

Integral Surface
```

Problem 2:Find the solution of the equation

 $y^*u[(x,y),x]-2^*x^*y^*u[(x,y),y]=2^*x^*u[x,y]$ with the Cauchy data $u(0,y)=y^*y^*y$.Plot the integral surface with in the range $\{x,-7,7\}$ and $\{y,-5,5\}$. Solution:

$$\begin{split} & \text{pde} = y * D[u[x,y], x] - 2 * x * y * D[u[x,y], y] == 2 * x * u[x,y] \\ & \text{sol3} = DSolve[\{\text{pde}, u[0,y] == y * y * y\}, u[x,y], \{x,y\}] \\ & \text{Plot3D}[u[x,y] /. sol3, \{x,-7,7\}, \{y,-5,5\}, \\ & \text{PlotLabel} \to \text{"Integral Surface through initial curve"}] \\ & - 2 x y u^{(0,1)}[x,y] + y u^{(1,0)}[x,y] == 2 x u[x,y] \\ & \left\{ \left\{ u[x,y] \to \frac{\left(x^2 + y\right)^4}{y} \right\} \right\} \end{split}$$




Problem 3: Determine the integral surfaces of the equation u[(x,y),x]+u[(x,y),y]=u[x,y]*u[x,y], with the data x+y=0,u=1. Plot the integral surface with in the range $\{x,10,10\}$ and $\{y,-10,10\}$. Solution:

Eqn = D[u[x, y], x] + D[u[x, y], y] = u[x, y] * u[x, y] $DSolve[\{D[u[x, y], x] + D[u[x, y], y] = u[x, y] * u[x, y], u[x, -x] = 1\}, u[x, y], \{x, y\}]$ Plot3D[$u[x, y] /. %, \{x, -10, 10\}, \{y, -10, 10\},$ PlotLabel → "Integral Surface through intial curve"]

$$u^{(0,1)}[x,y] + u^{(1,0)}[x,y] = u[x,y]^{2}$$

$$\left\{ \left\{ u[x,y] \rightarrow -\frac{2}{-2+x+y} \right\} \right\}$$




Problem 4: Obtain the solution of the linear equation u[(x,y),x]+u[(x,y),y]=1with

the Cauchy data $u(x,2x)=x^*x^*x$.

Plot the integral surface with in the range $\{x,-4,4\}$ and $\{y,-5,5\}$. Solution:

$$\begin{split} &u^{\,(\vartheta,1)}\,\,[\,x\,,\,y\,]\,\,+\,u^{\,(1\,,\vartheta)}\,\,[\,x\,,\,y\,] \,\,=\, 1 \\ &\left. \left. \left\{ \,u\,[\,x\,,\,y\,] \,\,\rightarrow\, 2\,\,x\,-\,x^3\,-\,y\,+\,3\,\,x^2\,\,y\,-\,3\,\,x\,\,y^2\,+\,y^3\,\right\} \,\right\} \end{split}$$




Problem 5: Obtain the solution of the linear equation $u(x+y)^*u[(x,y),x]+u(x\boxtimes y)^*u[(x,y),y]=x^*x+y^*y$ with the Cauchy data u(x,2x)=0. Plot the integral surface with in the range $\{x,-4,4\}$ and $\{y,-5,5\}$. Solution:

$$(x-y) u[x, y] u^{(0,1)}[x, y] + (x+y) u[x, y] u^{(1,0)}[x, y] = x^2 + y^2$$

... Solve: Inverse functions are being used by Solve, so some solutions may not be found; use Reduce for complete solution

$$\begin{split} & \Big\{ \Big\{ u \, [\, x \, , \, y \,] \, \, \to \, - \, \sqrt{\frac{2}{7}} \, \sqrt{2 \, x^2 + 3 \, x \, y - 2 \, y^2} \, \Big\} \, , \, \, \Big\{ u \, [\, x \, , \, y \,] \, \, \to \, \sqrt{\frac{2}{7}} \, \sqrt{2 \, x^2 + 3 \, x \, y - 2 \, y^2} \, \Big\} \, , \\ & \Big\{ u \, [\, x \, , \, y \,] \, \, \to \, - \, \sqrt{\frac{2}{7}} \, \sqrt{2 \, x^2 + 3 \, x \, y - 2 \, y^2} \, \Big\} \, , \, \, \Big\{ u \, [\, x \, , \, y \,] \, \, \to \, \sqrt{\frac{2}{7}} \, \sqrt{2 \, x^2 + 3 \, x \, y - 2 \, y^2} \, \Big\} \Big\} \end{split}$$




Problem 6: Obtain the solution of the linear equation u[(x,y),x]+u[x,y]*u[(x,y),y]=1with the Cauchy data u(0,y)=4*y. Plot the integral surface with in the range $\{x,-4,4\}$ and $\{y,-5,5\}$. Solution:

D[u[x, y], x] + u[x, y] * D[u[x, y], y] = 1DSolve $[\{D[u[x, y], x] + u[x, y] * D[u[x, y], y] = 1, u[0, y] = 4 * y\}, u[x, y], \{x, y\}]$ Plot3D[$u[x, y] /. %, \{x, -4, 4\}, \{y, -5, 5\}$]

$$u[x, y] u^{(0,1)}[x, y] + u^{(1,0)}[x, y] = 1$$


$$\left\{ \left\{ u \, [\, x \, , \, y \,] \, \rightarrow \frac{x + 2 \, x^2 + 4 \, y}{1 + 4 \, x} \right\} \right\}$$



Problem 7: Obtain the solution of the linear equation $u[(x,y),x]+y^*u[(x,y),y]=0$ with the Cauchy data u(0,y)=4*y. Plot the integral surface with in the range $\{x,-4,4\}$ and $\{y,-5,5\}$. Solution:

D[u[x, y], x] + y * D[u[x, y], y] == 0 $DSolve[\{D[u[x, y], x] + y * D[u[x, y], y] == 0, u[0, y] == 4 * y\}, u[x, y], \{x, y\}]$ Plot3D[u[x, y] /. %, {x, -4, 4}, {y, -5, 5}]

$$y u^{(0,1)} [x, y] + u^{(1,0)} [x, y] = 0$$
 $\{\{u[x, y] \rightarrow 4 e^{-x} y\}\}$



Problem 8: Obtain the solution of the linear equation u[(x,y),x]+2*u[(x,y),y]=0with the Cauchy data u(0,y)=Exp[-y*y]. Plot the integral surface with in the range $\{x,-4,4\}$ and $\{y,-5,5\}$. Solution:

D[u[x, y], x] + 2 * D[u[x, y], y] = 0DSolve[$\{D[u[x, y], x] + 2 * D[u[x, y], y] == 0, u[0, y] == Exp[-y * y]\}, u[x, y], \{x, y\}$] Plot3D[$u[x, y] /. %, \{x, -4, 4\}, \{y, -5, 5\}$]

$$2 u^{(0,1)} [x, y] + u^{(1,0)} [x, y] = 0$$

$$\left\{ \left\{ u \, [\, x \, , \, y \,] \, \rightarrow \, \mathbb{e}^{- \, (\, -2 \, x + y \,)^{\, 2}} \, \right\} \right\}$$

