

Lab 11 - Quiz Results for Carolina Medina Castellanos

[View Log \(https://canvas.ku.edu/courses/105296/quizzes/210972/submissions/1510261/log\)](https://canvas.ku.edu/courses/105296/quizzes/210972/submissions/1510261/log)

Score for this quiz: **6** out of 10

Submitted Dec 3 at 12:44am

This attempt took 8 minutes.

Question 1

2 / 2 pts

How is the fscanf() function different from scanf()?

- ☐ It reads from a string variable
- ☒ It takes a file variable as the first parameter.
- ☐ It writes to a file variable
- ☐ It reads from standard input

Additional Comments:

Correct!

Question 2

0 / 2 pts

In the code, what must be found in order to access the stat files?

Correct Answer

- ☐ The thread IDs
- ☐ Nothing needs to be found in order to access the stat files
- ☐ Both the process ID and thread IDs

You Answered

- ☒ The process ID

Additional Comments:

Question 3

2

/ 2 pts

What is proc known as a "virtual" filesystem?

Correct!

- ☒ It never exists on a physical medium (except for RAM)
- ☐ None of the above
- ☐ It represents data using the virtual model
- ☐ All of the above

Additional Comments:

Question 4

2 / 2 pts

When are most of the files in the proc filesystem created?

Correct!

- ☒ At boot time.
- ☐ When the kernel is compiled.
- ☐ When the OS is installed.
- ☐ At shut down.

Additional Comments:

Question 5

0 / 2 pts

What information from the stat files is used for determining if deadlock has occurred.

Correct Answer**You Answered**

- ☐ The system time
- ☐ The user time
- ☒ Both the user and system times
- ☐ None of the above

Additional Comments:

Fudge Points: --

You can manually adjust the score by adding positive or negative points to this box.

Final Score: 6 out of 10[Update Scores](#)