

Lab 11 - Quiz Results for Peter Pham

[View Log \(https://canvas.ku.edu/courses/105296/quizzes/210972/submissions/1492869/log\)](https://canvas.ku.edu/courses/105296/quizzes/210972/submissions/1492869/log)

Score for this quiz: **10** out of 10

Submitted Nov 27 at 1:50pm

This attempt took 2 minutes.

Question 1

2

/ 2 pts

How is the fscanf() function different from scanf()?

Correct!

- ☒ It takes a file variable as the first parameter.
- ☐ It reads from a string variable
- ☐ It writes to a file variable
- ☐ It reads from standard input

Additional Comments:

Question 2

2

/ 2 pts

In the code, what must be found in order to access the stat files?

Correct!

- ☒ The thread IDs

- ☐ Nothing needs to be found in order to access the stat files
- ☐ The process ID
- ☐ Both the process ID and thread IDs

Additional Comments:

Question 3

2 / 2 pts

What is proc known as a "virtual" filesystem?

- ☐ It represents data using the virtual model
- ☐ All of the above
- ☐ None of the above
- ☒ It never exists on a physical medium (except for RAM)

Correct!

Additional Comments:

Question 4

2 / 2 pts

When are most of the files in the proc filesystem created?

- ☐ When the OS is installed.
- ☐ When the kernel is compiled.
- ☐ At shut down.
- ☒ At boot time.

Correct!

Additional Comments:

Question 5

2 / 2 pts

What information from the stat files is used for determining if deadlock has occurred.

- ☐ None of the above
- ☐ The system time
- ☐ Both the user and system times
- ☒ The user time

Correct!

Additional Comments:

Fudge Points: --

You can manually adjust the score by adding positive or negative points to this box.

Final Score: 10 out of 10[Update Scores](#)