Corresponding to: Q-A 2023/11/01.

/ 1 / Introduction

What is this?

code

Q-A is a LATEX document class for you to typeset Q&A-style conversation. It turns a simple pure text Q&A dialog like this:

```
Q:
    What is `...`?
                  `...`. It has the following features:
    [Feature A]
    It ...
    [Feature B]
    It also ...
    Can you provide some examples for `...`?
    Certainly. There are many types of `...`, for example:
    \begin{itemize}
      \item *emphasized*
      \item **bold**
      \item ***bold and emphasized***
    \end{itemize}
into a carefully designed document like this:
```

Q: What is ...?

```
A: A ... is a ... It has the following features:
     1. Feature A: It ...
     2. Feature B: It also ...
Q: Can you provide some examples for ...?
A: Certainly. There are many types of ..., for example:

    emphasized

     bold

    bold and emphasized

                                / 2 /
                           Preparation
```

You should make sure that this document class is properly installed.

Otherwise, you need to check for package update to see if you can receive it. In case not, you can

If you are using TeX Live 2024 or newer, or the most recent version of MikTeX, then this package should already be included, and you don't need to do anything.

That is nice. How can I use it? Is there anything that needs to be prepared?

always go to the CTAN page to download the .zip file with all related files included.

Now that I have successfully installed it, could you propose an example of usage?

/ 3 / Usage

\documentclass[%11pt, use theme = $\langle theme \rangle$, scroll,

Of course. A typical document looks like this:

latex

 $]{Q-A}$

```
\UseLanguage \{\langle language \rangle\}\ % For English this line can be omitted.
  \begin{document}
  \end{document}
The available class options include:
 scroll: turns the scroll mode on, which generates a single-page pdf similar to a long screenshot.
  It is recommended to use this option if your document contains some large piece of code.
use theme = (theme): use the selected theme, available choices include: default (like the
  current document), ChatGPT-light and ChatGPT-dark (see the demo documents).

    Font size options such as | 11pt |, 12pt |.
```

You have already seen an example of the main content. As you might have noticed, there are several syntaxes. Let me explain. 1. Questions (Q), Answers (A), and Narrations (N):

• Use $*\langle text \rangle *$ to emphasis $\langle text \rangle$.

What about the main content?

2. Emphasize and Bold:

4. Sections:

- A question begins with the prefix Q: or ? (or ?). An answer begins with the prefix A: or : (or :). • A narration begins with the prefix \mathbb{N} : or \mathbb{I} (or \mathbb{I} , \mathbb{I} or \mathbb{I}).
- Use ***(*text*)*** to combine the previous effects. Emphasized Enumeration: An emphasized enumeration, like the current line, is marked by

- subsubsection, via #### {(subsubsection title)};

• Use $|**\langle text\rangle **|$ to make $|\langle text\rangle|$ into boldface.

You may start a new (unnumbered) -- section, via $\#\# \{\langle section \ title \rangle\}$; − subsection, via | ### {⟨subsection title⟩};

 $[\langle text \rangle]$ at the beginning, where $\langle text \rangle$ is the text to be emphasized.

• If you wish to use the *numbered* version, write ##+, ###+ and ####+ instead. 5. Input/Include Files: • Use :: {\langle file name \rangle} to input a file.

language of your code.

6. Code: Due to the current implementation of this document class, it is unfortunate that you cannot directly insert source code in your document. There are some workarounds, though. For *displayed* code, stored the code into a separate file, and then use == {\(\file name \) \} to print

• Use ::: {\(file name \)} to include a file.

as \%, etc. And don't forget that you are still using LATEX, so images, tables and lists can be written as usual.

I see. Is there anything else for me to be careful about?

in some special cases: | **like**{}***this***{}*one*.

interface to suit my preferences, for instance?

A: Glad that you asked. Here are several things that should be taken care of: A question, answer or narration should always begin in a new paragraph. An emphasized enumeration should also begin in a new paragraph. Likewise, a section / subsection / subsubsection should be placed in a separate paragraph. Input or inclusion of files should also be operated in a separate paragraph. For emphasizing and bolding the text, it would be necessary to separate the asterisks with \{\}

> /4/ Customization

Now that we have learned the basic usage, I would like to know more. Can I customize the

Certainly. Apart from using themes via class option, you may also change the identifiers and the

it. You may also use an optional argument like $== [\langle language \rangle] \{\langle file name \rangle\}$ to select the

• For inline code, you may simply write it between two backticks \(`\langle (code\)`, similar to the Markdown syntax. However, be aware that special characters need to be escaped, for example, \ should be written as \textbackslash, { should be written as \{ , \% should be written

- labels for each role in the conversation. 1. Changing itentifiers: Instead of the default identifiers, such as ? for questions, you may also
- your document. • Use \QASetTypePrefix{Q}{\(\(\)identifiers\\)} to set the identifiers for questions. • Use \QASetTypePrefix{A}{\(\(\)identifiers\\)\} to set the identifiers for answers. • Use $\mathbb{QASetTypePrefix\{N\}}\{(identifiers)\}\}$ to set the identifiers for narrations. Here, (identifier) is a comma list of your specified identifiers. For example, the default iden-

tifier for narrations is preset via \QASetTypePrefix{N}{N:,", ",", ","}. Note that, due to its

use your preferred one. This can be done via the use of \QASetTypePrefix in the preamble of

2. Changing labels: You may also change the labels. For example, from the text "Q:" to a logo icon. This can be done via the use of \SetLogoCode in the preamble of your document. • Use $\SetLogoCode{Q}{\langle logo code \rangle}$ to set the labels for questions.

implementation, the identifier cannot contain comma, in it.

• Use $\SetLogoCode{A}{(logo\ code)}$ to set the labels for answers. Here, (logo code) is the actual code for displaying the corresponding label. For example, the default label for questions is preset via $\SetLogoCode{Q}{\text{Q}}$. In the demo document, you can find an example on how to use this command to specify a logo for each

/5/

Known Issues

A: Unfortunately, yes : (. Currently, the code highlight is done by the package listings. Due to its own limitations, the

Is there any known issue with this document class?

role in the conversation.

result is still far from satisfactory. Using minted instead could improve the situation, but this would require -shell-escape and some external tweaking, thus it would still take some effort to make it work with the current document class.

/ 6 / Get Support

If you run into any issues or have ideas for improvement, feel free to discuss on:

https://github.com/Jinwen-XU/Q-A/issues

or email me via ProjLib@outlook.com.