

1 1. Results of fit for all groups

2 We present a table with the results of the fit for the stacking of
3 all groups of spaxels selected described in Sec. 3.4 with Methods
4 1-5 explained in Sec. 3.5.

Table 1: Fit Results of the Stacked Spectrum with Methods 1-5

Group	N _{gal}	N _{spa}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	Method	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
All	63	858	0.03 ^{+0.05} _{-0.02}	4.94 ^{+8.10} _{-2.89}	1	207.14	33.39 ^{+20.05} _{-20.04}	76.31 ^{+20.13} _{-20.07}
					2	185.46	40.59 ^{+20.11} _{-20.10}	85.58 ^{+20.11} _{-20.09}
					3	-14.60	36.71 ^{+20.03} _{-20.02}	...
					4	-7.78	35.94 ^{+20.02} _{-20.01}	...
					5	-15.67	37.31 ^{+20.02} _{-20.01}	...
Star-forming	55	641	0.03 ^{+0.04} _{-0.02}	4.17 ^{+5.65} _{-2.43}	1	126.64	29.96 ^{+20.03} _{-20.02}	64.90 ^{+20.12} _{-20.07}
					2	153.34	29.48 ^{+20.02} _{-20.01}	66.37 ^{+20.12} _{-20.07}
					3	-14.89	34.20 ^{+20.00} _{-20.01}	...
					4	-19.70	35.08 ^{+20.00} _{-20.00}	...
					5	-15.03	34.45 ^{+20.00} _{-20.01}	...
Seyfert and LINER	10	54	0.06 ^{+0.09} _{-0.04} (*)	13.11 ^{+12.30} _{-7.17}	1	-0.62	50.91 ^{+20.56} _{-20.78}	...
					2	19.63	61.21 ^{+21.47} _{-21.74}	93.65 ^{+23.29} _{-23.91}
					3	-13.57	41.77 ^{+20.38} _{-20.64}	...
					4	-14.71	43.25 ^{+20.02} _{-20.03}	...
					5	-9.38	42.88 ^{+20.16} _{-20.23}	...
INTER	30	155	0.02 ^{+0.06} _{-0.01}	8.59 ^{+9.78} _{-4.86}	1	108.43	58.25 ^{+21.34} _{-21.00}	106.50 ^{+25.97} _{-21.35}
					2	110.01	65.98 ^{+20.14} _{-20.15}	83.41 ^{+21.07} _{-20.93}
					3	-20.25	53.09 ^{+20.03} _{-20.05}	...
					4	2.19	48.99 ^{+20.05} _{-20.04}	58.42 ^{+20.24} _{-20.07}
					5	-14.08	54.09 ^{+20.06} _{-20.14}	...
$\Sigma_{\text{SFR}} > 0.01$	50	565	0.03 ^{+0.04} _{-0.01}	4.58 ^{+6.24} _{-2.39}	1	117.23	30.21 ^{+20.03} _{-20.02}	64.69 ^{+20.09} _{-20.06}
					2	172.32	29.81 ^{+20.02} _{-20.01}	66.61 ^{+20.13} _{-20.08}
					3	-15.12	34.61 ^{+20.00} _{-20.01}	...
					4	-48.03	35.38 ^{+20.00} _{-20.00}	...
					5	-14.82	34.94 ^{+20.00} _{-20.01}	...
$\Sigma_{\text{SFR}} > 0.03$	25	309	0.06 ^{+0.04} _{-0.02}	6.84 ^{+7.00} _{-3.46}	1	100.37	31.97 ^{+20.05} _{-20.05}	70.55 ^{+20.14} _{-20.09}
					2	143.84	31.15 ^{+20.03} _{-20.03}	72.61 ^{+20.15} _{-20.11}
					3	-13.67	36.19 ^{+20.01} _{-20.01}	...
					4	-12.18	37.10 ^{+20.00} _{-20.01}	...
					5	-14.49	36.54 ^{+20.01} _{-20.01}	...
$\Sigma_{\text{SFR}} > 0.05$	16	179	0.06 ^{+0.04} _{-0.02}	8.91 ^{+7.97} _{-4.28}	1	87.38	35.29 ^{+20.14} _{-20.11}	79.54 ^{+20.33} _{-20.21}
					2	129.25	33.62 ^{+20.08} _{-20.07}	79.07 ^{+20.21} _{-20.17}
					3	-10.56	37.66 ^{+20.02} _{-20.03}	...
					4	-8.57	38.18 ^{+20.01} _{-20.03}	...
					5	-9.54	38.24 ^{+20.02} _{-20.04}	...
$\Sigma_{\text{SFR}} > 0.07$	15	108	0.09 ^{+0.04} _{-0.02}	11.09 ^{+7.85} _{-5.04}	1	34.04	47.43 ^{+20.42} _{-20.29}	86.56 ^{+20.82} _{-20.52}
					2	55.12	44.03 ^{+20.33} _{-20.24}	84.57 ^{+20.47} _{-20.39}
					3	-11.97	44.89 ^{+20.04} _{-20.06}	...
					4	-6.61	45.68 ^{+20.04} _{-20.07}	...
					5	-12.77	45.69 ^{+20.04} _{-20.08}	...
$\Sigma_{\text{SFR}} > 0.1$	10	45	0.12 ^{+0.06} _{-0.01}	12.52 ^{+9.73} _{-5.12}	1	-5.00	69.06 ^{+20.21} _{-20.38}	...
					2	0.50	62.37 ^{+20.43} _{-20.52}	91.30 ^{+27.03} _{-23.53}
					3	-14.87	51.19 ^{+20.05} _{-20.06}	...
					4	-9.24	53.12 ^{+20.13} _{-20.16}	...
					5	-12.76	52.98 ^{+20.08} _{-20.14}	...

Notes. Properties and results of fit of stacking with Methods 1-5. Group of spaxels included in stacking, Number of galaxies, Number of spaxels, Median Σ_{SFR} of spaxels and the lower and upper errors are the difference between the 16th and 84th percentile and median respectively, Σ_* median with errors values as Σ_{SFR} , $\Delta\text{BIC} = \text{BIC}_{\text{single}} - \text{BIC}_{\text{double}}$ values of the fits, and Narrow σ_{narrow} and Broad σ_{broad} dispersion velocity values of the double Gaussian fit in km s⁻¹. In the cases of $\Delta\text{BIC} < 0$ only σ_{narrow} values are reported as the best fit is the single Gaussian.

(*) Median Σ_{SFR} could have contamination from other kind ionization than star-formation for Seyfert galaxies.

Table B.1: Fit Result of Stacked Spectrum with Methods 1-5 (continued)

Group	N_{gal}	N_{spa}	Σ_{SFR} [$M_{\odot} \text{ yr}^{-1} \text{ kpc}^{-2}$]	Σ_{*} [$10^8 M_{\odot} \text{ kpc}^{-2}$]	Method	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
0.1 dex up rMS	32	226	$0.04^{+0.04}_{-0.02}$	$2.98^{+3.57}_{-1.69}$	1	84.84	$28.84^{+20.07}_{-20.06}$	$66.31^{+20.80}_{-20.45}$
					2	133.75	$28.96^{+20.06}_{-20.04}$	$70.05^{+20.61}_{-20.36}$
					3	-12.72	$30.99^{+20.01}_{-20.01}$	...
					4	-12.79	$31.42^{+20.01}_{-20.01}$	...
					5	-12.17	$31.05^{+20.01}_{-20.01}$	...
0.2 dex up rMS	26	133	$0.04^{+0.05}_{-0.02}$	$2.44^{+2.52}_{-1.37}$	1	89.24	$28.57^{+20.12}_{-20.10}$	$70.31^{+21.08}_{-20.59}$
					2	108.87	$29.77^{+20.11}_{-20.09}$	$76.73^{+21.21}_{-20.80}$
					3	-11.25	$29.55^{+20.01}_{-20.02}$	...
					4	-8.31	$30.06^{+20.01}_{-20.03}$	...
					5	-10.47	$29.78^{+20.01}_{-20.02}$	...
0.3 dex up rMS	19	80	$0.04^{+0.04}_{-0.02}$	$2.25^{+2.02}_{-1.29}$	1	37.47	$27.77^{+20.14}_{-20.12}$	$67.37^{+22.70}_{-21.27}$
					2	32.62	$27.83^{+20.12}_{-20.10}$	$67.51^{+21.99}_{-21.05}$
					3	-12.63	$29.46^{+20.02}_{-20.03}$	...
					4	-12.97	$29.75^{+20.01}_{-20.02}$	...
					5	-11.11	$29.63^{+20.02}_{-20.04}$	...

5 **2. Results of selecting various line width ranges**

6 We show a table with the results of the fit for the stacking of all
7 groups of spaxels selected described in Sec. 3.4 with Methods 6
8 explained in Sec. 3.5.

Table 2: Fit Results of the Stacked Spectrum with Methods 6

Group	Range of σ [km s ⁻¹]	N _{gal}	N _{spa}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
All	20-40	53	470	0.03 ^{+0.03} _{-0.01}	4.09 ^{+5.67} _{-2.40}	-13.28	28.04 ^{+20.00} _{-20.01}	...
	20-60	58	667	0.03 ^{+0.04} _{-0.01}	4.29 ^{+6.72} _{-2.42}	50.51	29.38 ^{+20.03} _{-20.02}	49.31 ^{+20.43} _{-20.15}
	20-80	60	763	0.03 ^{+0.04} _{-0.01}	4.56 ^{+7.67} _{-2.56}	129.62	35.84 ^{+20.19} _{-20.13}	65.94 ^{+20.65} _{-20.30}
	20-100	61	816	0.03 ^{+0.04} _{-0.02}	4.87 ^{+8.09} _{-2.80}	153.10	40.62 ^{+20.18} _{-20.14}	82.09 ^{+20.20} _{-20.14}
	20-120	61	836	0.03 ^{+0.05} _{-0.02}	4.93 ^{+8.08} _{-2.84}	166.29	41.37 ^{+20.16} _{-20.13}	84.26 ^{+20.15} _{-20.11}
	20-140	61	842	0.03 ^{+0.05} _{-0.02}	4.94 ^{+8.09} _{-2.84}	179.64	41.58 ^{+20.15} _{-20.19}	84.88 ^{+20.12} _{-20.12}
	20-160	61	846	0.03 ^{+0.05} _{-0.02}	4.97 ^{+8.07} _{-2.86}	168.73	41.02 ^{+20.19} _{-20.17}	85.38 ^{+20.14} _{-20.11}
	20-180	61	849	0.03 ^{+0.05} _{-0.02}	5.00 ^{+8.05} _{-2.87}	185.19	41.43 ^{+20.17} _{-20.14}	85.54 ^{+20.11} _{-20.11}
	40-60	48	197	0.03 ^{+0.05} _{-0.01}	5.29 ^{+7.87} _{-2.85}	-13.31	47.19 ^{+20.02} _{-20.04}	...
	60-80	32	96	0.03 ^{+0.08} _{-0.02}	7.75 ^{+10.23} _{-4.18}	-13.75	60.77 ^{+20.18} _{-20.16}	...
	80-100	23	53	0.05 ^{+0.09} _{-0.03}	11.13 ^{+15.14} _{-5.42}	28.35	73.93 ^{+20.21} _{-20.17}	88.16 ^{+20.40} _{-20.10}
	100-120	13	20	0.03 ^{+0.11} _{-0.01}	9.36 ^{+8.54} _{-4.80}	-14.35	101.81 ^{+20.21} _{-20.25}	...
	120-140	4	6	0.05 ^{+0.04} _{-0.02}	7.24 ^{+9.31} _{-9.69}	...	...	...
	140-160	3	4	0.09 ^{+0.00} _{-0.01}	15.63 ^{+9.69} _{-6.97}	...	...	...
	160-180	2	3	0.08 ^{+0.03} _{-0.04}	10.73 ^{+7.00} _{-2.65}	...	...	...
	180-200	8	9	0.003 ^{+0.013} _{-0.002}	0.31 ^{+0.56} _{-0.18}	...	...	...
Star-forming	20-40	48	393	0.03 ^{+0.03} _{-0.01}	3.74 ^{+4.35} _{-2.21}	-15.26	27.83 ^{+20.00} _{-20.00}	...
	20-60	51	542	0.03 ^{+0.04} _{-0.01}	3.91 ^{+4.65} _{-2.21}	27.03	29.53 ^{+20.03} _{-20.02}	48.51 ^{+20.50} _{-20.19}
	20-80	52	597	0.03 ^{+0.04} _{-0.01}	4.00 ^{+5.08} _{-2.22}	85.96	29.44 ^{+20.02} _{-20.01}	54.44 ^{+20.16} _{-20.07}
	20-100	53	620	0.03 ^{+0.04} _{-0.01}	4.17 ^{+5.47} _{-2.37}	137.95	29.38 ^{+20.02} _{-20.01}	60.31 ^{+20.09} _{-20.06}
	20-120	53	629	0.03 ^{+0.04} _{-0.02}	4.22 ^{+5.54} _{-2.41}	169.02	29.50 ^{+20.02} _{-20.01}	64.70 ^{+20.10} _{-20.07}
	20-140	53	632	0.03 ^{+0.04} _{-0.02}	4.23 ^{+5.63} _{-2.40}	177.82	29.49 ^{+20.01} _{-20.01}	65.86 ^{+20.11} _{-20.07}
	20-160	53	633	0.03 ^{+0.04} _{-0.02}	4.23 ^{+5.67} _{-2.40}	175.81	29.51 ^{+20.02} _{-20.01}	65.96 ^{+20.10} _{-20.07}
	20-180	53	633	0.03 ^{+0.04} _{-0.02}	4.23 ^{+5.67} _{-2.40}	176.12	29.47 ^{+20.01} _{-20.01}	66.05 ^{+20.10} _{-20.07}
	40-60	38	149	0.03 ^{+0.05} _{-0.01}	4.25 ^{+5.62} _{-2.07}	-13.67	47.69 ^{+20.02} _{-20.04}	...
	60-80	22	55	0.04 ^{+0.05} _{-0.02}	6.33 ^{+8.76} _{-3.26}	-15.40	67.20 ^{+20.06} _{-20.07}	...
	80-100	11	23	0.08 ^{+0.06} _{-0.05}	10.15 ^{+12.81} _{-3.50}	-15.38	83.93 ^{+20.19} _{-20.31}	...
	100-120	7	9	0.07 ^{+0.11} _{-0.05}	7.93 ^{+8.47} _{-3.65}	...	...	...
	120-140	2	3	0.08 ^{+0.04} _{-0.04}	13.11 ^{+11.70} _{-3.87}	...	...	...
	140-160	1	1	0.10 ^{+0.00} _{-0.00}	21.83 ^{+0.00} _{-0.00}	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	7	8	0.002 ^{+0.011} _{-0.002}	0.24 ^{+0.37} _{-0.12}	...	...	...

Notes. Properties and results of fit of stacking with Methods 1-5. Group of spaxels included in stacking, Number of galaxies, Number of spaxels, Median Σ_{SFR} of spaxels and the lower and upper errors are the difference between the 16th and 84th percentile and median respectively, Σ_* median with errors values as Σ_{SFR} , $\Delta\text{BIC} = \text{BIC}_{\text{single}} - \text{BIC}_{\text{double}}$ values of the fits, and Narrow σ_{narrow} and Broad σ_{broad} dispersion velocity values of the double Gaussian fit in km s⁻¹. In the cases of $\Delta\text{BIC} < 0$ only σ_{narrow} values are reported as the best fit is the single Gaussian.

Group	Range of σ [km s ⁻¹]	N _{galaxies}	N _{spaxels}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
Seyfert and LINER	20-40	7	22	0.04 ^{+0.05(*)} _{-0.03}	12.56 ^{+11.40} _{-7.02}	-12.11	30.28 ^{+20.04} _{-20.05}	...
	20-60	9	35	0.05 ^{+0.08(*)} _{-0.03}	12.98 ^{+12.05} _{-7.38}	-5.88	35.16 ^{+20.10} _{-20.16}	...
	20-80	9	44	0.05 ^{+0.11(*)} _{-0.03}	12.80 ^{+10.42} _{-7.50}	-4.08	38.14 ^{+20.16} _{-20.19}	...
	20-100	10	52	0.06 ^{+0.10(*)} _{-0.04}	12.91 ^{+12.20} _{-6.98}	27.81	60.53 ^{+21.39} _{-21.68}	93.09 ^{+23.29} _{-23.58}
	20-120	10	53	0.06 ^{+0.09(*)} _{-0.04}	12.98 ^{+12.08} _{-7.04}	18.97	61.79 ^{+21.34} _{-21.80}	91.81 ^{+23.40} _{-23.91}
	20-140	10	53	0.06 ^{+0.09(*)} _{-0.04}	12.98 ^{+12.08} _{-7.04}	14.70	61.15 ^{+21.19} _{-21.48}	92.10 ^{+24.06} _{-24.00}
	20-160	10	53	0.06 ^{+0.09(*)} _{-0.04}	12.98 ^{+12.08} _{-7.04}	45.69	58.82 ^{+21.68} _{-21.55}	96.67 ^{+23.01} _{-22.79}
	20-180	10	53	0.06 ^{+0.09(*)} _{-0.04}	12.98 ^{+12.08} _{-7.04}	9.88	61.33 ^{+21.15} _{-21.58}	90.82 ^{+24.01} _{-23.83}
	40-60	6	13	0.06 ^{+0.11(*)} _{-0.04}	17.51 ^{+9.18} _{-11.32}	...	...	...
	60-80	4	9	0.08 ^{+0.12(*)} _{-0.06}	7.11 ^{+7.34} _{-2.11}	...	...	...
	80-100	7	8	0.06 ^{+0.07(*)} _{-0.02}	24.54 ^{+19.10} _{-15.78}	...	...	...
	100-120	1	1	0.10 ^{+0.00(*)} _{-0.00}	21.95 ^{+0.00} _{-0.00}	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	1	1	0.12 ^{+0.00(*)} _{-0.00}	28.20 ^{+0.00} _{-0.00}	...	...	...
Intermediate	20-40	16	50	0.02 ^{+0.03} _{-0.01}	5.65 ^{+8.41} _{-4.62}	-0.30	26.49 ^{+20.05} _{-20.06}	...
	20-60	23	83	0.02 ^{+0.04} _{-0.01}	7.25 ^{+7.69} _{-4.32}	6.12	32.35 ^{+20.21} _{-20.12}	56.12 ^{+22.32} _{-20.65}
	20-80	28	115	0.02 ^{+0.04} _{-0.01}	8.55 ^{+8.55} _{-5.04}	32.94	57.33 ^{+20.22} _{-20.30}	78.38 ^{+24.25} _{-22.47}
	20-100	30	136	0.02 ^{+0.05} _{-0.01}	8.58 ^{+9.79} _{-5.04}	105.54	64.66 ^{+20.20} _{-20.22}	80.79 ^{+21.16} _{-20.74}
	20-120	30	146	0.02 ^{+0.05} _{-0.01}	8.65 ^{+9.62} _{-5.06}	110.85	64.97 ^{+20.15} _{-20.15}	80.95 ^{+21.02} _{-20.68}
	20-140	30	149	0.02 ^{+0.05} _{-0.01}	8.58 ^{+9.60} _{-4.93}	119.43	65.40 ^{+20.17} _{-20.18}	82.11 ^{+21.14} _{-20.84}
	20-160	30	152	0.02 ^{+0.05} _{-0.01}	8.58 ^{+9.69} _{-4.88}	125.32	65.97 ^{+20.15} _{-20.16}	82.80 ^{+21.16} _{-20.89}
	20-180	30	155	0.02 ^{+0.06} _{-0.01}	8.59 ^{+9.78} _{-4.86}	113.26	66.11 ^{+20.14} _{-20.14}	83.55 ^{+21.13} _{-20.97}
	40-60	15	33	0.02 ^{+0.05} _{-0.01}	7.66 ^{+7.66} _{-2.52}	-12.78	46.82 ^{+20.07} _{-20.08}	...
	60-80	14	32	0.02 ^{+0.21} _{-0.01}	10.58 ^{+14.37} _{-4.62}	-1.44	63.13 ^{+20.21} _{-20.21}	...
	80-100	9	21	0.02 ^{+0.15} _{-0.01}	15.82 ^{+13.51} _{-12.01}	69.37	70.48 ^{+20.21} _{-20.17}	86.87 ^{+20.53} _{-20.14}
	100-120	7	10	0.02 ^{+0.01} _{-0.01}	9.36 ^{+6.31} _{-4.77}	...	...	...
	120-140	2	3	0.03 ^{+0.02} _{-0.00}	6.79 ^{+0.19} _{-1.77}	...	...	...
	140-160	2	3	0.09 ^{+0.00} _{-0.01}	9.44 ^{+13.01} _{-1.21}	...	...	...
	160-180	2	3	0.08 ^{+0.03} _{-0.04}	10.73 ^{+7.00} _{-2.65}	...	...	...
	180-200	0	0	...	...	...	...	...

Table 3: Fit Results of the Stacked Spectrum with Methods 6

Table C.1: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s ⁻¹]	N _{galaxies}	N _{spaxels}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
$\Sigma_{\text{SFR}} > 0.01$	20-40	41	345	0.03 ^{+0.03} _{-0.01}	4.22 ^{+4.37} _{-2.32}	-15.29	27.82 ^{+20.00} _{-20.01}	...
	20-60	47	479	0.03 ^{+0.04} _{-0.01}	4.26 ^{+4.86} _{-2.14}	27.89	29.60 ^{+20.03} _{-20.02}	48.30 ^{+20.43} _{-20.15}
	20-80	49	528	0.03 ^{+0.04} _{-0.01}	4.37 ^{+5.39} _{-2.21}	78.83	29.88 ^{+20.02} _{-20.02}	53.49 ^{+20.16} _{-20.07}
	20-100	50	550	0.03 ^{+0.04} _{-0.01}	4.55 ^{+5.75} _{-2.36}	127.64	29.82 ^{+20.02} _{-20.01}	59.96 ^{+20.09} _{-20.05}
	20-120	50	559	0.03 ^{+0.04} _{-0.01}	4.56 ^{+5.91} _{-2.37}	162.62	29.89 ^{+20.02} _{-20.01}	62.22 ^{+20.12} _{-20.07}
	20-140	50	562	0.03 ^{+0.04} _{-0.01}	4.58 ^{+6.16} _{-2.39}	170.05	29.87 ^{+20.02} _{-20.01}	66.31 ^{+20.13} _{-20.09}
	20-160	50	563	0.03 ^{+0.04} _{-0.01}	4.59 ^{+6.28} _{-2.39}	172.92	29.87 ^{+20.02} _{-20.01}	66.18 ^{+20.12} _{-20.08}
	20-180	50	563	0.03 ^{+0.04} _{-0.01}	4.59 ^{+6.28} _{-2.39}	172.44	29.86 ^{+20.02} _{-20.01}	66.42 ^{+2.26} _{-1.81}
	40-60	33	134	0.03 ^{+0.05} _{-0.02}	4.48 ^{+5.89} _{-1.96}	-13.33	47.32 ^{+20.03} _{-20.05}	...
	60-80	21	49	0.05 ^{+0.05} _{-0.02}	6.82 ^{+9.50} _{-3.36}	-15.47	66.02 ^{+20.06} _{-20.07}	...
	80-100	11	22	0.09 ^{+0.05} _{-0.06}	10.22 ^{+13.45} _{-2.99}	9.72	65.36 ^{+20.57} _{-20.44}	94.86 ^{+22.34} _{-20.60}
	100-120	7	9	0.07 ^{+0.11} _{-0.05}	7.93 ^{+8.47} _{-3.64}	...	84.99 ^{+20.17} _{-20.23}	...
	120-140	2	3	0.08 ^{+0.04} _{-0.04}	13.11 ^{+11.70} _{-3.87}	...	...	...
	140-160	1	1	0.10 ^{+0.00} _{-0.00}	21.83 ^{+0.00} _{-0.00}	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	2	2	0.01 ^{+0.00} _{-0.00}	0.76 ^{+0.14} _{-0.14}	...	...	...
$\Sigma_{\text{SFR}} > 0.03$	20-40	20	177	0.05 ^{+0.03} _{-0.01}	5.46 ^{+6.76} _{-2.35}	-12.54	27.65 ^{+20.01} _{-20.02}	...
	20-60	21	250	0.05 ^{+0.03} _{-0.02}	5.74 ^{+7.09} _{-2.59}	27.40	30.08 ^{+20.05} _{-20.04}	50.65 ^{+20.81} _{-20.27}
	20-80	23	283	0.05 ^{+0.03} _{-0.02}	6.22 ^{+6.83} _{-2.98}	68.09	30.34 ^{+20.03} _{-20.02}	56.88 ^{+20.22} _{-20.10}
	20-100	25	301	0.06 ^{+0.04} _{-0.02}	6.73 ^{+6.89} _{-3.38}	117.72	30.85 ^{+20.03} _{-20.02}	65.30 ^{+20.16} _{-20.10}
	20-120	25	306	0.06 ^{+0.04} _{-0.02}	6.79 ^{+6.91} _{-3.42}	137.66	31.09 ^{+20.03} _{-20.02}	71.32 ^{+20.14} _{-20.11}
	20-140	25	308	0.06 ^{+0.04} _{-0.02}	6.82 ^{+6.97} _{-3.45}	140.92	31.12 ^{+20.03} _{-20.03}	71.96 ^{+20.15} _{-20.12}
	20-160	25	309	0.06 ^{+0.04} _{-0.02}	6.84 ^{+7.00} _{-3.46}	149.42	30.96 ^{+20.03} _{-20.02}	72.53 ^{+20.13} _{-20.11}
	20-180	25	309	0.06 ^{+0.04} _{-0.02}	6.84 ^{+7.00} _{-3.46}	143.31	30.94 ^{+20.03} _{-20.02}	72.44 ^{+20.14} _{-20.11}
	40-60	16	73	0.06 ^{+0.04} _{-0.02}	7.07 ^{+7.52} _{-3.38}	-11.95	47.44 ^{+20.03} _{-20.07}	...
	60-80	12	33	0.07 ^{+0.05} _{-0.03}	9.38 ^{+9.55} _{-4.20}	-15.23	66.60 ^{+20.07} _{-20.09}	...
	80-100	9	18	0.10 ^{+0.06} _{-0.06}	12.49 ^{+12.86} _{-4.39}	-15.14	84.55 ^{+20.19} _{-20.28}	...
	100-120	4	5	0.15 ^{+0.05} _{-0.06}	12.52 ^{+7.32} _{-3.11}	...	...	...
	120-140	1	2	0.11 ^{+0.02} _{-0.02}	21.72 ^{+3.85} _{-5.85}	...	...	...
	140-160	1	1	0.10 ^{+0.00} _{-0.00}	21.83 ^{+0.00} _{-0.00}	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...

Table C.1: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s ⁻¹]	N _{gal}	N _{spa}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
$\Sigma_{\text{SFR}} > 0.05$	20-40	13	92	0.07 ^{+0.02} _{-0.01}	8.01 ^{+5.34} _{-3.85}	-14.54	27.53 ^{+20.01} _{-20.02}	...
	20-60	15	137	0.07 ^{+0.03} _{-0.01}	8.14 ^{+7.25} _{-3.82}	19.68	32.02 ^{+20.07} _{-20.09}	61.65 ^{+24.77} _{-22.16}
	20-80	15	159	0.07 ^{+0.03} _{-0.01}	8.35 ^{+7.32} _{-3.90}	67.24	31.70 ^{+20.07} _{-20.05}	62.50 ^{+20.81} _{-20.32}
	20-100	16	171	0.07 ^{+0.04} _{-0.02}	8.59 ^{+7.55} _{-4.03}	111.05	32.23 ^{+20.05} _{-20.04}	71.20 ^{+20.25} _{-20.15}
	20-120	16	176	0.07 ^{+0.04} _{-0.02}	8.77 ^{+7.84} _{-4.19}	115.84	33.30 ^{+20.07} _{-20.06}	77.62 ^{+20.23} _{-20.17}
	20-140	16	178	0.07 ^{+0.04} _{-0.02}	8.86 ^{+7.83} _{-4.25}	125.06	33.36 ^{+20.07} _{-20.05}	78.59 ^{+20.21} _{-20.17}
	20-160	16	179	0.08 ^{+0.04} _{-0.02}	8.91 ^{+7.97} _{-4.28}	120.09	33.13 ^{+20.06} _{-20.05}	79.36 ^{+20.22} _{-20.17}
	20-180	16	179	0.08 ^{+0.04} _{-0.02}	8.91 ^{+7.97} _{-4.28}	121.44	33.21 ^{+20.07} _{-20.05}	79.40 ^{+20.21} _{-20.17}
	40-60	12	45	0.08 ^{+0.03} _{-0.02}	8.41 ^{+7.26} _{-3.91}	1.37	46.01 ^{+20.07} _{-20.05}	67.83 ^{+23.98} _{-22.87}
	60-80	9	22	0.08 ^{+0.04} _{-0.02}	12.61 ^{+7.61} _{-5.77}	-15.16	65.62 ^{+20.11} _{-20.16}	...
	80-100	6	12	0.12 ^{+0.07} _{-0.02}	12.89 ^{+12.96} _{-4.11}	-14.51	...	...
	100-120	4	5	0.15 ^{+0.05} _{-0.06}	12.52 ^{+7.32} _{-3.11}	...	...	...
	120-140	1	2	0.11 ^{+0.02} _{-0.02}	21.72 ^{+3.85} _{-5.85}	...	...	...
	140-160	1	1	0.10 ^{+0.00} _{-0.00}	21.83 ^{+0.00} _{-0.00}	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...
$\Sigma_{\text{SFR}} > 0.07$	20-40	10	44	0.08 ^{+0.03} _{-0.01}	10.37 ^{+3.49} _{-5.70}	-12.75	27.25 ^{+20.03} _{-20.04}	...
	20-60	13	74	0.08 ^{+0.03} _{-0.01}	9.97 ^{+5.80} _{-4.80}	10.30	35.28 ^{+20.06} _{-20.09}	67.33 ^{+23.77} _{-22.59}
	20-80	14	89	0.09 ^{+0.03} _{-0.01}	10.44 ^{+6.54} _{-5.16}	34.84	37.22 ^{+20.19} _{-20.19}	68.82 ^{+22.36} _{-20.97}
	20-100	15	101	0.09 ^{+0.04} _{-0.01}	10.47 ^{+7.71} _{-4.67}	60.58	38.79 ^{+20.18} _{-20.13}	77.52 ^{+20.53} _{-20.31}
	20-120	15	105	0.09 ^{+0.04} _{-0.02}	10.97 ^{+7.38} _{-5.02}	51.48	43.92 ^{+20.35} _{-20.23}	81.62 ^{+20.45} _{-20.43}
	20-140	15	107	0.09 ^{+0.04} _{-0.02}	11.05 ^{+7.62} _{-5.02}	52.35	45.32 ^{+20.40} _{-20.28}	84.04 ^{+20.56} _{-20.48}
	20-160	15	108	0.09 ^{+0.04} _{-0.02}	11.09 ^{+7.85} _{-5.04}	58.08	44.04 ^{+20.34} _{-20.24}	85.13 ^{+20.43} _{-20.34}
	20-180	15	108	0.09 ^{+0.04} _{-0.02}	11.09 ^{+7.85} _{-5.04}	56.88	43.90 ^{+20.29} _{-20.21}	85.02 ^{+20.47} _{-20.37}
	40-60	11	30	0.09 ^{+0.04} _{-0.01}	9.64 ^{+6.14} _{-2.64}	10.03	44.83 ^{+20.10} _{-20.13}	64.86 ^{+23.20} _{-21.94}
	60-80	9	15	0.10 ^{+0.04} _{-0.03}	12.93 ^{+8.20} _{-5.10}	-15.32	65.07 ^{+20.15} _{-20.21}	...
	80-100	6	12	0.12 ^{+0.07} _{-0.02}	12.89 ^{+12.96} _{-4.11}	...	...	...
	100-120	4	4	0.17 ^{+0.03} _{-0.04}	15.21 ^{+5.48} _{-3.56}	...	...	...
	120-140	1	2	0.11 ^{+0.02} _{-0.02}	21.72 ^{+3.85} _{-5.85}	...	...	...
	140-160	1	4	0.10 ^{+0.00} _{-0.00}	21.83 ^{+0.00} _{-0.00}	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...

Table C.1: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s ⁻¹]	N _{gal}	N _{spa}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
$\Sigma_{\text{SFR}} > 0.1$	20-40	5	12	0.12 ^{+0.03} _{-0.01}	11.11 ^{+6.08} _{-5.55}	...	...	...
	20-60	6	23	0.12 ^{+0.03} _{-0.01}	10.97 ^{+7.39} _{-4.62}	-3.34	36.20 ^{+20.13} _{-20.18}	...
	20-80	8	31	0.12 ^{+0.05} _{-0.01}	11.26 ^{+8.04} _{-5.30}	11.19	42.95 ^{+20.20} _{-20.39}	95.72 ^{+59.73} _{-37.15}
	20-100	8	40	0.12 ^{+0.06} _{-0.01}	12.27 ^{+8.95} _{-5.46}	16.44	54.17 ^{+20.32} _{-20.64}	111.51 ^{+40.04} _{-30.08}
	20-120	10	44	0.12 ^{+0.06} _{-0.02}	12.42 ^{+9.03} _{-5.12}	-2.05	61.19 ^{+20.38} _{-20.45}	...
	20-140	10	45	0.12 ^{+0.06} _{-0.01}	12.52 ^{+9.73} _{-5.12}	0.76	62.07 ^{+20.43} _{-20.53}	93.97 ^{+27.28} _{-23.83}
	20-160	10	45	0.12 ^{+0.06} _{-0.01}	12.52 ^{+9.73} _{-5.12}	-1.23	62.71 ^{+20.40} _{-20.50}	...
	20-180	10	45	0.12 ^{+0.06} _{-0.01}	12.52 ^{+9.73} _{-5.12}	-2.92	62.18 ^{+20.47} _{-20.60}	...
	40-60	6	11	0.11 ^{+0.04} _{-0.01}	10.44 ^{+8.08} _{-2.53}	...	...	...
	60-80	6	8	0.12 ^{+0.05} _{-0.01}	16.35 ^{+4.89} _{-11.71}	...	...	...
	80-100	4	9	0.13 ^{+0.06} _{-0.02}	20.85 ^{+5.46} _{-10.33}	...	...	...
	100-120	4	4	0.17 ^{+0.03} _{-0.04}	15.21 ^{+5.48} _{-3.56}	...	...	...
	120-140	1	1	0.13 ^{+0.00} _{-0.00}	30.32 ^{+0.00} _{-0.00}	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...
0.1 dex up rMS	20-40	26	156	0.03 ^{+0.03} _{-0.02}	2.43 ^{+2.57} _{-1.31}	-15.27	26.93 ^{+20.01} _{-20.01}	...
	20-60	28	203	0.04 ^{+0.03} _{-0.02}	2.76 ^{+2.86} _{-1.46}	1.58	30.29 ^{+20.03} _{-20.06}	52.16 ^{+23.07} _{-21.49}
	20-80	28	212	0.04 ^{+0.03} _{-0.02}	2.84 ^{+2.90} _{-1.52}	25.13	29.84 ^{+20.06} _{-20.06}	56.74 ^{+21.43} _{-20.80}
	20-100	29	218	0.04 ^{+0.04} _{-0.02}	2.98 ^{+3.12} _{-1.63}	77.99	29.30 ^{+20.05} _{-20.05}	63.22 ^{+21.02} _{-20.55}
	20-120	29	222	0.04 ^{+0.04} _{-0.02}	3.06 ^{+3.54} _{-1.70}	131.89	28.90 ^{+20.06} _{-20.04}	69.25 ^{+20.59} _{-20.34}
	20-140	29	222	0.04 ^{+0.04} _{-0.02}	3.06 ^{+3.54} _{-1.70}	131.31	28.89 ^{+20.06} _{-20.04}	69.37 ^{+20.60} _{-20.36}
	20-160	29	222	0.04 ^{+0.04} _{-0.02}	3.06 ^{+3.54} _{-1.70}	131.72	28.98 ^{+20.06} _{-20.05}	69.60 ^{+20.62} _{-20.36}
	20-180	29	222	0.04 ^{+0.04} _{-0.02}	3.06 ^{+3.54} _{-1.70}	133.74	28.93 ^{+20.05} _{-20.04}	69.00 ^{+20.60} _{-20.35}
	40-60	10	47	0.05 ^{+0.03} _{-0.03}	3.83 ^{+3.64} _{-1.59}	-14.36	46.15 ^{+20.05} _{-20.07}	...
	60-80	5	9	0.10 ^{+0.06} _{-0.06}	4.00 ^{+7.89} _{-0.87}	...	...	...
	80-100	4	6	0.11 ^{+0.08} _{-0.02}	10.22 ^{+1.62} _{-1.54}	...	...	...
	100-120	3	4	0.17 ^{+0.03} _{-0.06}	11.69 ^{+3.63} _{-2.92}	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	4	4	0.01 ^{+0.01} _{-0.01}	0.43 ^{+0.34} _{-0.22}	...	...	...

Table D.1: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s ⁻¹]	N _{gal}	N _{spa}	Σ_{SFR} [M _⊙ yr ⁻¹ kpc ⁻²]	Σ_* [10 ⁸ M _⊙ kpc ⁻²]	ΔBIC	σ_{narrow} [km s ⁻¹]	σ_{broad} [km s ⁻¹]
0.2 dex up rMS	20-40	19	93	0.04 ^{+0.03} _{-0.02}	1.93 ^{+2.24} _{-0.90}	-15.61	26.88 ^{+20.01} _{-20.01}	...
	20-60	21	116	0.04 ^{+0.03} _{-0.02}	2.36 ^{+2.03} _{-1.25}	-3.58	29.75 ^{+20.05} _{-20.08}	...
	20-80	22	122	0.04 ^{+0.03} _{-0.02}	2.42 ^{+2.03} _{-1.29}	16.35	29.15 ^{+20.08} _{-20.07}	53.82 ^{+22.03} _{-20.70}
	20-100	23	126	0.04 ^{+0.04} _{-0.02}	2.46 ^{+2.22} _{-1.32}	57.81	29.37 ^{+20.09} _{-20.08}	64.39 ^{+22.25} _{-20.98}
	20-120	23	129	0.04 ^{+0.05} _{-0.02}	2.50 ^{+2.31} _{-1.36}	110.66	29.90 ^{+20.14} _{-20.11}	74.14 ^{+21.13} _{-20.74}
	20-140	23	129	0.04 ^{+0.09} _{-0.02}	2.50 ^{+2.31} _{-1.36}	114.00	29.63 ^{+20.09} _{-20.07}	75.19 ^{+21.07} _{-20.68}
	20-160	23	129	0.04 ^{+0.09} _{-0.02}	2.50 ^{+2.31} _{-1.36}	109.07	29.92 ^{+20.12} _{-20.10}	75.46 ^{+21.19} _{-20.79}
	20-180	23	129	0.04 ^{+0.09} _{-0.02}	2.50 ^{+2.31} _{-1.36}	110.89	29.88 ^{+20.11} _{-20.09}	74.88 ^{+21.16} _{-20.76}
	40-60	6	23	0.06 ^{+0.05} _{-0.03}	3.67 ^{+3.78} _{-1.36}	-12.58	45.65 ^{+20.10} _{-20.15}	...
	60-80	4	6	0.11 ^{+0.02} _{-0.07}	3.62 ^{+6.35} _{-0.71}	...	...	...
	80-100	2	4	0.15 ^{+0.05} _{-0.05}	10.04 ^{+2.93} _{-1.77}	...	...	...
	100-120	3	3	0.19 ^{+0.02} _{-0.03}	12.52 ^{+3.66} _{-1.13}	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	4	4	0.01 ^{+0.01} _{-0.01}	0.43 ^{+0.34} _{-0.22}	...	...	...
0.3 dex up rMS	20-40	14	61	0.04 ^{+0.03} _{-0.02}	1.85 ^{+2.14} _{-0.88}	...	...	...
	20-60	15	72	0.04 ^{+0.03} _{-0.02}	2.20 ^{+1.98} _{-1.19}	-10.83	28.81 ^{+20.03} _{-20.06}	...
	20-80	15	75	0.04 ^{+0.04} _{-0.02}	2.31 ^{+1.78} _{-1.29}	-4.82	28.96 ^{+20.06} _{-20.09}	...
	20-100	16	76	0.04 ^{+0.04} _{-0.02}	2.32 ^{+1.92} _{-1.30}	22.40	28.71 ^{+20.10} _{-20.12}	64.18 ^{+25.72} _{-22.28}
	20-120	17	77	0.05 ^{+0.04} _{-0.02}	2.33 ^{+1.99} _{-1.31}	63.88	27.85 ^{+20.12} _{-20.10}	66.03 ^{+22.06} _{-21.03}
	20-140	17	77	0.05 ^{+0.04} _{-0.02}	2.33 ^{+1.99} _{-1.31}	63.57	27.87 ^{+20.13} _{-20.10}	66.02 ^{+22.06} _{-21.11}
	20-160	17	77	0.05 ^{+0.04} _{-0.02}	2.33 ^{+1.99} _{-1.31}	66.33	27.61 ^{+20.11} _{-20.09}	65.97 ^{+21.76} _{-20.91}
	20-180	17	77	0.05 ^{+0.04} _{-0.02}	2.33 ^{+1.99} _{-1.31}	65.13	27.72 ^{+20.12} _{-20.09}	66.32 ^{+21.98} _{-21.02}
	40-60	5	11	0.07 ^{+0.06} _{-0.02}	3.67 ^{+1.96} _{-1.34}	...	...	...
	60-80	1	3	0.10 ^{+0.01} _{-0.04}	3.23 ^{+0.52} _{-0.97}	...	...	...
	80-100	1	1	0.19 ^{+0.00} _{-0.00}	11.13 ^{+0.00} _{-0.00}	...	...	...
	100-120	1	1	0.19 ^{+0.00} _{-0.00}	12.52 ^{+0.00} _{-0.00}	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	3	3	0.01 ^{+0.00} _{-0.01}	0.55 ^{+0.28} _{-0.17}	...	...	...