

## Assignment 2: Sorting Algorithms, Pointer, Reference, Dynamic Memory Allocation and Release, File I/O, and Makefile

### Objectives:

- Implementing **sorting algorithms (Bubble, Selection, Insertion, Merge, and Quick)**.
- Using **pointers, references, and dynamic memory allocation**.
- Using **ifstream** and **ofstream** to read from and write into files
- Organizing C++ application into appropriate folders.
- Separating the **specification** from the **implementation**.
- Writing the application's main function in a separate file.
- Generate separate object files from all the source files.
- Linking the object files into executable files.
- Writing **Makefile** to aid in building the application.
- Building (compiling and linking) the application using **make**.

### Tasks:


1. You will submit this assignment using **GIT submission system**. A central repository named '**assignment2**' has been created for this assignment. Create your own fork of **assignment2** on the central GIT repository using following command. Replace **NN** part of the command by the last two digits of your section number. For example, if your section number is **S20N01**, replace **NN** by **01**.

```
ssh csci fork csci161-NN/assignment2 csci161-NN/$USER/assignment2
```

2. You have created a folder named **csci161-NN** in your home folder in lab1. Please, don't forget to replace the **NN** part of the folder name by the last two digits of your section number.
3. Go into your **csci161-NN** folder and create a clone of your forked **assignment2** repository using following command. Again, replace **NN** part of the command by the last two digits of your section number.

```
git clone csci:csci161-NN/$USER/assignment2
```

4. Repository **assignment2** has been organized as follows:



A **README** file template has been placed in the root of the application development folder. The README file gives a general idea of the application, technologies used in developing the application, how to build and install the application, how to use the application, list of contributors to the application, and what type of license is given to the users to use the application. You need to complete the README file.

All **header** files (**arrayutility.h**, **fileutility.h**, and **sorting.h**) are placed in **include** sub folder.

You need to place your **source codes** (**arrayutility.cpp**, **fileutility.cpp**, **sorting\_bubble.cpp**, **sorting\_selection.cpp**, **sorting\_insertion.cpp**, **sorting\_merge.cpp**, **sorting\_quick.cpp**, and **main.cpp**) in **src** sub folder.

A sample data file named **input.txt** is placed in **resource** folder. It contains one **integer number** in each line. The **first number** represents the number of data integers in the file, i.e., the size of the data and it is not included in the data.

All **object** files will be placed in **build** sub folder and **executable** files in **bin** sub folder by **make**. A **Makefile** has also been supplied. You don't need to comment on the **Makefile** to complete this assignment.

5. Write **arrayutility.cpp** file in **src** folder to implement all the functions specified in **arrayutility.h** file.
6. Write **fileutility.cpp** file in **src** folder to implement all the functions specified in **fileutility.h** file.
7. Write **sorting\_bubble.cpp** file in **src** folder to implement **bubble sort algorithm** in **sort()** function specified in **sorting.h** file.
8. Write **sorting\_selection.cpp** file in **src** folder to implement **selection sort algorithm** in **sort()** function specified in **sorting.h** file.
9. Write **sorting\_insertion.cpp** file in **src** folder to implement **insertion sort algorithm** in **sort()** function specified in **sorting.h** file.

10. Write **sorting\_merge.cpp** file in **src** folder to implement **merge sort algorithm** in **sort()** function specified in **sorting.h** file.
11. Write **sorting\_quick.cpp** file in **src** folder to implement **quick sort algorithm** in **sort()** function specified in **sorting.h** file.
12. A **main.cpp** file in the **src** folder implementing the **main()** function of the application has been supplied. Use this **main.cpp** in your application without any modification.
13. A **Makefile** has been supplied in the **root** folder of the application which does the followings:
  - a. Define and use **macros** for each **GCC flag** that you are going to use to compile/link your code/object.
  - b. Define and use **macros** for each **sub-folder** of the application, e.g., **src**, **include**, **resource**, **build**, and **bin**.
  - c. Use GCC **debug flag** to facilitate debugging using **gdb**.
  - d. Use GCC **include flag** to specify the path of application's custom header files so that your code does not need to specify relative path of these header files in **#include** pre-processor macro.
  - e. Create individual object file (\*.o) into **build** folder from each \*.cpp file of **src** folder.
  - f. Link selected object files from the **build** folder into multiple executable files into **bin** folder. Each executable file in the bin folder uses an implementation of a particular sorting algorithm.
  - g. Clean or remove files from both **build** and **bin** folders using **PHONY target** named **clean**.
14. Continue your work in your cloned or local **assignment2** repository and **commit** and **push** your work to your central **assignment2** repository as it progresses.
15. Make sure your program compiles and runs error and warning free.
16. Test your program to make sure your code has fulfilled the specifications. Your program must work with any test data file.
17. You can run the example executables (**sort\_bubble**, **sort\_selection**, **sort\_insertion**, **sort\_merge**, and **sort\_quick**) from **bin** sub folder to get an idea what is expected from you in this assignment. These example executables have been built and tested in Linux Debian machines available in the lab. Run these executables in other kind of machines at your own risks. **Be careful to use make clean, it will delete the example executables from bin sub folder.** You can save these example executable in another sub folder, for example, **backup**, in order to have a copy of them.
18. You should type following at the command prompt to run your executable:
 

```
>bin/sort_bubble resource/input.txt resource/output_bubble.txt
>bin/sort_selection resource/input.txt resource/output_selection.txt
>bin/sort_insertion resource/input.txt resource/output_insertion.txt
>bin/sort_merge resource/input.txt resource/output_merge.txt
>bin/sort_quick resource/input.txt resource/output_quick.txt
```
19. Organize and comment your code to make it easy to understand. Make sure you have typed **your name** and **student number** in the top comment section in each .cpp file. Make sure you have deleted all debug print codes that you were using to debug your code during your development time but not necessary in the final code. Make sure you have deleted all commented out codes from your final submission.

### Deadline and Submission

The deadline to submit this assignment is **4:00 PM on February 7, 2020 (Friday)** for **S20N01** and **S20N03** and **February 10, 2020 (Monday)** for **S20N02**.

**Commit and push your work from your local assignment1 repository to your remote assignment2 repository regularly. You will find most useful git commands in this [git cheat sheet](#) from GitLab. You will be allowed to commit and push until the deadline is over. Incremental and frequent commits and pushes are highly expected and recommended in this assignment.**

### Evaluation

Implementations	Features	Marks
	<i>load() function</i>	<b>05</b>
	<i>save() function</i>	<b>05</b>
	<i>show() function</i>	<b>05</b>
	<i>sortCopy() function</i>	<b>05</b>
	<i>sortOriginal() function</i>	<b>05</b>
	<i>sorting_bubble.sort()</i>	<b>05</b>
	<i>sorting_selection.sort()</i>	<b>05</b>
	<i>sorting_insertion.sort()</i>	<b>05</b>
	<i>sorting_merge.sort()</i>	<b>15</b>
	<i>sorting_quick.sort()</i>	<b>20</b>
<b>Makefile</b>		<b>00</b>
<b>README</b>		<b>05</b>
<b>Code Quality and Comments</b>		<b>20</b>
<b>Total</b>		<b>100</b>