### Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

#### References

- jqassistant
- Neo4j Python Driver

#### Node Labels

#### Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report Node label combination count.

|    | nodeLabels                                     | nodesWithThatLabels | nodesWithThatLabelsPercent |
|----|--|---------------------|----------------------------|
| 0  | [Git, Change]                                  | 261797              | 74.097964                  |
| 1  | [Java, ByteCode, Member, Method]               | 13527               | 3.828627                   |
| 2  | [Java, ByteCode, Parameter]                    | 13296               | 3.763246                   |
| 3  | [Git, Commit]                                  | 12887               | 3.647484                   |
| 4  | [File, Git]                                    | 10887               | 3.081412                   |
| 5  | [Java, ByteCode, Bound, ParameterizedType]     | 7279                | 2.060219                   |
| 6  | [Java, ByteCode, Bound]                        | 7235                | 2.047765                   |
| 7  | [Java, ByteCode, Member, Field]                | 3602                | 1.019496                   |
| 8  | [Java, ByteCode, Bound, WildcardType]          | 2947                | 0.834107                   |
| 9  | [Java, Value, ByteCode, Annotation]            | 2931                | 0.829578                   |
| 10 | [Xml, Element]                                 | 2162                | 0.611924                   |
| 11 | [Java, ByteCode, Member, Constructor, Method]  | 2129                | 0.602584                   |
| 12 | [Xml, Text]                                    | 1450                | 0.410402                   |
| 13 | [Java, ByteCode, TypeVariable, Bound]          | 1111                | 0.314453                   |
| 14 | [Java, ByteCode, Member, Method, Lambda]       | 972                 | 0.275111                   |
| 15 | [Type, File, Java, ByteCode, ResolvedDuplicate | 888                 | 0.251336                   |
| 16 | [Type, File, Java, Class, ByteCode]            | 846                 | 0.239448                   |
| 17 | [Json, Key]                                    | 702                 | 0.198691                   |
| 18 | [Value, Json, Scalar]                          | 685                 | 0.193880                   |
| 19 | [Java, Value, ByteCode, Primitive]             | 672                 | 0.190200                   |
| 20 | [Type, File, Java, ByteCode, JavaType]         | 649                 | 0.183690                   |
| 21 | [Java, ByteCode, Member, Method, GenericDeclar | 578                 | 0.163595                   |
| 22 | [Type, File, Java, ByteCode, ExternalType]     | 411                 | 0.116328                   |
| 23 | [Author, Git, Person]                          | 298                 | 0.084345                   |
| 24 | [Value, Array]                                 | 287                 | 0.081231                   |
| 25 | [Committer, Git, Person]                       | 252                 | 0.071325                   |
| 26 | [Type, File, Java, Class, ByteCode, GenericDec | 237                 | 0.067080                   |
| 27 | [Value, Property]                              | 211                 | 0.059721                   |
| 28 | [Type, File, Java, ByteCode, Interface]        | 190                 | 0.053777                   |
| 29 | [Java, Value, Class, ByteCode]                 | 189                 | 0.053494                   |

# Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

|    | nodeLabels                                     | nodesWithThatLabels | nodesWithThatLabelsPercent |
|----|--|---------------------|----------------------------|
| 0  | [Analyze, Task, jQAssistant]                   | 1                   | 0.000283                   |
| 1  | [Package, File, Json, NPM]                     | 1                   | 0.000283                   |
| 2  | [Repository, File, Git]                        | 1                   | 0.000283                   |
| 3  | [File, TS, Scan]                               | 1                   | 0.000283                   |
| 4  | [File, Json]                                   | 2                   | 0.000566                   |
| 5  | [File]   | 3                   | 0.000849                   |
| 6  | [Java, ByteCode, Member, Constructor, Method,  | 4                   | 0.001132                   |
| 7  | [Maven, Exclusion]                             | 5                   | 0.001415                   |
| 8  | [Value, Array, Json]                           | 6                   | 0.001698                   |
| 9  | [Dependency, NPM]                              | 7                   | 0.001981                   |
| 10 | [Type, File, Java, ByteCode, Void]             | 9                   | 0.002547                   |
| 11 | [File, Maven, Xml, Pom, Document]              | 9                   | 0.002547                   |
| 12 | [Java, ManifestSection]                        | 9                   | 0.002547                   |
| 13 | [File, Java, Manifest]                         | 9                   | 0.002547                   |
| 14 | [Artifact, File, Jar, Archive, Zip, Java]      | 9                   | 0.002547                   |
| 15 | [File, Java, ServiceLoader]                    | 10                  | 0.002830                   |
| 16 | [File, Java, Properties]                       | 12                  | 0.003396                   |
| 17 | [Maven, PluginExecution]                       | 16                  | 0.004529                   |
| 18 | [Maven, ExecutionGoal]                         | 16                  | 0.004529                   |
| 19 | [Xml, Attribute]                               | 18                  | 0.005095                   |
| 20 | [jQAssistant, Rule, Concept]                   | 19                  | 0.005378                   |
| 21 | [Maven, Configuration]                         | 21                  | 0.005944                   |
| 22 | [Maven, Plugin]                                | 21                  | 0.005944                   |
| 23 | [Type, File, Java, ByteCode, Throwable, Extern | 21                  | 0.005944                   |
| 24 | [Type, File, Java, ByteCode, Throwable, Resolv | 22                  | 0.006227                   |
| 25 | [Type, File, Java, ByteCode, Enum]             | 28                  | 0.007925                   |
| 26 | [Type, File, Java, ByteCode, PrimitiveType]    | 30                  | 0.008491                   |
| 27 | [Xml, Namespace]                               | 36                  | 0.010189                   |
| 28 | [Type, File, Java, ByteCode, Annotation]       | 44                  | 0.012454                   |
| 29 | [Git, Branch]                                  | 45                  | 0.012737                   |

#### Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.




Table 1c - Highest node count by single label


Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.

|    | nodeLabel               | ${\bf nodesWithThatLabel}$ | nodes With That Label Percent |
|----|-------------------------|----------------------------|-------------------------------|
| 0  | Git                     | 286337                     | 81.043667                     |
| 1  | Change                  | 261797                     | 74.097964                     |
| 2  | Java                    | 60696                      | 17.179150                     |
| 3  | ByteCode                | 60506                      | 17.125374                     |
| 4  | Member                  | 20812                      | 5.890544                      |
| 5  | Bound                   | 18738                      | 5.303528                      |
| 6  | Method                  | 17210                      | 4.871049                      |
| 7  | File                    | 14848                      | 4.202518                      |
| 8  | Parameter               | 13296                      | 3.763246                      |
| 9  | Commit                  | 12887                      | 3.647484                      |
| 10 | ParameterizedType       | 7279                       | 2.060219                      |
| 11 | Value                   | 5428                       | 1.536319                      |
| 12 | Туре                    | 3715                       | 1.051479                      |
| 13 | Xml                     | 3675                       | 1.040157                      |
| 14 | Field                   | 3602                       | 1.019496                      |
| 15 | Annotation              | 2975                       | 0.842032                      |
| 16 | WildcardType            | 2947                       | 0.834107                      |
| 17 | Element                 | 2162                       | 0.611924                      |
| 18 | Constructor             | 2133                       | 0.603716                      |
| 19 | Json                    | 1570                       | 0.444366                      |
| 20 | Text                    | 1450                       | 0.410402                      |
| 21 | Class                   | 1327                       | 0.375589                      |
| 22 | TypeVariable            | 1111                       | 0.314453                      |
| 23 | Lambda                  | 972                        | 0.275111                      |
| 24 | Resolved Duplicate Type | 910                        | 0.257563                      |
| 25 | GenericDeclaration      | 904                        | 0.255865                      |
| 26 | JavaType                | 754                        | 0.213409                      |
| 27 | Key                     | 702                        | 0.198691                      |
| 28 | Scalar                  | 685                        | 0.193880                      |
| 29 | Primitive               | 672                        | 0.190200                      |
| 30 | Person                  | 550                        | 0.155670                      |
| 31 | ExternalType            | 527                        | 0.149160                      |
| 32 | Maven                   | 346                        | 0.097930                      |
| 33 | Author                  | 298                        | 0.084345                      |
| 34 | Array                   | 293                        | 0.082930                      |
| 35 | Interface               | 275                        | 0.077835                      |
| 36 | Committer               | 252                        | 0.071325                      |
| 37 | Property                | 211                        | 0.059721                      |
| 38 | Throwable               | 203                        | 0.057456                      |
| 39 | Directory               | 189                        | 0.053494                      |

# Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

# Node count by label



# Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report Relationship\_type\_count.

Total number of relationships: 1096434

| •  | relationshipType         | nodesWithThatRelationshipType | nodesWithThatRelationshipTypePercent |
|----|--------------------------|-------------------------------|--------------------------------------|
| 0  | CONTAINS CHANGE          | 261797                        | 23.877133                            |
| 1  | MODIFIES                 | 261797                        | 23.877133                            |
| 2  | UPDATES                  | 172615                        | 15.743310                            |
|    |                          |                               |                                      |
| 3  | CREATES                  | 61715                         | 5.628702                             |
|    | DELETES                  | 38029                         | 3.468426                             |
| 5  | INVOKES                  | 36628                         | 3.340648                             |
| 6  | COMMITTED                | 25774                         | 2.350711                             |
| 7  | DEPENDS_ON               | 22488                         | 2.051013                             |
| 8  | OF_TYPE                  | 21922                         | 1.999391                             |
| 9  | DECLARES                 | 21273                         | 1.940199                             |
| 10 | OF_RAW_TYPE              | 17348                         | 1.582220                             |
| 11 | HAS_PARENT               | 15599                         | 1.422703                             |
| 12 | HAS                      | 14432                         | 1.316267                             |
| 13 | HAS_COMMIT               | 12887                         | 1.175356                             |
| 14 | RETURNS                  | 12853                         | 1.172255                             |
| 15 | HAS_FILE                 | 10887                         | 0.992946                             |
| 16 | RENAMES                  | 10562                         | 0.963305                             |
| 17 | READS                    | 9378                          | 0.855318                             |
| 18 | HAS_ACTUAL_TYPE_ARGUMENT | 8407                          | 0.766758                             |
| 19 | HAS_NEW_NAME             | 6240                          | 0.569118                             |
| 20 | OF_GENERIC_TYPE          | 5991                          | 0.546408                             |
| 21 | RESOLVES_TO              | 5277                          | 0.481288                             |
| 22 | SIMILAR                  | 4078                          | 0.371933                             |
| 23 | WRITES                   | 3944                          | 0.359712                             |
| 24 | CONTAINS                 | 3936                          | 0.358982                             |
| 25 | RETURNS_GENERIC          | 3593                          | 0.327699                             |
| 26 | ANNOTATED_BY             | 2919                          | 0.266227                             |
| 27 | REQUIRES                 | 2230                          | 0.203387                             |
| 28 | HAS_FIRST_CHILD          | 2162                          | 0.197185                             |
| 29 | HAS_LAST_CHILD           | 2162                          | 0.197185                             |

#### Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.




Table 2b - Lowest relationship count by type


Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.

|    | relationshipType        | nodesWithThatRelationshipType | nodes With That Relationship Type Percent |
|----|-------------------------|-------------------------------|---|
| 0  | HAS_PROPERTY            | 1                             | 0.000091                                  |
| 1  | THROWS_GENERIC          | 5                             | 0.000456                                  |
| 2  | EXCLUDES                | 5                             | 0.000456                                  |
| 3  | DECLARES_DEV_DEPENDENCY | 7                             | 0.000638                                  |
| 4  | DESCRIBES               | 9                             | 0.000821                                  |
| 5  | HAS_ROOT_ELEMENT        | 11                            | 0.001003                                  |
| 6  | HAS_GOAL                | 16                            | 0.001459                                  |
| 7  | HAS_EXECUTION           | 16                            | 0.001459                                  |
| 8  | OF_NAMESPACE            | 18                            | 0.001642                                  |
| 9  | HAS_ATTRIBUTE           | 18                            | 0.001642                                  |
| 10 | INCLUDES_CONCEPT        | 19                            | 0.001733                                  |
| 11 | IS_ARTIFACT             | 21                            | 0.001915                                  |
| 12 | HAS_CONFIGURATION       | 21                            | 0.001915                                  |
| 13 | USES_PLUGIN             | 21                            | 0.001915                                  |
| 14 | REQUIRES_TYPE_PARAMETER | 24                            | 0.002189                                  |
| 15 | REQUIRES_CONCEPT        | 28                            | 0.002554                                  |
| 16 | DECLARES_NAMESPACE      | 36                            | 0.003283                                  |
| 17 | HAS_DEFAULT             | 39                            | 0.003557                                  |
| 18 | HAS_BRANCH              | 45                            | 0.004104                                  |
| 19 | HAS_HEAD                | 46                            | 0.004195                                  |
| 20 | COPY_OF                 | 126                           | 0.011492                                  |
| 21 | CONTAINS_VALUE          | 160                           | 0.014593                                  |
| 22 | DECLARES_DEPENDENCY     | 165                           | 0.015049                                  |
| 23 | TO_ARTIFACT             | 165                           | 0.015049                                  |
| 24 | HAS_COMPONENT_TYPE      | 166                           | 0.015140                                  |
| 25 | ON_COMMIT               | 170                           | 0.015505                                  |
| 26 | HAS_TAG                 | 170                           | 0.015505                                  |
| 27 | HAS_COMMITTER           | 252                           | 0.022984                                  |
| 28 | HAS_AUTHOR              | 298                           | 0.027179                                  |
| 29 | COPIES                  | 331                           | 0.030189                                  |

### Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

#### Relationship types (less than 0.5% overall)



# Node labels with their relationships

# Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

|    | sourceLabels   | relationType             | targetLabels   | number Of Relationships | number Of Nodes With Same Labels As Source | numbe |
|----|--|--------------------------|--|-------------------------|--|-------|
| 0  | [Git, Change]  | MODIFIES                 | [File, Git]  | 261797                  | 261797                                     |       |
| 1  | [Git, Commit]  | CONTAINS_CHANGE          | [Git, Change]  | 261797                  | 12887                                      |       |
| 2  | [Git, Change]  | UPDATES                  | [File, Git]  | 172615                  | 261797                                     |       |
| 3  | [Git, Change]  | CREATES                  | [File, Git]  | 61715                   | 261797                                     |       |
| 4  | [Git, Change]  | DELETES                  | [File, Git]  | 38029                   | 261797                                     |       |
| 5  | [Java, ByteCode,<br>Member, Method]                    | INVOKES                  | [Java, ByteCode,<br>Member, Method]                    | 22255                   | 13428                                      |       |
| 6  | [Git, Commit]  | HAS_PARENT               | [Git, Commit]  | 15590                   | 12887                                      |       |
| 7  | [Repository, File,<br>Git]                             | HAS_COMMIT               | [Git, Commit]  | 12887                   | 1  |       |
| 8  | [Author, Git,<br>Person]                               | COMMITTED                | [Git, Commit]  | 12887                   | 298  |       |
| 9  | [Committer, Git,<br>Person]                            | COMMITTED                | [Git, Commit]  | 12887                   | 252  |       |
| 10 | [Repository, File,<br>Git]                             | HAS_FILE                 | [File, Git]  | 10887                   | 1  |       |
| 11 | [Git, Change]  | RENAMES                  | [File, Git]  | 10562                   | 261797                                     |       |
| 12 | [Java, ByteCode,<br>Member, Method]                    | HAS                      | [Java, ByteCode,<br>Parameter]                         | 8495                    | 13428                                      |       |
| 13 | [Java, ByteCode,<br>Member, Method]                    | READS                    | [Java, ByteCode,<br>Member, Field]                     | 8420                    | 13428                                      |       |
| 14 | [File, Git]  | HAS_NEW_NAME             | [File, Git]  | 6240                    | 10887                                      |       |
| 15 | [Java, ByteCode,<br>Parameter]                         | OF_TYPE                  | [Type, File, Java,<br>ByteCode,<br>JavaType]           | 6160                    | 13296                                      |       |
| 16 | [Java, ByteCode,<br>Bound]                             | OF_RAW_TYPE              | [Type, File, Java,<br>ByteCode,<br>JavaType]           | 3465                    | 7235                                       |       |
| 17 | [Java, ByteCode,<br>Bound,<br>ParameterizedType]       | OF_RAW_TYPE              | [Type, File, Java,<br>ByteCode,<br>JavaType]           | 3110                    | 7279                                       |       |
| 18 | [Java, ByteCode,<br>Bound,<br>ParameterizedType]       | HAS_ACTUAL_TYPE_ARGUMENT | [Java, ByteCode,<br>Bound,<br>WildcardType]            | 2947                    | 7279                                       |       |
| 19 | [Java, ByteCode,<br>Parameter]                         | OF_GENERIC_TYPE          | [Java, ByteCode,<br>Bound,<br>ParameterizedType]       | 2695                    | 13296                                      |       |
| 20 | [Java, ByteCode,<br>Member,<br>Constructor,<br>Method] | WRITES                   | [Java, ByteCode,<br>Member, Field]                     | 2519                    | 2129                                       |       |
| 21 | [Java, ByteCode,<br>Bound,<br>ParameterizedType]       | HAS_ACTUAL_TYPE_ARGUMENT | [Java, ByteCode,<br>TypeVariable,<br>Bound]            | 2474                    | 7279                                       |       |
| 22 | [Java, Value,<br>ByteCode,<br>Annotation]              | OF_TYPE                  | [Type, File, Java,<br>ByteCode,<br>ExternalType, Ext   | 2445                    | 2931                                       |       |
| 23 | [Java, ByteCode,<br>Member,<br>Constructor,<br>Method] | INVOKES                  | [Java, ByteCode,<br>Member,<br>Constructor,<br>Method] | 2195                    | 2129                                       |       |
| 24 | [Xml, Element]   | HAS_ELEMENT              | [Xml, Element]   | 2144                    | 2162                                       |       |
| 25 | [Java, ByteCode,<br>Member, Method]                    | INVOKES                  | [Java, ByteCode,<br>Member,<br>Constructor,<br>Method] | 2113                    | 13428                                      |       |
| 26 | [Java, ByteCode,<br>Member, Method]                    | RETURNS                  | [Type, File, Java,<br>ByteCode,<br>JavaType]           | 2107                    | 13428                                      |       |
| 27 | [Java, ByteCode,<br>Member,<br>Constructor,<br>Method] | HAS                      | [Java, ByteCode,<br>Parameter]                         | 2075                    | 2129                                       |       |
| 28 | [Java, ByteCode,<br>Parameter]                         | OF_GENERIC_TYPE          | [Java, ByteCode,<br>Bound]                             | 2056                    | 13296                                      |       |
| 29 | [Java, ByteCode,<br>Member, Method,<br>Lambda]         | INVOKES                  | [Java, ByteCode,<br>Member, Method]                    | 1954                    | 972  |       |

# **Graph Density**

total\_number\_of\_nodes (vertices): 353312 total\_number\_of\_relationships (edges): 1096434
-> total directed graph density: 8.783486683247816e-06

- -> total directed graph density in percent: 0.0008783486683247815