

Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

References

- [jqassistant](#)
- [Neo4j Python Driver](#)

Node Labels

Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report `Node_label_combination_count`.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Git, Change]	84454	78.298922
1	[Git, Commit]	10985	10.184404
2	[File, Git]	5640	5.228952
3	[Git, Tag]	1580	1.464848
4	[Author, Git, Person]	1248	1.157045
5	[Json, Key]	668	0.619316
6	[Json, Value, Scalar]	603	0.559053
7	[Committer, Git, Person]	370	0.343034
8	[NPM, Dependency]	338	0.313366
9	[Type, TS, Primitive]	291	0.269792
10	[Type, TS, Declared]	277	0.256812
11	[TS, ExternalDeclaration]	215	0.199331
12	[Type, TS, Literal]	136	0.126088
13	[Json, Value, Object]	133	0.123307
14	[Type, TS, Union]	119	0.110327
15	[Type, TS, ObjectMember]	102	0.094566
16	[NPM, Script]	91	0.084368
17	[TS, Property]	65	0.060263
18	[TS, Function]	47	0.043575
19	[Type, TS, FunctionParameter]	40	0.037085
20	[Type, Object, TS]	39	0.036158
21	[Git, Branch]	36	0.033376
22	[File, Directory]	34	0.031522
23	[Type, TS, Function]	34	0.031522
24	[TS, Parameter]	33	0.030595
25	[Package, File, Json, NPM]	29	0.026886
26	[TS, Variable]	24	0.022251
27	[Value, TS, Literal]	20	0.018542
28	[jqAssistant, Rule, Concept]	19	0.017615
29	[Type, TS, Intersection]	17	0.015761

Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.

<Figure size 640x480 with 0 Axes>




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Analyze, Task, JQAssistant]	1	0.000927
1	[File, TS, Scan]	1	0.000927
2	[TS, Method]	1	0.000927
3	[Repository, File, Git]	1	0.000927
4	[TS, Constructor]	1	0.000927
5	[Value, TS, ObjectMember]	1	0.000927
6	[TS, Class]	1	0.000927
7	[TS, Enum]	2	0.001854
8	[Value, Object, TS]	3	0.002781
9	[Type, TS, Tuple]	3	0.002781
10	[Value, TS, Function]	4	0.003708
11	[TS, TypeParameter]	4	0.003708
12	[Value, TS, Complex]	5	0.004636
13	[NPM, Engine]	6	0.005563
14	[Project, TS]	6	0.005563
15	[File, Local]	6	0.005563
16	[Value, TS, Call]	6	0.005563
17	[Value, TS, Member]	6	0.005563
18	[File, TS, Local, Module]	6	0.005563
19	[Type, TS, TypeParameterReference]	6	0.005563
20	[TS, EnumMember]	8	0.007417
21	[Type, TS, NotIdentified]	11	0.010198
22	[TS, ExternalModule]	11	0.010198
23	[Json, Value, Array]	12	0.011125
24	[Value, TS, Declared]	13	0.012053
25	[TS, TypeAlias]	16	0.014834
26	[File, Directory, Local]	16	0.014834
27	[Type, TS, Intersection]	17	0.015761
28	[TS, Interface]	17	0.015761
29	[JQAssistant, Rule, Concept]	19	0.017615

Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Nodes per label combination (less than 0.5% overall)




Table 1c - Highest node count by single label

Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.


	nodeLabel	nodesWithThatLabel	nodesWithThatLabelPercent
0	Git	104314	96.711508
1	Change	84454	78.298922
2	Commit	10985	10.184404
3	File	5733	5.315174
4	Person	1618	1.500079
5	TS	1591	1.475047
6	Tag	1580	1.464848
7	Json	1445	1.339687
8	Author	1248	1.157045
9	Type	1075	0.996653
10	Value	806	0.747258
11	Key	668	0.619316
12	Scalar	603	0.559053
13	NPM	464	0.430183
14	Committer	370	0.343034
15	Dependency	338	0.313366
16	Primitive	291	0.269792
17	Declared	290	0.268865
18	ExternalDeclaration	215	0.199331
19	Object	175	0.162246
20	Literal	156	0.144631
21	Union	119	0.110327
22	ObjectMember	103	0.095493
23	Script	91	0.084368
24	Function	85	0.078805
25	Property	65	0.060263
26	Directory	50	0.046356
27	FunctionParameter	40	0.037085
28	Branch	36	0.033376
29	Parameter	33	0.030595
30	Package	29	0.026886
31	Local	28	0.025959
32	Variable	24	0.022251
33	jQAssistant	20	0.018542
34	Concept	19	0.017615
35	Rule	19	0.017615
36	Interface	17	0.015761
37	Intersection	17	0.015761
38	TypeAlias	16	0.014834
39	Array	12	0.011125

Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

<Figure size 640x480 with 0 Axes>

Node count by label



Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report `Relationship_type_count`.

Total number of relationships: 322177

	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONTAINS_CHANGE	84454	26.213541
1	MODIFIES	84454	26.213541
2	UPDATES	56112	17.416513
3	COMMITTED	21970	6.819233
4	CREATES	19756	6.132033
5	HAS_PARENT	12050	3.740180
6	DELETES	11853	3.679034
7	HAS_COMMIT	10985	3.409616
8	HAS_FILE	5640	1.750591
9	RENAMES	3267	1.014039
10	HAS_NEW_NAME	1751	0.543490
11	HAS_TAG	1580	0.490414
12	ON_COMMIT	1580	0.490414
13	HAS_AUTHOR	1248	0.387365
14	DEPENDS_ON	887	0.275315
15	HAS_KEY	668	0.207339
16	HAS_VALUE	668	0.207339
17	CONTAINS	594	0.184371
18	HAS_COMMITTER	370	0.114844
19	OF_TYPE	338	0.104911
20	EXPORTS	309	0.095910
21	REFERENCES	197	0.061147
22	DECLARES	186	0.057732
23	DECLARES_DEV_DEPENDENCY	169	0.052456
24	DECLARES_DEPENDENCY	161	0.049973
25	HAS_MEMBER	103	0.031970
26	HAS_TYPE_ARGUMENT	94	0.029177
27	DECLARES_SCRIPT	91	0.028245
28	RETURNS	82	0.025452
29	COPIES	79	0.024521

Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.

<Figure size 640x480 with 0 Axes>

Relationship types (more than 0.5% overall)




Table 2b - Lowest relationship count by type

Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.


	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONSTRAINED_BY	4	0.001242
1	REFERENCED_PROJECTS	5	0.001552
2	MEMBER	6	0.001862
3	HAS_ROOT	6	0.001862
4	HAS_NPM_PACKAGE	6	0.001862
5	HAS_CONFIG	6	0.001862
6	HAS_ARGUMENT	6	0.001862
7	EXTENDS	6	0.001862
8	DECLARES_ENGINE	6	0.001862
9	CONTAINS_PROJECT	6	0.001862
10	CALLS	6	0.001862
11	PARENT	6	0.001862
12	DECLARES_PEER_DEPENDENCY	8	0.002483
13	USES	11	0.003414
14	INCLUDES_CONCEPT	19	0.005897
15	REQUIRES_CONCEPT	28	0.008691
16	INITIALIZED_WITH	32	0.009932
17	IS_DESCRIBED_IN_NPM_PACKAGE	33	0.010243
18	HAS_BRANCH	36	0.011174
19	HAS_HEAD	37	0.011484
20	RESOLVES_TO	41	0.012726
21	COPY_OF	43	0.013347
22	CONTAINS_VALUE	51	0.015830
23	HAS_PARAMETER	73	0.022658
24	COPIES	79	0.024521
25	RETURNS	82	0.025452
26	DECLARES_SCRIPT	91	0.028245
27	HAS_TYPE_ARGUMENT	94	0.029177
28	HAS_MEMBER	103	0.031970
29	DECLARES_DEPENDENCY	161	0.049973

Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Relationship types (less than 0.5% overall)



Node labels with their relationships

Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

	sourceLabels	relationType	targetLabels	numberOfRelationships	numberOfNodesWithSameLabelsAsSource	numberOf
0	[Git, Change]	MODIFIES	[File, Git]	84454	84454	
1	[Git, Commit]	CONTAINS_CHANGE	[Git, Change]	84454	10985	
2	[Git, Change]	UPDATES	[File, Git]	56112	84454	
3	[Git, Change]	CREATES	[File, Git]	19756	84454	
4	[Git, Commit]	HAS_PARENT	[Git, Commit]	12050	10985	
5	[Git, Change]	DELETES	[File, Git]	11853	84454	
6	[Repository, File, Git]	HAS_COMMIT	[Git, Commit]	10985	1	
7	[Author, Git, Person]	COMMITTED	[Git, Commit]	10985	1248	
8	[Committer, Git, Person]	COMMITTED	[Git, Commit]	10985	370	
9	[Repository, File, Git]	HAS_FILE	[File, Git]	5640	1	
10	[Git, Change]	RENAMES	[File, Git]	3267	84454	
11	[File, Git]	HAS_NEW_NAME	[File, Git]	1751	5640	
12	[Repository, File, Git]	HAS_TAG	[Git, Tag]	1580	1	
13	[Git, Tag]	ON_COMMIT	[Git, Commit]	1580	1580	
14	[Repository, File, Git]	HAS_AUTHOR	[Author, Git, Person]	1248	1	
15	[Json, Value, Object]	HAS_KEY	[Json, Key]	668	133	
16	[Json, Key]	HAS_VALUE	[Json, Value, Scalar]	552	668	
17	[Repository, File, Git]	HAS_COMMITTER	[Committer, Git, Person]	370	1	
18	[TS, Function]	DEPENDS_ON	[TS, ExternalDeclaration]	293	47	
19	[File, TS, Local, Module]	DEPENDS_ON	[TS, ExternalDeclaration]	236	6	
20	[TS, ExternalModule]	EXPORTS	[TS, ExternalDeclaration]	215	11	
21	[Package, File, Json, NPM]	DECLARES_DEV_DEPENDENCY	[NPM, Dependency]	169	29	
22	[Package, File, Json, NPM]	DECLARES_DEPENDENCY	[NPM, Dependency]	161	29	
23	[Type, TS, Union]	CONTAINS	[Type, TS, Primitive]	147	119	
24	[Type, TS, Declared]	REFERENCES	[TS, ExternalDeclaration]	143	277	
25	[Type, TS, Union]	CONTAINS	[Type, TS, Literal]	119	119	
26	[Json, Key]	HAS_VALUE	[Json, Value, Object]	104	668	
27	[Type, Object, TS]	HAS_MEMBER	[Type, TS, ObjectMember]	102	39	
28	[Package, File, Json, NPM]	DECLARES_SCRIPT	[NPM, Script]	91	29	
29	[Git, Change]	COPIES	[File, Git]	79	84454	

Graph Density

total_number_of_nodes (vertices): 107861

total_number_of_relationships (edges): 322177

-> total directed graph density: 2.7692978903889106e-05

-> total directed graph density in percent: 0.0027692978903889106