### Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

#### References

- jqassistant
- Neo4j Python Driver

#### **Node Labels**

#### Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report Node\_label\_combination\_count.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Git, Change]	77938	77.994156
1	[Git, Commit]	10308	10.315427
2	[File, Git]	5340	5.343848
3	[Git, Tag]	1198	1.198863
4	[Author, Git, Person]	1192	1.192859
5	[Json, Key]	668	0.668481
6	[Json, Value, Scalar]	603	0.603434
7	[Committer, Git, Person]	371	0.371267
8	[NPM, Dependency]	330	0.330238
9	[Type, TS, Primitive]	291	0.291210
10	[Type, TS, Declared]	276	0.276199
11	[TS, ExternalDeclaration]	215	0.215155
12	[Type, TS, Literal]	136	0.136098
13	[Json, Value, Object]	133	0.133096
14	[Type, TS, Union]	119	0.119086
15	[Type, TS, ObjectMember]	101	0.101073
16	[NPM, Script]	91	0.091066
17	[TS, Property]	65	0.065047
18	[TS, Function]	47	0.047034
19	[Type, TS, FunctionParameter]	40	0.040029
20	[Type, Object, TS]	39	0.039028
21	[File, Directory]	34	0.034024
22	[Type, TS, Function]	34	0.034024
23	[TS, Parameter]	33	0.033024
24	[Git, Branch]	30	0.030022
25	[Package, File, Json, NPM]	29	0.029021
26	[TS, ExternalModule]	25	0.025018
27	[TS, Variable]	24	0.024017
28	[Value, TS, Literal]	20	0.020014
29	[jQAssistant, Rule, Concept]	19	0.019014

### Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

	nodeLabels	nodesWithThatLabels	nodes With That Labels Percent
0	[Analyze, Task, jQAssistant]	1	0.001001
1	[File, TS, Scan]	1	0.001001
2	[TS, Method]	1	0.001001
3	[Value, TS, ObjectMember]	1	0.001001
4	[TS, Constructor]	1	0.001001
5	[TS, Class]	1	0.001001
6	[TS, Enum]	2	0.002001
7	[Value, Object, TS]	3	0.003002
8	[Type, TS, Tuple]	3	0.003002
9	[Value, TS, Function]	4	0.004003
10	[TS, TypeParameter]	4	0.004003
11	[Value, TS, Complex]	5	0.005004
12	[NPM, Engine]	6	0.006004
13	[Project, TS]	6	0.006004
14	[File, Local]	6	0.006004
15	[Value, TS, Call]	6	0.006004
16	[Value, TS, Member]	6	0.006004
17	[File, TS, Local, Module]	6	0.006004
18	[Type, TS, TypeParameterReference]	6	0.006004
19	[TS, EnumMember]	8	0.008006
20	[Type, TS, NotIdentified]	11	0.011008
21	[Json, Value, Array]	12	0.012009
22	[Value, TS, Declared]	13	0.013009
23	[TS, TypeAlias]	16	0.016012
24	[File, Directory, Local]	16	0.016012
25	[TS, Interface]	17	0.017012
26	[Type, TS, Intersection]	17	0.017012
27	[jQAssistant, Rule, Concept]	19	0.019014
28	[Value, TS, Literal]	20	0.020014
29	[TS, Variable]	24	0.024017

#### Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.




Table 1c - Highest node count by single label


Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.

	nodeLabel	nodes With That Label	nodesWithThatLabelPercent	
0	Git	96377	96.446441	
1	Change	77938	77.994156	
2	Commit	10308	10.315427	
3	File	5432	5.435914	
4	TS	1603	1.604155	
5	Person	1563	1.564126	
6	Json	1445	1.446041	
7	Tag	1198	1.198863	
8	Author	1192	1.192859	
9	Туре	1073	1.073773	
10	Value	806	0.806581	
11	Key	668	0.668481	
12	Scalar	603	0.603434	
13	NPM	456	0.456329	
14	Committer	371	0.371267	
15	Dependency	330	0.330238	
16	Primitive	291	0.291210	
17	Declared	289	0.289208	
18	ExternalDeclaration	215	0.215155	
19	Object	175	0.175126	
20	Literal	156	0.156112	
21	Union	119	0.119086	
22	ObjectMember	102	0.102073	
23	Script	91	0.091066	
24	Function	85	0.085061	
25	Property	65	0.065047	
26	Directory	50	0.050036	
27	FunctionParameter	40	0.040029	
28	Parameter	33	0.033024	
29	Branch	30	0.030022	
30	Package	29	0.029021	
31	Local	28	0.028020	
32	ExternalModule	25	0.025018	
33	Variable	24	0.024017	
34	jQAssistant	20	0.020014	
35	Concept	19	0.019014	
36	Rule	19	0.019014	
37	Interface	17	0.017012	
38	Intersection	17	0.017012	
39	TypeAlias	16	0.016012	

# Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

# Node count by label



# Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report Relationship type count.

Total number of relationships: 279533

	relationshipType	nodes With That Relationship Type	nodes With That Relationship Type Percent
0	CONTAINS_CHANGE	77938	27.881502
1	MODIFIES	77938	27.881502
2	UPDATES	51516	18.429309
3	COMMITTED	20616	7.375158
4	CREATES	18526	6.627482
5	HAS_PARENT	11339	4.056408
6	DELETES	10807	3.866091
7	RENAMES	2911	1.041380
8	HAS_NEW_NAME	1647	0.589197
9	ON_COMMIT	1198	0.428572
10	DEPENDS_ON	959	0.343072
11	HAS_KEY	668	0.238970
12	HAS_VALUE	668	0.238970
13	CONTAINS	593	0.212140
14	OF_TYPE	337	0.120558
15	EXPORTS	276	0.098736
16	REFERENCES	197	0.070475
17	DECLARES	186	0.066540
18	DECLARES_DEV_DEPENDENCY	169	0.060458
19	DECLARES_DEPENDENCY	161	0.057596
20	HAS_MEMBER	102	0.036489
21	HAS_TYPE_ARGUMENT	94	0.033628
22	DECLARES_SCRIPT	91	0.032554
23	RETURNS	82	0.029335
24	RESOLVES_TO	77	0.027546
25	HAS_PARAMETER	73	0.026115
26	CONTAINS_VALUE	51	0.018245
27	COPIES	43	0.015383
28	INITIALIZED_WITH	32	0.011448
29	IS_DESCRIBED_IN_NPM_PACKAGE	32	0.011448

#### Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.




Table 2b - Lowest relationship count by type


Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.

	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent	
0	PROVIDED_BY_NPM_DEPENDENCY	1	0.000358	
1	CONSTRAINED_BY	4	0.001431	
2	REFERENCED_PROJECTS	5	0.001789	
3	SIMILAR	6	0.002146	
4	DECLARES_ENGINE	6	0.002146	
5	EXTENDS	6	0.002146	
6	HAS_ARGUMENT	6	0.002146	
7	CALLS	6	0.002146	
8	HAS_NPM_PACKAGE	6	0.002146	
9	HAS_ROOT	6	0.002146	
10	MEMBER	6	0.002146	
11	PARENT	6	0.002146	
12	HAS_CONFIG	6	0.002146	
13	CONTAINS_PROJECT	6	0.002146	
14	INCLUDES_CONCEPT	19	0.006797	
15	USES	25	0.008943	
16	REQUIRES_CONCEPT	28	0.010017	
17	COPY_OF	28	0.010017	
18	HAS_HEAD	30	0.010732	
19	IS_DESCRIBED_IN_NPM_PACKAGE	32	0.011448	
20	INITIALIZED_WITH	32	0.011448	
21	COPIES	43	0.015383	
22	CONTAINS_VALUE	51	0.018245	
23	HAS_PARAMETER	73	0.026115	
24	RESOLVES_TO	77	0.027546	
25	RETURNS	82	0.029335	
26	DECLARES_SCRIPT	91	0.032554	
27	HAS_TYPE_ARGUMENT	94	0.033628	
28	HAS_MEMBER	102	0.036489	
29	DECLARES_DEPENDENCY	161	0.057596	

#### Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

#### Relationship types (less than 0.5% overall)



# Node labels with their relationships

# Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

	sourceLabels	relationType	targetLabels	number Of Relationships	number Of Nodes With Same Labels As Source	numberOfNodes
0	[Git, Change]	MODIFIES	[File, Git]	77938	77938	
1	[Git, Commit]	CONTAINS_CHANGE	[Git, Change]	77938	10308	
2	[Git, Change]	UPDATES	[File, Git]	51516	77938	
3	[Git, Change]	CREATES	[File, Git]	18526	77938	
4	[Git, Commit]	HAS_PARENT	[Git, Commit]	11339	10308	
5	[Git, Change]	DELETES	[File, Git]	10807	77938	
6	[Author, Git, Person]	COMMITTED	[Git, Commit]	10308	1192	
7	[Committer, Git, Person]	COMMITTED	[Git, Commit]	10308	371	
8	[Git, Change]	RENAMES	[File, Git]	2911	77938	
9	[File, Git]	HAS_NEW_NAME	[File, Git]	1647	5340	
10	[Git, Tag]	ON_COMMIT	[Git, Commit]	1198	1198	
11	[Json, Value, Object]	HAS_KEY	[Json, Key]	668	133	
12	[Json, Key]	HAS_VALUE	[Json, Value, Scalar]	552	668	
13	[TS, Function]	DEPENDS_ON	[TS, ExternalDeclaration]	285	47	
14	[TS, ExternalModule]	EXPORTS	[TS, ExternalDeclaration]	215	25	
15	[File, TS, Local, Module, Mark4ModuleWeaklyCon	DEPENDS_ON	[TS, ExternalDeclaration]	192	2	
16	[Package, File, Json, NPM]	DECLARES_DEV_DEPENDENCY	[NPM, Dependency]	169	29	
17	[Package, File, Json, NPM]	DECLARES_DEPENDENCY	[NPM, Dependency]	161	29	
18	[Type, TS, Union]	CONTAINS	[Type, TS, Primitive]	147	119	
19	[Type, TS, Declared]	REFERENCES	[TS, ExternalDeclaration]	142	276	
20	[TS, Function]	DEPENDS_ON	[TS, ExternalModule]	131	47	
21	[Type, TS, Union]	CONTAINS	[Type, TS, Literal]	119	119	
22	[Json, Key]	HAS_VALUE	[Json, Value, Object]	104	668	
23	[Type, Object, TS]	HAS_MEMBER	[Type, TS, ObjectMember]	101	39	
24	[Package, File, Json, NPM]	DECLARES_SCRIPT	[NPM, Script]	91	29	
25	[Type, TS, Union]	CONTAINS	[Type, TS, Declared]	70	119	
26	[File, Directory]	CONTAINS	[File, Directory]	63	34	
27	[TS, Interface]	DECLARES	[TS, Property]	61	17	
28	[File, Directory]	CONTAINS	[Package, File, Json, NPM]	58	34	
29	[File, Git]	RESOLVES_TO	[Package, File, Json, NPM]	57	5340	

# **Graph Density**

total\_number\_of\_nodes (vertices): 99928
total\_number\_of\_relationships (edges): 279533

-> total directed graph density: 2.7993876407209013e-05

-> total directed graph density in percent: 0.0027993876407209012