

# RAINFALL AT Huncoats Burnley Road Reservoir

70

Lat.

Long.

County of Lancashire

Rain Gauge, by

Observer T. Duxbury Esq

Diameter....												
Height ....							8					
Altitude ....						2 6	2 4	1 6				
Year ....	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January ....						4.34	1.50	6.65	3.94	.77		
February....						1.41	4.83	5.00	1.71	2.84		
March.....						.93	4.15	3.49	2.27	1.80		
April .....						1.49	2.59	2.83	2.16	1.75		
May .....						2.97	.66	3.43	4.72	2.01		
June .....						4.31	4.85	2.91	3.37	5.15		
July.....						5.71	3.36	5.60	1.01	6.36		
August ....						2.89	3.74	6.70	6.59	6.93		
September ..						5.11	5.42	4.58	4.86	2.63		
October ....						4.37	2.25	5.74	5.48	2.82		
November ..						4.33	3.11	6.35	2.80	1.20		
December ..						2.02	5.01	4.91	2.23	2.65		
TOTALS ..						39.88	41.47	58.19	41.14	36.91		

St Johns church  $\frac{3}{4}$  mile W.

# RAINFALL AT *Hucoat, Burley Rd. Wis.*

80

Lat. \_\_\_\_\_

Lon. \_\_\_\_\_

County of *Lancashire*

Rain Gauge, by \_\_\_\_\_

Observer *C. Harrison, Esq.*

*Ribble & Co.*

Diameter ....	9											
Height .....	1.6											
Altitude ....	620 ft											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January ....	.32	.03	2.18	6.13	5.79	2.23	6.57	2.20	1.81	2.33	2.959	
February ....	3.75	5.19	3.11	3.91	3.74	3.98	.69	1.28	.77	2.25	2.857	
March .....	2.86	4.47	3.84	1.20	3.44	3.37	2.78	2.04	2.88	2.94	2.982	
April .....	1.58	1.57	5.44	1.90	1.04	2.43	2.79	2.85	1.92	2.22	2.374	
May .....	2.75	4.68	2.38	1.71	1.94	2.18	3.95	2.34	1.20	3.53	2.666	
June .....	3.66	2.57	6.99	4.04	.92	3.48	2.23	.62	2.20	1.94	2.865	
July .....	4.83	6.04	5.60	4.67	5.33	2.22	4.66	2.35	6.87	3.29	4.686	
August .....	2.00	5.88	5.17	3.24	2.12	2.44	2.07	1.97	4.34	6.12	3.535	
September....	3.74	1.78	1.89	6.50	2.97	5.28	4.17	5.34	1.18	4.60	3.745	
October .....	2.03	2.72	3.82	5.34	3.34	6.28	5.92	2.44	2.50	3.89	3.828	
November....	5.47	5.35	7.23	4.45	1.58	3.50	3.64	2.40	7.26	2.39	4.325	
December ....	7.01	5.35	3.91	4.40	6.09	2.50	6.73	2.79	3.08	3.73	4.559	
TOTALS ....	40.00	45.63	52.56	47.49	38.28	39.89	46.10	28.62	36.01	39.23	41.381	

# RAINFALL AT *Huncoat Burnley Road Res.*

Lat. \_\_\_\_\_

Lon. \_\_\_\_\_

County of *Lancashire*

Rain Gauge, by \_\_\_\_\_

Observer

*C. Harris Esq.*

*Ribble 56.1*

Diameter ....	9											
Height .....	16											
Altitude ....	620 $\pi$											
Year .....	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January ....	5.66	2.66	3.62	1.89	4.31	2.23	2.04	.99	3.93	7.02	3.425	
February ....	.70	.53	3.02	5.58	5.54	.27	1.76	2.34	3.69	2.45	2.598	
March .....	4.34	1.90	.60	1.44	3.54	4.27	7.17	5.26	2.69	2.81	3.402	
April .....	1.32	2.03	1.61	.73	1.93	2.44	2.11	2.89	1.91	4.31	2.128	
May .....	2.56	2.93	4.55	2.76	3.05	1.49	.76	2.31	3.21	2.97	2.659	
June .....	4.26	1.18	3.49	2.65	3.18	3.13	2.91	3.58	4.25	1.18	2.981	
July .....	3.49	3.54	2.11	4.92	4.89	5.73	2.75	2.40	1.32	2.33	3.348	
August .....	5.92	8.62	6.38	2.93	4.96	4.66	2.69	5.76	5.42	1.39	4.843	
September....	3.69	3.89	4.18	6.36	.59	1.67	7.96	4.35	1.37	8.19	4.225	
October .....	3.60	5.88	5.06	5.35	3.83	4.60	4.53	2.43	3.18	2.76	4.122	
November....	9.06	4.86	2.41	4.69	3.32	4.17	1.70	3.92	3.25	2.80	4.018	
December ....	.35	9.08	2.78	5.12	4.37	5.49	5.43	6.41	4.91	3.15	4.409	
TOTALS . . .	44.95	47.10	39.81	44.42	43.61	40.15	41.81	42.64	39.13	41.36	42.498	

1880



RAINFALL AT Huncoat Burnley Road Reservoir

Lat. ....

Lon. ....

County of Lancashire

Rain Gauge, by .....

Observer C. Harrison EsqRibble

Diameter ..	9										
Height ....	1 6										
Altitude ..	620 $\pi$										
Year ....	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..	5.25	2.60	3.74	3.47	4.27	1.91	5.76	1.90	4.47	2.98	3.635
February ..	3.23	1.37	1.27	4.29	3.39	2.80	3.73	2.41	4.55	4.60	3.164
March ....	.37	3.83	2.14	6.19	2.02	3.33	3.39	4.33	3.89	2.00	3.149
April .....	2.92	3.00	3.03	1.88	3.18	3.18	1.69	2.10	2.22	4.70	2.790
May .....	1.85	.96	4.32	3.27	2.51	.67	4.11	4.34	3.46	2.35	2.784
June .....	2.07	2.00	1.53	1.35	1.55	2.69	1.65	7.22	2.32	3.03	2.541
July .....	1.97	1.46	3.94	4.24	1.86	3.41	2.37	2.50	5.15	7.19	3.409
August ....	4.61	2.28	2.70	5.59	4.39	3.43	3.02	4.61	4.03	4.25	3.891
September ..	2.34	.99	1.61	4.88	1.47	3.30	1.62	.89	3.76	2.96	2.382
October .....	5.91	4.21	3.87	9.73	2.09	3.99	6.28	3.90	1.70	6.20	4.793
November ..	3.03	6.11	1.86	2.76	4.14	5.15	4.84	2.51	4.27	2.22	3.689
December ..	4.44	4.41	3.11	2.50	3.06	.99	4.01	5.03	2.67	5.33	3.555
TOTALS ..	37.99	33.22	33.12	50.20	33.93	34.85	42.47	41.74	42.49	47.51	39.782

H. H. H.

RAINFALL at Huncoak Burnley Road PenrithCounty of Central LancashireObserver C Harrison EsqRiver Basin Ribble + C 1

Rain Gauge, by \_\_\_\_\_

Diameter ...	9											
Height .....	1.6											
Altitude ...	620 $\pi$											
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	SUMS
January ...	4.18	2.27	3.55	5.39	4.16	7.49	5.09	4.34	2.20	3.69		1532
February ...	5.47	5.17	1.77	2.53	4.69	7.34	4.70	.93	6.21	.23		12.9
March .....	1.42	2.37	7.29	6.44	7.29	1.90	1.64	3.10	1.53	5.90		217
April .....	4.20	3.03	1.43	7.90	2.06	3.10	4.24	1.71	.87	2.94		976
May .....	3.50	3.98	2.65	5.06	3.02	1.64	2.79	2.09	3.37	2.21		1046
June .....	2.74	6.15	7.12	3.28	2.88	1.81	2.91	3.05	2.29	1.68		1013
July .....	4.53	.70	4.88	1.63	6.91	5.67	3.93	2.55	3.63	2.73		1824
August .....	7.07	2.76	9.47	2.84	3.66	4.75	3.63	6.28	4.49	5.84		2024
September ..	.69	4.88	2.49	1.73	4.02	1.53	3.42	3.67	15.41	3.07		2537
October ...	3.64	3.48	5.55	2.04	2.63	1.58	12.62	12.03	4.62	2.74		3201
November ..	5.57	4.62	4.47	6.36	10.05	1.27	4.12	6.00	3.23	4.39		1774
December ...	4.87	9.02	6.22	4.41	8.55	7.73	4.74	2.80	10.06	9.49		3707
TOTALS ...	47.88	48.43	58.89	49.61	59.92	44.91	53.83	48.55	58.11	44.91		2054

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
			Huncoak	1 m	NE	St Andrew's	1/4 m	NE

RAINFALL at Huncoat Burnley Road ReservoirCounty of G. LancashireObserver A. J. Harrison EsqRiver Basin Pibble & C 1Gas & Water Dept. AccringtonElevation Rain Gauge, by  
(126)

Diameter ...	9											
Height .....	16											
Altitude ...	620											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	Means: 1920	
January ...	4.56	9.64	3.45	5.76	3.64	4.56	6.20	6.19	12.81	1.69	7.13	Total 65.63
February ...	5.02	4.44	4.94	6.66	7.2	8.57	5.00	2.23	5.85	1.01	4.40	40.84
March .....	5.32	4.18	3.28	2.14	1.13	1.79	3.09	5.08	3.48	1.32	2.52	33.33
April .....	6.52	2.07	3.13	5.21	2.03	2.76	1.95	4.10	1.15	1.31	2.76	33.01
May .....	6.71	2.77	2.07	4.18	6.25	5.17	3.44	1.50	1.62	3.80	2.44	39.95
June .....	2.67	7.5	3.44	1.35	2.93	00	2.70	5.38	7.19	1.49	3.84	31.74
July .....	6.99	2.41	5.93	5.22	3.59	2.22	2.70	5.77	2.48	3.62	5.97	46.90
August .....	2.70	7.06	6.11	7.04	7.34	4.65	4.92	6.42	9.52	4.51	8.99	69.26
September...	3.10	2.39	3.46	7.01	4.96	4.06	5.20	9.30	1.04	2.41	3.95	46.88
October .....	1.42	3.75	8.2	6.77	4.79	6.29	3.83	4.06	5.77	7.43	7.20	52.13
November...	2.66	2.78	3.87	7.19	3.39	3.14	8.59	4.77	8.53	10.06	6.89	61.87
December...	3.06	7.71	6.17	5.13	7.25	3.68	2.53	8.85	2.84	11.68	4.22	55.2
TOTALS...	50.73	45.95	46.67	63.66	48.02	46.89	50.15	55.65	62.28	50.33	56.33	576.66
	D	D	D	P	D	D	D	D	D	D	D	D

1926. Handrail to bridge on which g. is situated. Easterly side  $\frac{1}{2}$  in  
pipe 3' 6" high, one foot away.

1929. Gauge at mid of valve bridge 12 yds. from embankment. Surrounded by  
handrail 1yd. on each side 2 inch tube.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Huncoat	1 mi	N.E.	Huncoat	$\frac{1}{4}$ mi	N.E.



## RAINFALL at Huncoat (Burnley Road Res.)

County of Central LancashireObserver A. J. Harrison, Esq.River Basin Ribble &c. - 1Type of Gauge GlaisherAnnual Average 43.0 in. based on 35 years obs. un-weighted. Period of average 1882-1916 Ref. 201 N

42660/30.

Diameter	9.							5				
Height	1.6	1.	10.									
Altitude	620.											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	TOTAL	Means
January	6.93	6.10	4.03	4.35	2.55	4.91	4.48	5.78	4.50	(2.87)	46.50	4.65
February	5.31	1.09	3.24	3.9	6.75	2.06	5.40	1.89	4.95	1.71	31.79	3.17
March	5.4	3.33	2.41	2.46	1.25	2.62	1.48	1.87	2.58	3.59	22.13	2.21
April	3.98	3.95	1.73	2.23	3.06	7.6	3.28	1.02	2.11	4.20	26.32	2.63
May	2.40	4.58	2.10	3.85	1.00	1.07	1.88	3.58	1.47	1.52	23.45	2.34
June	6.04	1.33	2.15	2.55	3.54	3.60	3.33	4.65	3.63	1.01	31.83	3.18
July	4.29	5.17	2.73	2.64	1.78	4.16	1.96	4.39	6.86	4.97	38.95	3.89
August	5.36	1.47	2.80	4.57	1.60	2.92	2.54	3.17	2.16	3.16	29.75	2.97
September	4.20	7.64	1.69	3.37	8.00	5.76	1.50	1.68	1.40	4.59	37.83	3.78
October	3.15	8.22	5.52	6.21	10.30	4.94	2.21	10.89	1.65	4.71	57.80	5.78
November	9.34	2.93	2.32	1.90	5.55	5.01	1.52	7.81	8.12	7.79	52.29	5.22
December	2.38	2.18	6.5	6.55	3.77	6.11	2.05	5.34	2.83	6.02	37.88	3.78
TOTALS	53.92	46.99	31.37	41.07	49.15	42.92	31.63	52.07	42.26	46.14	476.52	4.38
	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.

g. on valve bridge 40' from embankment, handrail only near object.

1940 Jan. covered for snow.

Position of Station on reduced Ordnance Survey Map,  
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931			Huncoat	1m.	NE	St Augustine's	1/4 m.	NE

BRITISH RAINFALL ORGANIZATION, EXHIBITION ROAD, LONDON, S.W.7.

RAINFALL at Huncoot (Burnley Road Ro.) nwg.County of C. Lancs. Observer A. T. Harrison Esq.River Basin 1- Riddle = C.Type of Gauge Howard.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

C1932.

42660/30.

Diameter .....		5"									
Height .....		1' 0"									
Altitude .....		624'									
Year .....	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January .....		5.57	3.75	4.27	2.50	4.87	3.81	4.70	4.88	(2.82)	
February .....		1.0	3.00	.36	5.59	2.37	5.22	1.50	4.36	1.89	
March .....		3.08	2.45	2.62	1.14	2.43	1.80	1.53	2.24	2.80	
April .....		3.60	1.69	2.85	2.94	.91	3.05	.70	2.07	3.54	
May .....		4.61	2.22	3.58	1.07	1.11	1.85	2.40	1.44	1.48	
June .....		1.40	1.96	2.36	3.36	3.37	2.98	3.87	3.37	.87	
July .....		5.18	2.49	2.29	1.47	3.80	1.89	2.97	6.13	4.48	
August .....		1.50	2.45	4.25	1.47	2.70	2.53	2.89	1.99	2.33	
September .....		7.05	1.60	3.31	7.35	5.10	1.42	1.78	1.44	3.42	
October .....		7.48	4.67	5.72	7.93	3.73	2.18	8.10	1.82	4.32	
November .....		2.73	2.33	2.08	4.97	4.61	1.73	6.37	6.42	6.82	
December .....		2.15	.82	6.73	3.34	4.90	2.45	4.79	2.47	4.61	
TOTALS .....		44.45	29.43	40.02	43.13	39.90	30.91	43.60	38.63	39.38	
		D	D.	D.	D.	D	D	D N.P.	N.P. 89	N.P. 90	

Recorder House 7' high 15" N.W.

1938. not printed low.

1940 Jan. covered for snow

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....  
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1932.			Huncoot	1m	NE.	Huncoot	4m.	NE.



Station No. 2262

RAINFALL at Huncoat (Burnley Road Res)

41

County of Central Lancashire

Observer A. J. Harrison Esq.

River Basin Ribble &amp; C - 1

R. Jackson Esq. B.Sc. (1949)

Type of Gauge Glaisher-Howard

Annual Average 43.0 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B. of N.

File No. 42669/20

Diameter	5"		575	069								
Height	1' 10"			1	1' 0"							
Altitude	620'		41			624'			640'			
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	Totals
January	1.28	4.71	6.35	6.75	3.18	4.41	3.32	9.23	2.32	3.37		44.72
February	4.81	1.12	3.29	2.14	5.98	5.13	.56	2.85	3.37	5.53		34.18
March	3.31	3.31	1.01	.65	1.66	.97	5.51	2.55	1.78	2.61		23.36
April	1.58	2.75	3.02	2.27	2.75	1.24	4.11	2.34	4.33	3.46		27.85
May	2.90	3.41	3.03	3.06	3.59	1.52	2.59	2.40	3.16	2.08		27.74
June	.22	3.12	4.13	2.49	6.17	2.30	3.09	6.44	1.05	2.42		31.43
July	2.21	6.32	2.84	3.49	3.34	3.81	3.15	2.02	2.11	4.16		34.02
August	5.83	4.71	6.98	3.69	2.74	7.32	.16	4.11	2.93	7.69		46.76
September	1.75	3.58	4.12	6.12	2.65	7.08	3.56	3.05	1.90	7.10		40.91
October	5.63	8.72	3.92	5.64	6.84	1.20	.96	2.81	5.53	3.56		44.81
November	3.24	1.09	3.95	6.95	36	6.95	6.02	2.43	6.52	6.32		43.83
December	3.32	4.20	2.74	5.56	2.78	4.69	3.59	4.57	7.04	2.80		41.99
TOTALS	36.08 D	48.34 d	45.38 D	48.81 D	41.44 D	46.62 D	36.62 D	44.80 D	42.04 D	51.10 D	441.23	441.23 2266

1941 Gauge is fixed on valve bridge 40' from embankment. Handrail only is near.  
 1945 Recorder to 7', 15", NW. Recd from 2962/1 40yds away for 28/8/45 when  
 this gauge was stolen.

1950 6' sq. Building 7' high 50' w.

390.13

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Huncoat	1m.	N.E.	Huncoat	1/4 m.	N.E.

BRITISH RAINFALL ORGANIZATION

Station No. 2962/1RAINFALL at Huncoat (Burnley Road Rec.) 41County of Central Lancashire Observer A. J. Harrison Esq.River Basin Ribble & C. - 1Type of Gauge Howard

Annual Average ..... in. based on ..... years obs. un-weighted. Period of average ..... Ref. ....

c-1932

File No. 42660/30

Diameter	5"										
Height	1' 0"										
Altitude	624"										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	1.34										
February	5.02										
March	3.52										
April	1.67										
May	2.49										
June	.25										
July	1.97										
August	4.89										
September	1.56										
October	4.72										
November	3.14										
December	2.27										
TOTALS	32.86										
	5. n.p.										

1941 Recorder House 7' x 6' x 6' high 15 yds. N.W.

n.p. low.

No. 2 g. abandoned

1945 See previous page. g. eventually not abandoned.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Huncoat	1 m.	N.E.	Huncoat	1 m.	N.E.

BRITISH RAINFALL ORGANIZATION

Station No. 2962 Tf 94RAINFALL at Huncoat (Burnley Road Bus.) 51County of Central Lancashire Observer R. Jackson Esq. B.Sc.River Basin Pittler 6-1Type of Gauge HowardAnnual Average 43.0 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B of N  
" " 43.02 " " 12 " " 1946-57 " " 1916-50 File No. 42660/30

Diameter ...	5"			57.5	069							Record ends 1959.
Height ...	1' 0"				1							
Altitude ...	640'			51								
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	4.86	5.82	1.45	4.67	2.22	4.56	3.96	5.29	2.94	5.73	41.50	
February ...	4.32	1.48	1.59	2.98	2.64	1.15	4.02	7.26	.58	4.56	30.58	
March ...	5.31	1.79	2.12	2.33	2.32	1.59	3.65	2.52	2.15	1.14	24.92	
April ...	2.56	3.44	4.09	.93	3.01	3.09	.57	1.37	3.49	3.24	25.79	
May ...	1.90	2.85	2.24	2.97	3.98	1.79	1.79	5.41	1.71	2.03	26.67	
June ...	1.68	3.59	2.36	2.96	3.22	2.89	2.30	4.63	3.15	1.41	28.19	
July ...	3.76	2.47	5.23	5.71	.95	5.35	5.54	4.12	3.95	9.47	46.55	
August ...	5.34	6.87	5.30	6.71	.95	11.78	7.52	4.24	.67	6.50	55.88	
September ...	2.96	4.25	5.26	6.13	3.46	3.67	6.40	4.79	.39	3.36	40.67	
October ...	1.13	4.65	2.37	8.17	3.61	2.66	5.45	4.82	5.48	4.80	43.14	
November ...	8.95	2.16	6.02	7.44	3.19	2.36	2.35	1.64	5.68	8.11	47.90	
December ...	10.79	4.35	2.19	7.18	6.18	5.84	6.12	4.76	9.27	5.54	62.22	
TOTALS ...	53.56	43.72	40.22	58.18	35.73	46.73	49.67	50.85	39.46	55.89	474.01	
	D	D	D	D	D	D	D	D	D	D		

1950 6' square building 7' high at 50' w

1956 Jan amended 1903, Eng agrees

1958 Gauge surrounded by concrete slab &amp; regarded by Engineer as unsatisfactory. M.O.S. recommended that g. from 2962/1 be set up on better site nearby for overlap period. Engr replied he will install among near existing one as soon as possible.

1959 New gauge set up 530' west of this site will be known as No. 2 gauge S/N 2962/1/1 &amp; will take the place of this station. \* 1960 2962/1/1 used for totals.

Position of Station on Ordnance One-Inch map: No. of Map..... National Grid Reference SD(34) 774.196

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
1951			Huncoat	1300' N by W	Huncoat (Warrington)	530' N.W

Summary of Earlier Records from 10-year Sheets:

1916-1950, P- Rejected

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	✓	✓	✓	✓	✓
	D 11-14, 16-19	✓	✓	✓	✓



## Air Ministry, Meteorological Office

TF. 94

RAINFALL at Ham Court (Bunbury Rd. Reservoir) Station No. 2962/1/1 No. 2County of Central LancashireObserver R. Jackson, Esq. B.Sc.River Basin Ribble & C - 1Accrington District Water BoardType of Gauge M. ?Annual Average in. based on years obs. un-weighted. Period of average Ref.File No. 42660/30

Diameter ...					575 068					5'	
Height ...					1					1' 0"	
Altitude ...					51					613'	
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...									100	5.73	
February ...									100	4.56	
March ...									2.20	1.14	
April ...									3.52	3.24	
May ...									1.73	2.03	
June ...									3.14	1.41	
July ...									4.04	9.47	
August ...									.69	6.50	
September ...									.40	3.36	
October ...									5.48	4.80	
November ...									5.77	8.11	
December ...									9.21	5.54	
TOTALS ...									100 mc 28	55.89 D	

1959 - New site 530' west of site of 1/1/1962 - latter gauge will cease after one year.

1959 :- 10 in

Position of Station on Ordnance One-Inch map:

No. of Map 95National Grid Reference 55/14772266

Date	Lat. N.	Long.	Railway Station	Distance Direction from gauge	Parish Church	Distance Direction from gauge

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1919-19	1929-30	1931-40	1941-50	1951-60