

RAINFALL AT *Biverstock*

7318

Wills.

Observer *H. C. Hays*Rain { By *Best gauge*Gauge { Diameter *12* in.Height above Ground, *2* ft. in.Above Mean Sea Level, *339* ft.*Bar - 3.*

YEAR.....										1829	MEANS.
January.....										# 1.27	
February										1.08	
March83	
April										5.78	
May33	
June										4.34	
July										4.24	
August										3.92	
September....										4.65	
October										1.15	
November.....										.95	
December.....										.86	
TOTALS										29.37	

C

Baverstock

8 m. W of Salisbury

wills.

W. Ed. Hony

H. East Jones

Y318

Diary 12 + Ground 3.0 ft

+ Sea Level 334?

Elev - 3.

YEAR - -	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	MEANS.
January - -	2.70	2.70	1.15	1.37	7.42	1.30	2.90	4.69	.75	2.28	
February - -	1.20	1.95	.82	6.21	1.40	3.25	3.00	4.56	2.00	1.40	
March - - -	.46	3.15	2.00	1.45	.80	2.65	5.80	1.05	1.50	2.30	
April - - -	3.42	2.00	2.52	2.66	.60	.80	3.50	1.50	1.10	1.16	
May - - -	3.81	1.45	2.07	.75	.75	1.65	.40	.75	2.30	.56	
June - - -	3.85	1.40	1.33	3.30	2.75	1.85	1.10	1.50	3.72	2.00	
July - - -	3.10	1.81	1.35	1.25	6.60	.25	3.10	2.89	1.20	5.58	
August - - -	2.15	3.40	3.36	.95	1.94	1.95	1.52	2.10	2.00	2.26	
September -	4.60	(2.00)	.65	2.05	2.84	3.50	3.20	2.47	5.00	5.64	
October - -	.75	4.40	5.70	3.80	.80	7.00	3.76	2.62	3.45	4.18	
November -	4.52	2.92	5.80	2.95	2.35	5.60	5.62	1.56	5.58	4.28	
December -	(4.02)	5.37	3.40	6.42	1.65	1.18	3.69	3.50	4.28	4.00	
TOTALS -	(34.56)	(32.55)	(30.15)	(33.16)	(29.90)	(30.98)	(37.57)	(29.19)	(32.88)	(36.44)	(27.40)

C

C

C

C

C

C

C

C

C

C

Beverstock

8 m. W of Salisbury

W. Ed. Hony

40

Wills

DRAIN 12 in + Ground 3.0 ft

+ Sea Level 339?

Level - 3.

YEAR - -	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	MEANS.
January - -	4.60	3.00	2.40	4.25	1.45	2.90	4.70	2.55	2.40	2.60	3.085
February - -	3.30	2.70	2.90	3.32	3.00	1.35	1.75	1.45	3.70	2.25	2.572
March - - -	1.10	3.20	3.80	1.20	3.90	.90	2.15	2.40	3.00	.85	2.150
April - - -	.44	1.60	0.00	3.10	.50	1.25	3.75	1.90	3.80	3.45	1.979
May - - - -	3.20	2.45	1.66	4.40	.15	1.65	2.00	2.25	.80	2.60	2.116
June - - - -	1.20	1.98	2.00	2.55	1.05	2.15	1.90	1.90	5.50	1.25	2.148
July - - - -	2.30	1.52	1.50	2.60	1.30	1.70	3.00	1.65	3.45	1.95	2.097
August - - -	1.60	2.35	1.85	2.95	2.60	2.70	4.30	.75	3.15	1.00	2.325
September -	2.18	7.52	3.10	.80	1.50	3.60	2.20	1.50	3.70	3.45	2.955
October - -	1.10	4.51	.85	4.20	4.85	1.50	5.00	5.25	5.10	2.20	3.456
November -	6.32	5.70	7.00	2.65	3.80	4.00	2.20	2.00	2.40	1.85	3.792
December -	.15	2.88	1.95	.85	.50	2.80	.85	5.45	4.75	3.95	2.413
TOTALS -	26.49	39.41	29.01	32.87	24.60	26.50	33.80	29.05	41.75	27.40	31.088

In 1841 12 in float contr to 6 in, well exposed.

Gauge changed in 1842 but both were by Newm. an

Baversstock, Salisbury

50

will.

The Ven. Archdeacon Hong.

Quon - 3.

YEAR - -	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	MEANS.
January - -	1.55	4.90	6.50	3.40	2.40	.75	3.35	2.50	.75	1.50	2.760
February - -	2.35	1.05	1.35	1.15	1.05	1.65	1.80	1.50	1.35	2.70	1.595
March - - -	.10	3.55	.45	1.05	.40	2.05	1.20	2.60	1.70	1.55	1.465
April - - -	4.40	1.35	1.00	2.35	.25	.70	3.90	2.40	2.80	3.20	2.235
May - - -	2.80	1.15	2.00	1.90	3.00	2.45	2.80	1.55	2.20	2.30	2.215
June - - -	2.45	2.20	4.90	2.45	2.35	1.80	1.35	1.90	.75	2.05	2.230
July - - -	2.90	3.30	3.55	3.70	1.90	4.30	.90	2.10	2.10	3.15	2.790
August - - -	1.95	2.90	5.15	3.90	.95	1.15	3.60	1.75	1.85	3.40	2.660
September -	2.25	.40	4.10	3.15	.65	1.95	3.35	1.70	1.25	3.65	2.245
October - -	1.50	2.80	4.35	4.15	3.15	5.50	3.50	5.15	1.25	4.85	3.620
November -	2.45	.80	9.20	1.80	2.00	.75	1.40	1.70	2.50	3.40	2.600
December -	2.30	2.10	4.00	1.40	1.55	1.65	2.70	.55	3.20	3.40	2.285
TOTALS -	27.00	26.50	46.55	30.40	19.65	24.70	29.85	25.40	21.70	35.15	28.690

Barnstock
8 m. W. of Salisbury
Wm. E. H. Hony, Arklestown

Wills.

Flood Gauge. Mount ground 3 ft. 300 ft.
Barn - 3.

YEAR - -	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	MEANS.
January - -	3.35	.50	3.25	3.80	1.40	4.15	5.05	4.15	3.45	4.40	3.350
February - -	1.15	2.55	.40	.90	1.40	2.10	4.10	2.85	1.13	2.70	1.938
March - - -	2.70	2.85	4.35	1.05	2.95	1.05	2.75	4.60	1.85	1.15	2.530
April - - -	1.75	.25	1.80	.90	2.40	.90	2.40	1.90	2.75	.75	1.580 -
May - - - -	3.30	1.65	5.00	1.75	1.45	3.00	1.35	1.90	1.30	3.80	2.450
June - - - -	6.75	2.50	2.45	5.30	1.25	2.20	1.90	1.20	.40	1.15	2.510
July - - - -	1.50	4.05	2.60	1.00	.40	1.70	1.40	3.50	.65	.45	1.725
August - - -	4.90	.60	1.25	3.50	1.15	2.80	2.40	2.00	5.60	.75	2.495
September -	3.05	3.15	2.10	3.55	2.50	.10	6.80	2.45	5.15	4.85	3.360 +
October - -	2.00	1.40	4.30	4.20	2.10	6.00	1.51	3.46	2.63	2.05	3.045
November -	2.70	5.00	.55	1.85	2.45	4.20	2.25	.70	2.05	2.00	2.375
December -	4.30	2.25	2.25	2.65	1.45	2.10	2.65	1.16	6.35	3.23	2.889
TOTALS -	37.45	26.75	30.30	30.45	21.40	31.10	34.56	29.87	33.31	27.28	30.247

The average fall is about 32.00 in.
1868 Exceeded this with standing the best to 1869