

RAINFALL AT *Dunford Bridge*

60

W. George Whitfield Junr.

Rain By

Gauge Diameter.....12...in.

Height above Ground, 2.... ft. in.

Above Mean Sea Level, 11.00... ft.

YEAR	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	MEANS.
January84	3.29	8.39	2.57	4.58	6.80	5.06	3.48	4.66	
February		5.57	1.96	2.58	3.94	3.17	6.74	7.26	7.65	8.47	
March		9.73	5.60	1.40	3.84	1.80	2.54	4.14	6.91	1.89	
April		2.30	4.54	2.06	1.78	1.54	2.37	7.20	2.54	2.89	
May		1.37	5.34	2.62	3.14	3.29	2.49	2.44	1.69	6.52	
June		2.26	3.66	4.83	2.70	.89	6.21	2.39	.23	1.36	
July		4.94	4.56	1.94	1.07	2.39	5.70	6.39	.58	.93	
August		3.32	3.34	4.79	2.62	5.89	6.34	2.91	3.35	2.43	
September	4.27	5.13	4.21	6.58	3.35	.60	7.23	4.35	4.28	9.30	
October	6.60	1.61	8.25	8.39	4.53	8.30	3.19	4.77	6.67	4.05	
November ...	4.59	6.78	1.57	6.12	6.06	5.48	7.96	1.41	4.82	6.27	
December	3.56	3.52	4.26	4.88	3.54	1.54	7.72	5.40	11.99	7.36	
TOTALS		47.37	50.52	52.58	39.08	39.47	65.29	53.72	54.19	56.11	

g. D. M. and entered the same day as taken

RAINFALL AT *Dunford Bridge Reservoir*

70

Lat.....

Lon.....

County of.....*Yorkshire, W.R.*

..... Rain Gauge, by..... Observer *Mr. Geo. Whitfield*

Diameter.....	1										
Height.....	2										
Altitude.....	1100										
YEAR.....	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.
January.....	4.99	2.53	7.39	4.24	4.31	6.58	2.35	7.42	7.28	2.03	4.912
February.....	3.36	4.63	6.28	.81	2.40	1.86	6.98	6.33	1.98	4.48	3.911
March.....	3.91	1.75	3.77	3.30	6.35	.97	6.88	3.77	5.06	3.11	3.887
April.....	1.71	4.04	4.50	.54	2.65	2.03	3.56	3.23	2.59	3.35	2.820
May.....	2.09	1.87	3.59	2.99	1.87	3.09	1.29	5.06	5.86	2.87	3.058
June.....	1.87	4.79	5.73	2.70	1.34	4.06	3.59	3.59	3.87	5.55	3.759
July.....	1.87	3.69	5.91	3.60	2.08	5.39	3.33	4.37	1.28	6.13	3.665
August.....	1.89	7.68	3.90	4.16	6.07	4.05	4.01	7.21	7.05	7.56	4.758
September.....	3.22	6.20	7.12	3.76	3.93	5.75	5.75	5.23	5.85	3.63	5.044
October.....	4.39	4.50	7.17	6.11	6.12	6.88	2.95	6.04	4.98	3.67	6.281
November.....	3.00	2.28	7.47	3.88	4.43	6.86	4.72	10.32	3.96	2.44	4.936
December.....	3.48	2.78	4.72	1.63	4.18	2.56	10.07	5.73	2.33	4.75	4.223
TOTALS.....	44.78	40.74	67.55	37.72	45.73	50.58	55.48	68.30	52.09	49.57	51.254

1879 Sept^r wrongly printed by Mr Bateman as 3.83

The gauges are 12ft apart

70 RAINFALL AT *Dunford Bridge Res. Bank*

Lat.

Lon.

County of

Yorkshire,

Rain Gauge, by

Observer

G. Whitfield

Diameter....					8						
Height					2						
Altitude					1100						
Year	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.
January						6.62	2.42	7.66	7.13	2.09	
February....						1.99	7.29	6.66	2.10	4.54	
March.....						1.02	7.84	3.97	5.42	3.28	
April						2.16	3.84	3.48	2.77	3.49	
May						3.34	1.50	5.30	6.25	3.08	
June					# 1.41	4.93	3.82	4.05	4.01	6.03	
July.....					2.29	5.69	3.53	4.68	1.34	6.46	
August					6.60	4.29	4.07	7.59	7.34	8.07	
September ..					4.33	6.13	6.29	5.41	6.23	3.76	
October					6.30	7.38	3.15	6.57	5.41	4.00	
November ..					4.78	7.18	5.08	10.81	4.05	2.63	
December ..					4.24	2.69	10.34	6.29	2.36	5.05	
TOTALS ..					—	53.42	59.17	72.47	54.41	52.48	

This gauge is placed about 4 yards from the old one & generally registers more.

RAINFALL AT Dunford Bridge 80

Lat. _____

Lon. _____

 County of Yorks

Rain Gauge, by _____

 Observer Mr. G. Whitfield
Rise. Don 4.

Diameter	12										
Height	2.0										
Altitude	1100 T										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January40	.58	5.79	7.82	10.17	3.45	5.39	2.58	2.37	3.53	4.208
February	6.28	7.18	4.37	4.26	3.31	5.49	.69	1.06	1.44	3.72	3.780
March	5.30	6.04	4.58	1.17	2.92	3.50	4.28	2.56	4.47	3.71	3.853
April	2.88	1.36	5.81	2.99	2.35	2.50	3.55	1.36	4.19	4.70	3.169
May	3.25	4.39	1.50	2.11	3.13	3.75	7.31	3.26	1.43	3.13	3.326
June	3.97	2.75	6.52	4.59	2.01	4.12	1.80	.49	3.75	.59	3.059
July	6.59	4.03	5.63	3.60	3.57	1.92	6.27	.79	8.18	4.28	4.486
August	1.95	5.12	3.23	3.79	1.65	2.35	2.75	2.56	3.75	4.38	3.153
September....	7.28	3.17	3.62	7.84	2.84	5.18	2.58	4.38	1.54	3.31	4.174
October.....	7.76	8.16	5.65	7.32	2.74	10.90	7.32	4.06	1.95	7.32	6.318
November....	6.84	5.64	10.35	5.21	1.83	3.66	2.76	3.66	12.63	1.57	5.415
December....	7.42	5.39	5.69	4.24	6.99	1.71	7.86	3.49	3.80	3.49	5.008
TOTALS	59.92	53.81	62.74	54.94	43.57	48.53	52.56	30.25	49.50	43.73	49.949

1880. Carlcoats

2 miles

N.E.

1880 Printed by W. Bateman as 58.92. 1 in being omitted in November

1882 Wall 5 ft high 63 ft 8

RAINFALL AT *Donford Bridge Reserve*

Lat. _____

Lon. _____

 County of *York*

Rain Gauge, by _____

 Observer *Mr. G. Whitfield*
Cuse. Don 7, No II

Diameter	8										
Height	2.1	2.-									
Altitude	1100 T										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	4.2	5.8	5.86	7.96							
February	7.03	7.35	4.54	4.35							
March	5.62	6.39	4.66	1.20							
April	3.04	1.40	5.92	3.02							
May	3.57	4.58	1.51	2.22							
June	4.22	2.89	6.90	4.72							
July	6.87	4.17	5.81	3.58							
August	2.01	5.35	3.50	5.96							
September....	7.54	3.30	3.76	7.89							
October.....	7.87	8.30	5.93	7.48							
November....	6.99	5.73	10.47	5.21							
December	7.55	5.53	5.81	4.48							
TOTALS	62.73	55.57	64.67	56.07							

 1880. *Carlcoats*

2 miles

N.E.

1882. Wall 5 ft high 5 ft S

5 yards from the 12 in. gauge

RAINFALL AT *Dunford Bridge Reservoir*

Lat. _____

Lon. _____

County of _____

York W.R.

Rain Gauge, by _____

Observer _____

G. H. Hill Esq C.E.

H. C. Marks Esq C.E. H. Denden Esq

Rise. Don 4

Diameter	12										
Height	2 0							2 3			
Altitude	1100 <i>T</i>					1111 <i>T</i>					
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January	6.05	4.33	4.59	1.74	5.49	3.55	2.54	2.40	5.04	7.56	4.329
February	1.18	4.0	3.02	7.82	10.70	.47	2.56	4.46	6.08	2.34	3.903
March	4.33	2.62	1.07	1.02	5.22	4.55	7.69	6.66	2.99	2.85	3.900
April	1.75	3.02	1.55	.81	3.08	3.11	2.30	5.03	3.58	3.93	2.816
May	3.77	4.17	5.44	3.34	2.48	.80	.45	1.57	4.76	3.52	3.020
June	3.61	2.54	4.17	1.76	3.64	2.76	4.31	4.97	2.45	2.13	3.034
July	3.21	4.02	3.70	4.23	4.91	7.91	1.68	2.32	.95	1.91	3.484
August	4.44	7.86	5.40	2.91	4.84	4.20	2.61	3.72	6.03	1.47	4.348
September....	1.92	4.24	4.34	3.62	1.00	1.12	8.53	4.90	.63	6.53	3.683
October.....	3.75	7.19	8.30	3.09	6.98	5.30	6.87	2.05	5.78	4.46	5.377
November....	6.71	5.14	3.29	4.17	4.05	5.64	2.26	4.93	3.02	2.26	4.147
December91	10.79	2.68	6.04	4.73	5.87	7.38	7.88	7.65	3.59	5.752
TOTALS . . .	41.63	56.32	47.55	40.55	57.12	45.28	49.18	50.89	48.96	42.55	48.003

1890

RAINFALL AT Dunford Bridge Reservoir

Lat. Lon. County of York W.R. Southern

Rain Gauge, by Observer H. Dearden Esq. C.E.

Open Runy

Diameter ..	12											
Height	2.0											
Altitude ..	1111 T											
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEAN.	
January ..	7.54	3.01	4.29	5.45	5.45	2.39	5.72	2.18	4.90	2.88	4.381	
February ..	3.60	1.64	1.10	6.22	6.07	2.82	4.10	3.31	3.91	2.81	3.558	
March	1.20	4.94	2.85	7.83	3.08	5.46	4.84	4.51	4.28	4.45	4.344	
April	2.91	3.19	3.02	3.46	4.07	3.75	1.26	3.36	2.98	3.33	3.133	
May	2.01	1.37	3.55	4.48	3.55	.68	4.31	5.27	3.23	2.36	3.081	
June	3.16	1.52	2.04	2.14	1.10	3.21	1.87	7.04	2.58	5.08	2.974	
July	4.01	5.69	3.14	3.43	1.97	2.13	3.15	2.96	4.34	6.98	3.780	
August	6.41	2.02	4.29	6.49	5.19	4.79	3.99	4.14	3.84	3.52	4.468	
September..	1.32	.77	2.40	6.77	1.73	2.66	1.60	.85	3.75	4.48	2.633	
October	6.21	3.19	6.39	11.88	1.71	3.81	8.22	7.96	1.64	6.99	5.800	
November..	3.65	6.40	3.16	4.26	3.36	6.58	6.97	4.57	2.98	2.73	4.466	
December ..	7.11	7.30	5.47	3.40	3.48	1.65	4.54	5.42	3.16	8.63	5.016	
TOTALS ..	49.13	41.04	41.70	65.81	40.76	39.93	50.57	51.57	41.59	54.24	47.631	25.4

H. De

RAINFALL at Dunford Bridge PearsonCounty of W. Yorksh.Observer H. Dearden Esq. C.E.River Basin Gwa - Don 7

C. Barker (Res. Supn)

Rain Gauge, by _____

Diameter ...	12										
Height	2	0									
Altitude ...	1111	T									
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...	4.56	3.26	5.86	4.72	4.52	4.75	5.33	3.05	5.12	5.97	
February ...	7.00	7.36	2.95	2.29	3.88	5.81	7.35	.66	8.28	2.68	
March	1.17	3.80	6.47	8.15	5.90	1.56	4.14	2.19	1.49	6.85	
April	5.19	3.90	2.29	5.45	2.07	3.29	3.68	2.17	1.43	2.74	
May	4.46	1.73	4.85	3.48	3.17	2.08	2.77	2.26	3.40	2.75	
June	4.86	5.16	5.61	2.61	3.82	.89	3.81	2.59	2.77	1.26	
July	5.28	.54	6.62	1.37	3.58	5.04	2.71	2.65	3.43	4.05	
August	7.81	5.20	9.54	1.79	3.21	5.06	2.75	7.54	2.25	4.01	
September ..	.46	3.71	3.31	4.23	3.02	.83	2.51	3.55	13.35	5.08	
October ...	4.62	4.87	5.28	4.97	3.18	2.23	8.87	7.26	4.67	4.37	
November ..	5.69	7.01	4.68	4.65	7.23	3.41	5.03	5.57	2.95	4.40	
December ...	8.85	8.69	8.67	3.85	8.46	9.24	4.48	2.66	10.57	9.55	
TOTALS ...	59.45	55.23	66.13	47.56	51.54	44.19	53.43	42.15	NR	57.82	
	3	2	3		3	3	3	3	59.16	3	

1918 recd. Office K1-22 (little only)

1910
1911
1912 } rejected as too big (Barnley 1922)
1918
1919

8 in. heavy flannel or

1918 completed for Dunford
Jangle Station
6000 taken in Gully (Water 1922)
given by C. Barker
as 59.16 in 22
but looks big

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

RAINFALL at Dunford Bridge ReservoirCounty of N. R. YorkshireObserver H. Dearden Esq. C.E.River Basin Guse-Dow 7W. W. Emp. ReservoirGlanville Rain Gauge, by

800
795
790
785
780

Diameter ...	12.8											
Height	2	0										
Altitude ...	1111											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	MEAN.
January ...	6.78	11.65	4.68	5.46	3.48	6.95	5.94	4.93	15.34	2.05	8.31	
February ...	6.30	4.5	6.88	7.54	1.55	7.96	5.55	1.90	7.50	6.0	2.00	
March	4.16	6.11	3.98	3.13	1.52	2.30	2.97	5.84	7.25	9.1	3.68	
April	8.85	1.81	5.46	3.77	2.27	3.89	2.78	5.87	2.23	1.81	3.15	
May	7.17	1.96	1.50	5.58	6.31	4.70	4.20	3.57	2.18	3.41	2.23	
June	3.91	3.5	3.58	1.15	2.60	1.5	4.38	5.20	5.08	1.37	4.28	
July	8.95	2.80	5.54	4.88	3.85	2.07	3.31	2.81	1.84	2.72	8.20	
August	3.46	6.32	6.91	5.09	5.45	3.71	5.58	5.88	4.89	5.53	3.91	
September...	2.85	1.86	5.62	5.16	5.19	3.92	3.60	7.08	5.2	1.70	5.68	
October	1.96	2.86	1.04	5.17	6.08	5.34	4.76	5.16	6.66	6.50	7.10	
November...	2.82	2.71	3.45	9.13	4.85	3.09	6.58	7.19	9.62	10.08	6.57	
December...	5.37	8.66	4.66	4.45	6.10	5.73	3.14	5.6	3.71	12.89	3.97	
TOTALS...	62.57	47.54	53.27	60.51	49.25	49.71	52.79	55.99	62.82	49.57	59.08	
	D	2	D	D					D	D	D	

1920 } by g. Leaky (S. (B. 1922))
 1921 }

Inspected S. 28.11.22. g. fixed in wooden box in hollow at end of dam. Drop of 8ft to bye-wash immediately on E. Shuttering ridge and higher land on S, and high hills around on all sides of res. Some trees on E. A good site but a bad gauge.

g. completely gone under flange and repaired by strips of metal. Observer stated that back had been in existence only 6 months, but this is doubtful. A new g. was recommended.

Back year 1924 - 1927 read 4/49 See file 399518/29

Position of Station on Reduced Ordnance Survey Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

RAINFALL at Dunford Bridge Res. new gauge No 1

County of West Riding Observer S. E. V. Bolding Esq., M.C.

River Basin Dun-Don-7

Type of Gauge M.O.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

899518/29

Diameter								5			
Height								1 0			
Altitude								1081			
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January								7.88	7.70	3.62	
February								3.25	6.57	3.52	
March								2.01	4.47	4.69	
April85	3.34	4.35	
May								4.01	2.79	1.29	
June								5.03	3.38	.93	
July								4.51	8.05	4.85	
August								4.28	2.07	2.36	
September								2.56	2.69	5.02	
October								12.92	4.41	6.02	
November								7.04	10.57	10.67	
December								5.74	5.83	6.32	
TOTALS								60.08	61.87	53.64	

1938 8 Tung wall round gauge.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.
1938			Dunford Br.	700 yds	E 30° S		

RAINFALL at Dunford Bridge Res. (No 19)County of West RidingObserver Deasbury W.W.River Basin Ouse-Don-7

G.E.V. Boldry Esq. C.E.

Type of Gauge

Annual Average 49.2 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. 5

899518/29

Diameter	8.					5					
Height	2.0.										
Altitude	1111.										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	7.45	6.99	4.81	4.59	1.95	4.36	7.30	6.74	6.34	(3.01)	
February	7.04	3.6	5.52	2.7	7.31	3.47	6.45	2.59	5.80	2.68	
March	2.9	3.29	3.31	4.10	2.12	3.64	3.45	1.31	3.79	4.12	
April	5.84	6.45	1.93	2.92	4.20	2.06	2.92	.69	3.06	3.45	
May	2.85	6.45	1.96	3.34	.60	1.99	2.90	3.73	2.55	1.24	
June	5.13	.90	3.15	1.72	4.81	5.09	1.72	4.53	3.20	.88	
July	5.95	5.19	4.54	2.41	2.13	4.84	2.77	3.98	7.88	4.43	
August	7.49	2.46	0.89	3.12	2.33	1.78	1.39	3.86	2.00	1.97	
September	6.22	5.78	2.38	3.22	7.20	5.82	1.61	2.23	2.43	4.68	
October	2.53	8.31	5.40	5.53	11.58	6.41	3.74	12.13	4.24	5.81	
November	6.54	5.04	2.48	3.18	8.87	8.24	2.69	6.35	10.11	10.25	
December	2.81	2.26	0.68	5.76	3.77	4.62	2.71	4.96	5.36	4.80	
TOTALS	60.19	53.48	37.05	40.16	56.87	52.02	39.65	53.10	56.76	47.32	#
	D	D	D	D	D	D	D	D	D	D	

1940 - low act for mon
1941 Gauge abandoned.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1938			Dunford Br.	700yds	E 3° S			

BRITISH RAINFALL ORGANIZATION, EXHIBITION ROAD, LONDON, S.W.7.

RAINFALL at ³ Dunford Bridge Res. new gauge Station No. 3.162/9 41

County of West Riding Observer G. E. B. B. Esq., C.E. July 47

River Basin Cuse-Den-7 D. E. Strachan Esq. R.M. Inst. C.E.

Type of Gauge M.O.

Annual Average 57.8 in. based on 11 years obs. wt.-weighted. Period of average 1881-1915 Ref. P. 6.574

File No. 899.518/29

Diameter	5			081	540						
Height	1	0			1						
Altitude	1081				41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	5.45	5.12	7.70	10.68	6.99	8.13	5.76	14.59	3.29	4.30	
February	7.40	1.72	5.35	3.81	7.42	10.01	3.62	5.71	3.90	10.08	
March	7.33	4.12	2.83	1.01	1.85	2.89	8.34	2.53	2.56	2.87	
April	3.70	2.95	3.80	3.64	3.25	2.27	5.84	3.05	6.03	8.66	
May	3.90	4.13	3.53	4.13	4.29	2.69	3.84	2.74	3.07	3.11	
June	1.75	1.20	4.21	2.34	4.43	4.74	3.30	5.38	1.10	2.16	
July	2.14	5.75	2.43	3.54	2.13	5.20	2.25	1.73	3.28	3.03	
August	6.91	6.07	6.40	5.38	3.85	5.40	3.36	5.56	3.76	4.14	
September	6.68	3.71	5.07	6.32	2.87	8.03	2.49	2.43	2.10	7.76	
October	6.81	8.30	2.90	6.24	8.85	2.35	1.33	3.44	4.98	3.25	
November	4.44	1.99	4.81	3.72	8.88	10.96	8.64	2.58	9.90	8.28	
December	4.01	5.19	3.41	6.12	4.16	5.34	7.44	5.37	12.19	3.24	
TOTALS	54.52	50.25	52.44	63.53	50.97	68.01	53.23	55.11	56.16	57.98	

Position of Station on reduced Ordnance Survey Map, } No. of Map.....

1 mile to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Dunford Bridge	700y	E. 3.5			

Station No. 3162/9 51RAINFALL at 8 Dunford Bridge Res.County of West Riding - Yorks.Observer L. E. C. Strachan Esq. D.M. Inst. C.E.River Basin Cure - Don - 7Type of Gauge M.I.Annual Average 53.8 in. based on 11 years obs. un-weighted. Period of average 1881-1915 Ref. P. 3. 574
" " 56.79 " " 20 " 1938-57 " " 1916-50 File No. 899518/29

Diameter ...	5"			081	540						
Height ...	1'0"				1			1'1"			
Altitude ...	1081'				51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	6.48	7.68	3.07	5.35	3.52	8.08	4.93	6.04	5.94	7.13	
February ...	6.15	2.22	2.77	4.40	3.18	2.71	5.11	7.61	4.6	4.26	
March ...	7.50	2.89	3.54	3.48	3.87	2.76	4.67	3.59	2.68	2.70	
April ...	3.72	3.21	4.33	.94	2.29	3.31	4.6	1.66	6.61	3.35	
May ...	4.38	2.57	2.83	5.04	5.64	1.79	1.91	4.45	1.71	2.41	
June ...	1.17	3.04	4.33	2.85	4.01	3.77	1.45	5.89	2.00	2.09	
July ...	3.53	2.31	6.37	5.94	1.18	9.31	4.80	5.26	4.30	7.21	
August ...	6.86	3.77	5.12	7.78	.93	11.48	7.80	4.00	1.26	4.89	
September ...	3.37	6.05	3.53	6.60	2.14	5.12	7.19	4.94	.28	4.12	
October ...	1.25	7.51	2.74	9.21	3.97	3.92	6.75	4.86	5.04	8.19	
November ...	12.34	3.65	5.21	9.14	2.78	3.08	3.74	1.49	6.42	7.89	
December ...	10.88	4.98	2.74	10.59	7.86	7.71	7.83	6.05	11.09	7.72	
TOTALS ...	67.63	49.88	46.58	71.32	44.37	63.04	56.64	55.84	47.79	61.96	
	D	D	D	D	D	D	D	D	D	D	

1 NSP. APR. 1958 J.M.K. Good site but temp well in poor condition.

8 W. of wall.

Position of Station on Ordnance One-Inch map :

No. of Map 102National Grid Reference SE 151023

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			C 1938	✓	
			✓	✓	