

Rainfall at Exon Wash. Spring.

932 50

H. Thomas Esq.

Diameter of Gauge, ... 12... in. Height above Ground, 4... ft. 5... in. Above Mean Sea Level, 395... ft.

2. Thames - Colne - Bane.

YEAR - -	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	MEANS.
January - -	4.35	5.57	3.12	2.93	3.0	3.03	3.42	1.11	1.50		
February - -	1.13	1.16	1.49	.91	1.66	1.17	2.7	1.20	2.31		
March - - -	4.96	4.5	1.70	.73	2.45	.80	1.50	.93	2.31		
April - - -	1.67	.60	2.93	.40	.44	3.07	2.34	2.52	2.70		
May - - - -	.82	1.44	1.97	3.19	2.51	4.35	.93	2.90	1.56		
June - - -	1.93	5.70	4.70	1.45	1.47	1.53	1.95	.43	1.91		
July - - - -	3.50	2.97	3.95	1.75	4.70	1.80	1.85	2.59	3.59		
August - - -	2.06	4.02	3.64	2.00	2.22	2.65	3.79	1.20	2.53		
September -	.57	3.72	1.81	.67	1.62	2.74	3.44	2.71	3.77		
October - -	2.52	3.70	3.76	2.19	5.66	2.27	5.26	1.99	2.95		
November -	1.02	6.94	1.80	1.47	2.00	1.22	1.86	.70	3.10		
December -	.75	3.00	.92	1.40	1.42	2.24	.74	2.26	2.87		
TOTALS -	25.20	39.40	31.79	19.25	26.63	27.03	26.43	20.70	30.26		

c c c c c c c c

George Shuttleworth

Rainfall at Low Rock Spring

60

W. Thomas Esq.

Diameter of Gauge, ⁴10 in.Height above Ground, 4 ft. 2 in.Above Mean Sea Level, 395 ft.2. Thomas - Blue & Bent.

YEAR -	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	MEANS.
January - -	3.71	.44	2.69	4.45	1.10	3.00	4.12	3.07	3.86	4.13	3.057
February - -	.92	2.25	.61	.84	.97	2.01	4.16	2.86	2.31	2.58	1.831
March - - -	2.39	2.89	3.72	1.05	2.66	1.35	1.58	2.27	2.29	1.66	2.186
April - - -	.82	.86	2.57	1.02	1.46	.41	1.09	2.52	2.45	1.66	1.486
May - - - -	4.35	.74	3.26	.99	2.63	1.75	1.91	3.99	.84	2.71	2.317
June - - -	5.04	2.13	2.47	3.69	1.46	2.61	2.40	1.44	.61	1.53	2.338
July - - - -	1.14	3.74	1.74	.86	.29	3.33	2.93	4.41	.39	1.58	1.941
August - - -	4.42	.98	2.33	2.34	.55	3.37	1.80	1.86	4.91	1.41	2.397
September -	3.41	2.03	1.67	3.59	1.83	.51	5.48	2.54	4.92	3.81	2.979
October - -	1.70	1.00	3.44	3.00	1.63	5.66	1.51	2.14	3.01	1.29	2.438
November -	2.42	3.63	1.35	2.20	3.22	2.77	2.29	.67	1.56	2.68	2.279
December -	2.22	1.40	2.16	1.44	.49	2.22	2.31	2.11	5.41	3.49	2.325
TOTALS -	32.54	22.09	28.61	25.47	18.29	28.99	31.58	29.88	32.56	27.53	27.694

George Shattuck

1867 Subsequently returned with different amounts for nearly every month, and total 29.65 -

RAINFALL AT *Tring Courtoast*

Lat.....

Lon.....

County of *Hertford*

Rain Gauge, by.....

Observer *H. Thomas Esq.*

2-Thames - Colne & Bunt.

Diameter10											
Height	4.2		4.6	4.2								
Altitude	395.		345									
YEAR	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January.....	1.96	1.55	5.39	4.68	2.26	4.01	1.75	5.58	1.86	1.80	3.084	
February	2.61	1.50	1.66	1.38	2.50	1.18	3.02	2.19	1.59	3.53	2.116	
March	1.75	1.50	2.43	2.44	.60	.96	3.02	2.17	1.02	1.05	1.694	
April.....	.60	3.10	1.97	7.62	2.23	1.44	2.85	2.47	3.59	2.35	2.136	
May	1.15	1.03	3.23	2.27	1.72	2.38	.84	3.38	4.44	3.25	2.369	
June96	3.02	3.08	2.22	1.83	3.14	1.38	.90	2.24	3.98	2.275	
July	1.00	2.63	3.44	2.89	.58	6.53	.81	3.40	1.11	4.26	2.665	
August.....	3.19	.89	2.66	2.47	1.47	1.34	1.85	2.98	5.56	5.62	2.803	
September.....	1.87	4.59	1.15	2.98	3.36	2.55	6.04	1.32	1.49	2.60	2.795	
October.....	5.05	1.63	4.65	2.80	3.54	6.77	1.32	1.93	2.78	1.11	3.158	
November.....	1.47	.77	4.57	2.22	2.53	4.28	4.20	5.61	4.79	.52	3.090	
December.....	2.79	1.48	4.75	7.32	2.00	.90	6.72	2.70	1.53	.71	2.431	
TOTALS	24.40	23.69	38.92	27.84	24.62	35.48	33.80	34.63	32.00	30.78	30.616	

RAINFALL AT *Cowroast, Trig*

932
80

Lat. _____

Lon. _____

County of *Herts*

Rain Gauge, by _____

Observer *H. Thomas, Esq., C.E.*

S. Thomas, Colne & Bunt.

Diameter	<i>10</i>										
Height	<i>4.2</i>										
Altitude	<i>245 L</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.55</i>	<i>1.22</i>	<i>1.71</i>	<i>3.13</i>	<i>2.99</i>	<i>3.03</i>	<i>4.06</i>	<i>2.02</i>	<i>1.00</i>	<i>1.42</i>	<i>2.113</i>
February	<i>3.32</i>	<i>2.98</i>	<i>1.93</i>	<i>4.87</i>	<i>1.41</i>	<i>3.01</i>	<i>.68</i>	<i>.79</i>	<i>1.40</i>	<i>2.35</i>	<i>2.274</i>
March	<i>1.07</i>	<i>2.21</i>	<i>1.70</i>	<i>1.09</i>	<i>1.89</i>	<i>1.44</i>	<i>1.83</i>	<i>1.98</i>	<i>3.50</i>	<i>2.27</i>	<i>1.898</i>
April	<i>2.11</i>	<i>.94</i>	<i>3.77</i>	<i>1.33</i>	<i>1.53</i>	<i>2.32</i>	<i>1.76</i>	<i>1.69</i>	<i>1.87</i>	<i>2.78</i>	<i>2.010</i>
May	<i>.81</i>	<i>1.64</i>	<i>2.04</i>	<i>1.97</i>	<i>.66</i>	<i>2.93</i>	<i>3.84</i>	<i>2.71</i>	<i>1.84</i>	<i>4.04</i>	<i>2.248</i>
June	<i>2.47</i>	<i>2.15</i>	<i>3.33</i>	<i>1.92</i>	<i>2.34</i>	<i>1.80</i>	<i>1.49</i>	<i>.97</i>	<i>2.45</i>	<i>.90</i>	<i>1.982</i>
July	<i>5.93</i>	<i>2.48</i>	<i>2.88</i>	<i>2.88</i>	<i>2.95</i>	<i>.60</i>	<i>1.65</i>	<i>.71</i>	<i>4.63</i>	<i>(4.38)</i>	<i>(2.909)</i>
August	<i>.88</i>	<i>5.55</i>	<i>1.47</i>	<i>.83</i>	<i>1.10</i>	<i>1.37</i>	<i>.94</i>	<i>.93</i>	<i>2.20</i>	<i>2.29</i>	<i>1.756</i>
September ...	<i>5.42</i>	<i>2.53</i>	<i>2.33</i>	<i>4.57</i>	<i>2.23</i>	<i>4.62</i>	<i>1.72</i>	<i>2.80</i>	<i>.97</i>	<i>1.67</i>	<i>2.886</i>
October	<i>6.10</i>	<i>2.72</i>	<i>6.51</i>	<i>2.53</i>	<i>1.45</i>	<i>5.47</i>	<i>3.97</i>	<i>1.78</i>	<i>1.19</i>	<i>4.00</i>	<i>3.572</i>
November	<i>2.80</i>	<i>3.30</i>	<i>3.63</i>	<i>3.78</i>	<i>1.24</i>	<i>3.97</i>	<i>3.37</i>	<i>3.19</i>	<i>4.95</i>	<i>1.35</i>	<i>3.163</i>
December	<i>3.48</i>	<i>4.20</i>	<i>3.30</i>	<i>.87</i>	<i>3.96</i>	<i>1.15</i>	<i>5.59</i>	<i>1.98</i>	<i>1.87</i>	<i>1.49</i>	<i>2.789</i>
TOTALS	<i>34.99</i>	<i>31.92</i>	<i>34.60</i>	<i>29.77</i>	<i>23.75</i>	<i>31.71</i>	<i>30.90</i>	<i>21.55</i>	<i>27.87</i>	<i>(28.94)</i>	<i>(29.600)</i>

1889 July 12 Gauge ran over Mr. Thomas estimated the fall from water in vessels at 2.50 in.

RAINFALL AT Tring Lowroast

Lat. _____

Lon. _____

County of Herts

Rain Gauge, by _____

Observer _____

H. Thomas Esq. C.E.

2. Thomas. Colver-Bent

G. Thomas Esq.

Diameter	10	5										
Height	4	2				3.8						
Altitude	345 L					394 ft						
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January	3.12	2.16	1.14	2.05	2.21	3.08	1.12	2.31	.79	3.09	2.107	
February81	.05	1.36	3.57	1.73	.20	.38	2.82	1.12	2.68	1.472	
March	2.78	1.42	1.16	.62	1.78	1.89	3.32	3.91	1.17	.71	1.876	
April	1.32	1.38	.80	.18	1.48	1.85	.79	1.75	1.57	2.77	1.389	
May	1.35	3.10	1.18	.96	1.49	.59	.40	1.26	2.39	1.89	1.461	
June	2.49	1.07	2.15	.64	2.11	.52	1.71	2.18	1.17	1.71	1.545	
July	3.89	1.94	3.16	2.75	2.56	3.94	.87	.52	.75	2.61	2.299	
August	2.57	4.60	3.31	1.83	3.02	4.87	2.69	3.51	1.26	2.09	2.975	
September....	.63	1.14	2.69	1.21	1.77	.85	7.22	2.43	.68	2.37	2.099	
October	1.66	8.18	3.60	3.91	3.53	2.76	3.83	1.07	2.60	2.95	3.409	
November....	2.37	2.45	2.03	2.62	5.64	4.54	1.31	1.01	2.73	3.44	2.814	
December77	4.53	1.60	2.46	2.35	2.21	4.28	4.05	2.81	1.41	2.611	
TOTALS ...	23.76	32.02	24.18	22.80	29.67	27.30	27.92	26.82	19.04	27.72	26.123	

1891 Aldbury Church 1 1/4 mile N

Hedge 2 ft below gauge 12 ft E

" 2 " above " 17 " W

Gauge moved 1st Nov 1890 4 ft 8 in W

1891 New gauge at the beginning of the year

RAINFALL AT Irving Lowroad Lock

Lat.

Lon.

County of Hants

Rain Gauge, by

Observer G. E. Thomas Esq.2
S. James. Solner/Bunt.

Diameter ..	5										
Height	3 8										
Altitude ..	394 K										
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEAN.
January ..	3.74	1.01	.69	2.56	3.81	1.16	4.25	1.06	1.84	.98	2.110
February ..	4.91	1.46	1.27	1.27	3.98	1.27	2.34	1.43	1.14	.45	1.952
March82	2.38	1.57	3.54	1.38	3.58	1.75	1.26	3.50	3.37	2.315
April	1.20	2.90	.87	2.08	1.29	1.94	.96	2.75	3.20	2.07	1.926
May	1.27	1.74	2.01	2.63	2.44	1.90	1.28	3.26	1.90	1.94	2.037
June	3.04	1.15	2.58	6.65	1.08	4.21	3.21	2.56	1.29	4.81	3.058
July	1.51	2.63	1.12	3.62	3.13	1.98	.57	2.10	2.37	2.81	2.184
August	3.23	2.07	3.73	4.34	2.61	2.99	1.17	1.76	3.64	2.92	2.846
September ..	.64	1.90	.83	2.49	1.47	2.19	1.42	.62	1.55	2.17	1.528
October	2.51	2.65	1.72	8.29	1.43	2.05	5.94	5.33	2.55	5.21	3.768
November ..	3.17	.84	2.10	2.22	1.91	3.22	3.53	2.48	.93	1.09	2.149
December ..	3.68	4.46	1.50	2.64	2.50	1.11	3.01	4.18	2.15	3.34	2.857
TOTALS ..	29.72	25.19	19.99	42.33	27.03	27.60	29.43	28.79	26.06	31.16	28.730

-D 6

✓
H22

RAINFALL at Tring Lowroad LockCounty of HertfordshireObserver Jordan C Thomas EsqRiver Basin Thames Thames
Colne - 2W Yates Esq

Rain Gauge, by _____

Inscribed
your name

Diameter ...	5											
Height	3.8											
Altitude ...	394 ft											
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	
January ...	2.00	1.28	3.94	3.70	.97	3.81	2.10	1.80	2.61	4.06	1057	11.00
February ...	3.60	1.79	2.04	1.10	3.26	5.33	4.45	1.18	1.17	2.63	943	990
March	1.25	1.94	3.50	2.47	4.56	1.40	4.77	1.75	.88	4.64	1204	1250
April	1.60	1.40	.07	3.06	1.20	1.17	1.26	2.28	4.98	3.40	1192	1250
May	2.52	1.89	2.23	2.11	1.45	2.82	1.97	1.80	3.33	.25	735	770
June	3.63	1.84	3.03	.91	2.54	.39	2.76	2.11	.76	1.34	697	730
July	2.11	.42	2.63	1.27	2.08	4.40	1.84	4.51	3.35	2.55	1225	1280
August	2.79	1.19	4.90	1.29	1.75	3.48	2.80	7.52	6.17	3.10	1459	1520
September ..	.68	1.26	2.72	1.57	1.17	2.54	1.04	2.04	6.08	2.72	1188	1240
October ...	2.60	2.66	2.66	3.98	2.68	2.66	3.98	5.31	1.74	1.47	1250	1300
November ...	3.74	3.05	2.42	3.18	2.74	2.45	4.30	1.11	2.70	2.02	1013	1060
December ...	5.50	6.47	3.40	.88	8.37	5.58	3.35	.81	2.71	5.61	1248	1300
TOTALS ...	32.02	25.19	33.54	26.52	32.67	36.03	34.62	32.22	31.48	33.79	13211	13800
	D		D	D	D	D	D	D	D	D	D	D

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
	51.47.00	0.36.30 W						

RAINFALL at Tring, Courtyard LockCounty of HertfordshireObserver W. Yates Esq. A.R.S.S.River Basin Thames - Colne 2.

H.D. Sherry.

(1926) 11.0 Rain Gauge, byGrand Union Canal Co.

OLD GAUGE

Average Station

Diameter ...	5	5						5			
Height	3	6	5.6					3.6			
Altitude ...	394							394			
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 1930
January ...	3.14	2.44	3.08	1.61	2.72	1.84	3.06	2.93	4.40	1.66	3.55
February62	.33	2.92	4.23	.57	3.43	2.36	3.64	2.21	.78	.75
March	1.80	1.07	2.25	2.65	.92	1.01	.25	2.56	2.29	.07	1.61
April	4.37	1.58	3.37	1.91	3.28	2.53	3.13	1.52	.86	1.42	2.51
May	1.36	1.39	.96	2.09	6.45	2.25	2.19	1.64	1.66	1.83	2.87
June	2.56	.24	1.22	.50	2.39	.02	3.35	3.84	2.44	.90	.91
July	4.80	.13	4.37	2.97	3.72	6.13	2.75	3.02	2.90	1.94	2.11
August	1.09	1.27	3.94	2.62	2.28	2.31	.91	4.50	2.51	.42	2.36
September...	2.66	1.98	2.14	2.40	3.65	3.41	2.26	4.83	.69	.20	3.55
October	1.60	.82	.90	5.03	4.06	4.04	2.41	1.92	4.76	2.90	.98
November...	1.58	2.10	1.46	1.75	2.99	2.08	5.13	3.23	3.37	7.00	4.65
December...	2.56	1.60	2.93	2.91	4.10	2.10	.48	2.62	2.64	5.80	2.55
TOTALS...	28.14	14.95	29.54	30.67	37.13	31.15	28.28	36.25	30.73	25.92	28.70
	0	0	0	0	0	0	0	0	0	0	0

1926. Garden Hedge 4' high 5 pds. E. & W. Fruit Trees 5 pds. N.

1928 Inspected Dec 19 93. New gauge to be set up at 1 ft. for comparison purposes. See Green file.

1930. Apple tree 20' high 15' S.

Hedge 5' 12' E.

12' W.

G. read 9 am while running.

Position of Station on reduced Ordnance Survey } No. of Map

Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1926	51°47'0"	0°36'30"	Tring	1 1/2 mi	N.	Northchurch	1 1/2 mi	S.
1930				1 mi	N		1 mi	S.

RAINFALL at Ting Corn Coast LockCounty of HertfordshireObserver T. W. Millner, Esq.River Basin Thames Colne?

Glaisher Rain Gauge, by

Grand Union Canal Co.

NEW GAUGE

Diameter
Height
Altitude
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	
January	25.22		26.40							1.69	3.62	31.71
February	20.31		31.20							.80	.79	22.79
March	14.80		15.50							.07	1.68	17.25
April	22.55		23.60							1.51	2.62	27.73
May	19.99		21.00							1.92	3.00	25.92
June	16.56		17.30							1.01	.95	19.26
July	30.79		32.10							2.04	2.22	36.36
August	21.43		22.40							.44	2.46	25.30
September	24.02		25.10							.20	3.67	28.97
October	25.54		26.70							2.95	1.09	31.74
November	23.69		24.80							7.11	4.81	36.72
December	21.94		22.90							5.92	2.96	31.78
TOTALS	266.84		279.00							26.66	29.87	335.53

1930. Apple tree 20' high 15' S.

Bedge 5' " 12' E.

" 5' " W.

G. road 9 am. in winter weather.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1930.			Ting	1/2 m	N.	horthchurch	1/2 m	S.

RAINFALL at Tring (Cowroast Lock) (old g.)County of HertfordshireObserver Grand Union Canal Co.River Basin Thames - Colne & Brent - 2.

Type of Gauge.....

Annual Average 25.4 in. based on 20 years obs. eq.-weighted. Period of average 1881 | 1915 Ref. 879022/28Average
working
year
1881-1915
879022/28

Diameter	5.										
Height	3.6.										
Altitude	394.										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	1.51	2.48	1.97	2.37							
February	2.21	3.0	2.97	2.4							
March	1.04	1.92	3.21	2.73							
April	3.73	2.62	1.26	1.82							
May	3.00	4.38	1.67	1.69							
June	1.01	1.86	1.57	1.99							
July	4.14	2.73	1.40	1.45							
August	5.40	2.02	1.65	2.33							
September	2.25	2.45	1.98	1.92							
October	1.63	1.52	1.74	1.75							
November	3.12	1.83	1.23								
December	1.89	1.55	1.42	T. see line 52 ^A f 879022/28 at end of 1933.							
TOTALS	27.93	26.66	20.07								

1931. 1dage 8 40 high 6 ft. E.

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931			Tring	12 mi.	E.	Northchurch	2 mi.	S.

RAINFALL at Tring (Cowroast Lock) (new g.)County of HertfordshireObserver Grand Union Canal Co.River Basin Thames-Cotter-Brent-2Type of Gauge SnowdonAnnual Average ~~29.7~~ 29.7 in. based on 2 years obs. ~~un~~-weighted. Period of average 1881-1915 Ref. S.
4 yrs overlap with
1889, No 981 299022 28

Diameter	5.											
Height	1.0.											
Altitude	390.											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January	1.64	2.58	2.10	2.07	1.93	4.58	5.16	3.68	5.47	2.72	31.23	
February	2.36	.33	3.09	.21	2.86	2.97	4.53	.71	1.32	2.33	20.71	
March	.05	2.03	3.39	2.73	.52	1.49	3.49	.45	1.84	2.36	18.35	
April	3.90	2.79	1.32	1.82	4.26	1.45	3.26	.10	2.67	2.02	23.59	
May	3.16	4.54	1.78	.69	1.38	.96	4.04	1.91	1.65	1.59	21.70	
June	1.09	.90	1.68	.99	3.69	4.15	2.24	.81	2.41	1.68	19.64	
July	4.31	2.88	1.48	1.45	1.30	4.46	1.36	2.13	3.04	2.32	24.73	
August	5.57	2.09	.70	2.33	1.81	.35	1.12	2.17	3.14	.05	19.33	
September	2.37	2.60	2.08	1.92	4.64	3.77	2.76	1.63	.68	1.03	23.48	
October	.66	4.75	1.85	1.75	3.66	2.00	3.24	3.61	3.63	3.75	28.90	
November	3.23	1.94	1.32	2.21	5.06	3.57	1.62	3.58	4.88	8.38	35.79	
December	.97	.59	.49	5.77	3.52	2.94	3.60	3.91	1.95	1.55	25.29	
TOTALS	29.31	28.02	21.28	24.24	33.63	32.69	36.42	24.69	32.68	29.78	292.74	82

1931. Hedge 5 ft. high 6 ft. c.

1935 Hedge 4' high 8'

1936 Hedge 5' high, 12' N. Bank 4' high, 12' W.

1939. " 4' " 6' " " " " "

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931			Tring	1 1/2 mi.	(E.)	Northchurch	2 mi.	S.
							1 mi. 1937	

BRITISH RAINFALL ORGANIZATION, EXHIBITION ROAD, LONDON, S.W.7.

Station No. 932

RAINFALL at Tring (barnack lock)

41

County of HertfordshireObserver Lyndal Union Canal Co.River Basin Thames below 9 Brent 2.

Danks & Inland Waterways

Type of Gauge Snowden M.O.Annual Average 28.4 in. based on 35 years obs. un-weighted. Period of average 1887-1925 Ref. B.N.
29.1 4 .. overlap with old gauge.File No. 279022/28

Diameter	5"											
Height	1' 0"											
Altitude	390'											Totals
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950		Means
January	2.55	3.09	4.98	1.92	2.26	2.07	1.85	5.14	1.59	.91	26.36	
February	2.56	.98	1.20	1.13	1.97	2.26	1.73	.97	1.48	5.05	19.33	
March	2.91	1.57	.49	.20	.67	1.62	5.48	.97	1.47	1.01	16.39	
April	2.12	1.71	1.19	2.36	1.46	1.65	2.20	2.22	1.76	2.19	18.96	
May	2.65	3.44	2.74	.72	1.91	3.09	1.47	2.98	1.85	2.48	23.38	
June	1.42	.40	1.99	1.55	2.41	3.47	1.94	2.94	.60	1.49	18.21	
July	5.36	1.91	1.16	1.60	2.31	1.85	1.37	1.23	1.61	6.27	24.67	
August	4.16	2.20	² 8.11	2.18	1.06	3.76	.16	2.53	1.60	3.73	23.49	
September	.47	1.27	1.41	2.58	2.10	4.03	1.44	2.83	1.39	3.20	20.72	
October	1.14	3.61	2.69	3.59	3.27	1.20	.23	2.74	6.16	.66	25.29	
November	2.79	1.84	1.04	4.14	.84	6.60	1.33	1.63	3.08	5.23	22.22	
December	1.42	3.10	1.38	2.06	3.47	2.48	3.18	3.29	1.54	2.03	23.95	
TOTALS	29.55	24.82	22.38	24.03	23.73	34.08	22.48	29.47	24.13	34.25	268.92	

1941 Hedge 4' high 10' E. 1943 Hedge 4' high 6' E.

1946 Bank 4' high 12' W. Hedge 5' high 12' E.

77. B. It has been decided that the old gauge average is more appropriate than the last period one. 24.4.43

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Tring	1 ml	N.	Northchurch	1 1/2 ml	S.

BRITISH RAINFALL ORGANIZATION

Station No. 932

RAINFALL at TRING (CONROAST LOCK)

51

County of HERFORDSHIRE

Observer BRITISH

River Basin LAMPS GINE & BEANT-2

Type of Gauge M.O. M&I

Annual Average 28.4 in. based on 35 years obs. un-weighted.
29.58 " " " " 1916-1950

Period of average 1881-1915 Ref. R & N

File No. 1916-1950 979022/28

Diameter ...	5"										
Height ...	1' 0"										
Altitude ...	389'	390'									
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means- Total
January ...	3.49	1.83	1.25	1.10	2.46	3.85	1.38	2.78	3.55	3.05	24.74
February ...	4.95	.77	2.09	2.45	1.98	.33	3.20	2.82	.04	3.22	21.85
March ...	3.28	2.51	.64	2.79	1.34	.90	1.38	1.53	2.57	1.31	18.25
April ...	3.09	1.82	2.29	.29	.52	.98	.21	1.02	2.15	.64	13.01
May ...	2.62	1.95	1.64	3.61	4.36	.45	1.30	2.45	.80	2.01	21.19
June ...	1.75	.92	2.21	3.68	2.48	2.35	1.83	3.45	1.68	2.60	23.45
July ...	1.37	.45	3.42	2.41	.73	4.23	2.02	2.41	3.07	3.79	23.90
August ...	4.38	4.89	2.15	3.26	.54	5.23	3.41	3.68	2.32	3.67	33.53
September ...	2.94	3.32	2.20	1.83	1.91	2.55	3.04	4.16	.44	3.27	25.66
October ...	1.05	2.89	2.36	2.06	2.70	1.52	2.69	3.18	2.46	6.36	27.27
November ...	5.46	3.87	.97	5.50	1.44	.70	2.18	2.64	2.90	5.00	30.71
December ...	1.82	3.29	.74	2.80	2.95	4.20	2.39	3.01	4.89	3.68	29.77
TOTALS ...	36.20	28.51	21.96	31.73	23.41	27.29	25.03	33.68	26.87	38.60	293.33

1951 Hedge 5' 12" E; Bank 4' 12" W:
 1951-1959 J.B.O.K. Apple tree 20', 18-24' SE. 1/2 in. in circumference. 1/2 in. in circumference. No better available.

Position of Station on Ordnance One-Inch map:

No. of Map 159

National Grid Reference SP957104

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
1951			Tring	1 mi N	North church	1 1/2 mi S

Summary of Earlier Records from 10-year Sheets:

Period figures refer to Old gauge, 1916-1950, P. accepted

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	✓	✓	✓	✓	✓