

Glenyyle Glasgow W.W.
Head of Loch Katrine - Source of the Forth. Perth.

+ Sea Level 380 ft

Forth, Perth - 3.

YEAR - -				1853	1854	1855	1856	1857	1858	1859	MEANS.
January - -					12.00	1.00	4.70	12.00	9.00	14.30	
February - -					9.50	1.20	10.00	10.50	2.50	11.00	
March - - -					7.40	7.50	.70	7.30	3.30	14.50	
April - - -					2.60	6.10	4.70	7.80	5.50	5.50	
May - - - -					8.80	3.20	4.60	6.00	8.20	.30	
June - - - -					9.40	3.70	9.90	4.00	6.40	2.90	
July - - - -			#1 5.00	5.00	4.70	3.20	9.10	5.20	7.80	4.60	
August - - -				4.70	6.70	10.30	6.30	4.20	7.30	7.90	
September -				7.70	6.10	3.00	5.50	4.00	8.20	10.50	
October - -				14.50	12.20	13.50	7.20	7.70	9.70	5.60	
November -				10.40	5.70	3.10	4.40	5.90	3.80	9.00	
December -				1.60	18.20	8.90	11.40	17.00	13.10	7.60	
TOTALS -					103.30	65.50	79.30	91.60	84.80	93.70	

Glenzyle
Head of Loch Katrine

Perth.

8 in + Ground 6 in + Sea Level 380 feet

York, Teith - 3.

YEAR - -	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	MEANS.
January - -	10.50	11.10	13.10	15.90	9.40	7.60	14.40	7.50	17.00	13.70	
February - -	14.50	11.80	4.00	11.80	7.20	7.50	11.50	9.10	17.40	11.70	
March - - -	11.20	15.20	4.50	8.00	6.80	4.20	7.60	3.80	-	2.90	
April - - -	2.80	1.30	9.00	6.80	3.50	2.50	5.80	12.80	-	3.80	
May - - -	6.20	2.10	6.70	4.70	2.00	5.70	2.30	4.00	(same)	1.60	
June - - -	9.40	5.00	7.30	6.60	7.80	2.20	5.70	4.60	-	4.20	
July - - -	2.10	5.60	10.90	.50	6.10	5.30	4.20	6.70	1.95	6.00	
August - -	7.50	17.20	5.80	9.00	3.80	8.30	11.60	13.50	11.95	1.30	
September -	5.80	12.00	4.30	9.20	12.10	4.90	8.40	11.30	3.60	14.00	
October - -	14.10	10.30	16.70	8.80	6.40	6.60	4.40	11.60	12.60	5.70	
November -	4.30	13.10	6.60	10.30	6.20	6.40	9.30	5.40	6.10	12.60	
December -	5.80	7.80	16.20	13.90	9.30	11.00	15.50	8.60	17.70	13.50	
TOTALS -	94.20	112.50	185.10	105.50	80.60	72.20	100.70	98.90	118.30	91.00	

1868 Mar-June complete set from our data (Massachusetts) N. 11. 12.

RAINFALL AT *Lock Kaimie, Glenquye*

Lat.

Lon. County of *Perth*

Rain Gauge, by.

Observer *Glasgow Water Works**Fork, Perth - 3.*

Diameter	—										
Height	<i>9-6</i>										
Altitude	<i>387.</i>										
YEAR	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.
January.....	<i>6.70</i>	<i>8.40</i>	<i>16.80</i>	<i>16.60</i>	<i>15.70</i>	<i>18.60</i>	<i>10.20</i>	<i>17.80</i>	<i>7.00</i>	<i>1.50</i>	<i>11.91</i>
February.....	<i>9.60</i>	<i>11.10</i>	<i>12.60</i>	<i>1.80</i>	<i>4.10</i>	<i>3.00</i>	<i>11.30</i>	<i>6.70</i>	<i>8.10</i>	<i>.90</i>	<i>6.92</i>
March.....	<i>1.80</i>	<i>9.40</i>	<i>7.30</i>	<i>4.50</i>	<i>12.10</i>	<i>3.10</i>	<i>10.20</i>	<i>4.10</i>	<i>4.10</i>	<i>7.80</i>	<i>6.44</i>
April.....	<i>4.80</i>	<i>5.80</i>	<i>5.20</i>	<i>.70</i>	<i>6.30</i>	<i>4.10</i>	<i>4.20</i>	<i>2.90</i>	<i>4.40</i>	<i>3.90</i>	<i>4.03</i>
May.....	<i>10.40</i>	<i>2.30</i>	<i>5.20</i>	<i>4.90</i>	<i>4.80</i>	<i>7.10</i>	<i>.40</i>	<i>8.00</i>	<i>8.90</i>	<i>9.60</i>	<i>6.18</i>
June.....	<i>3.40</i>	<i>3.80</i>	<i>10.70</i>	<i>6.40</i>	<i>3.10</i>	<i>6.40</i>	<i>9.80</i>	<i>3.80</i>	<i>5.30</i>	<i>14.70</i>	<i>6.74</i>
July.....	<i>3.40</i>	<i>8.50</i>	<i>7.00</i>	<i>11.00</i>	<i>7.20</i>	<i>1.10</i>	<i>6.30</i>	<i>11.20</i>	<i>1.10</i>	<i>5.80</i>	<i>6.26</i>
August.....	<i>7.60</i>	<i>7.30</i>	<i>9.80</i>	<i>9.70</i>	<i>10.10</i>	<i>10.00</i>	<i>6.90</i>	<i>20.10</i>	<i>8.60</i>	<i>8.30</i>	<i>9.24</i>
September.....	<i>7.70</i>	<i>3.40</i>	<i>12.80</i>	<i>6.50</i>	<i>14.00</i>	<i>8.20</i>	<i>3.20</i>	<i>5.50</i>	<i>17.30</i>	<i>16.70</i>	<i>9.33</i>
October.....	<i>13.90</i>	<i>9.00</i>	<i>9.00</i>	<i>13.40</i>	<i>17.30</i>	<i>7.90</i>	<i>14.10</i>	<i>18.10</i>	<i>11.00</i>	<i>5.30</i>	<i>11.90</i>
November.....	<i>3.70</i>	<i>6.00</i>	<i>15.60</i>	<i>8.70</i>	<i>9.70</i>	<i>8.90</i>	<i>5.30</i>	<i>16.00</i>	<i>2.80</i>	<i>1.80</i>	<i>7.85</i>
December.....	<i>4.30</i>	<i>14.90</i>	<i>17.80</i>	<i>11.60</i>	<i>2.20</i>	<i>12.80</i>	<i>11.80</i>	<i>14.30</i>	<i>3.40</i>	<i>10.70</i>	<i>10.35</i>
TOTALS	<i>71.30</i>	<i>90.10</i>	<i>127.80</i>	<i>95.60</i>	<i>106.60</i>	<i>91.20</i>	<i>93.70</i>	<i>128.50</i>	<i>82.00</i>	<i>87.00</i>	<i>97.38</i>

1871 Average 90.60

RAINFALL AT *Glen Gyle*

Lat. _____

Lon. _____

County of *Perth*

Rain Gauge, by _____

Observer *J. M. Gale, Esq., C.E.**Form, Ser. - 3.*

Diameter											
Height	<i>0</i>	<i>6</i>									
Altitude	<i>350</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>6.10</i>	<i>.50</i>	<i>11.10</i>	<i>14.60</i>	<i>12.30</i>	<i>9.00</i>	<i>9.70</i>	<i>12.00</i>	<i>6.10</i>	<i>9.70</i>	<i>9.130</i>
February	<i>14.20</i>	<i>1.50</i>	<i>13.90</i>	<i>13.40</i>	<i>10.40</i>	<i>13.50</i>	<i>3.90</i>	<i>8.10</i>	<i>1.10</i>	<i>5.20</i>	<i>8.520</i>
March	<i>3.40</i>	<i>10.80</i>	<i>10.60</i>	<i>3.60</i>	<i>8.30</i>	<i>5.60</i>	<i>8.40</i>	<i>3.80</i>	<i>6.40</i>	<i>4.10</i>	<i>6.500</i>
April	<i>8.50</i>	<i>2.90</i>	<i>8.00</i>	<i>3.20</i>	<i>3.60</i>	<i>5.60</i>	<i>4.40</i>	<i>3.30</i>	<i>8.00</i>	<i>9.40</i>	<i>5.690</i>
May	<i>1.10</i>	<i>3.60</i>	<i>2.00</i>	<i>8.00</i>	<i>9.20</i>	<i>4.00</i>	<i>4.90</i>	<i>.80</i>	<i>9.50</i>	<i>7.10</i>	<i>5.020</i>
June	<i>6.60</i>	<i>8.90</i>	<i>6.90</i>	<i>4.70</i>	<i>2.70</i>	<i>2.00</i>	<i>2.70</i>	<i>1.10</i>	<i>4.00</i>	<i>1.70</i>	<i>4.130</i>
July	<i>4.60</i>	<i>11.50</i>	<i>8.60</i>	<i>4.40</i>	<i>7.10</i>	<i>3.90</i>	<i>5.00</i>	<i>6.20</i>	<i>6.20</i>	<i>2.50</i>	<i>6.000</i>
August	<i>3.20</i>	<i>2.50</i>	<i>6.20</i>	<i>9.30</i>	<i>8.00</i>	<i>7.40</i>	<i>7.50</i>	<i>8.10</i>	<i>8.30</i>	<i>8.80</i>	<i>6.930</i>
September	<i>3.20</i>	<i>3.10</i>	<i>7.10</i>	<i>4.20</i>	<i>7.80</i>	<i>15.50</i>	<i>10.50</i>	<i>1.90</i>	<i>3.00</i>	<i>3.10</i>	<i>5.940</i>
October	<i>.20</i>	<i>7.50</i>	<i>7.70</i>	<i>7.20</i>	<i>13.80</i>	<i>6.50</i>	<i>10.20</i>	<i>6.90</i>	<i>9.60</i>	<i>8.40</i>	<i>7.800</i>
November	<i>12.90</i>	<i>15.90</i>	<i>10.70</i>	<i>15.70</i>	<i>11.30</i>	<i>4.30</i>	<i>6.90</i>	<i>6.20</i>	<i>16.20</i>	<i>4.80</i>	<i>10.810</i>
December	<i>5.00</i>	<i>8.30</i>	<i>12.10</i>	<i>12.30</i>	<i>12.50</i>	<i>6.80</i>	<i>(7.00)</i>	<i>8.60</i>	<i>11.00</i>	<i>11.50</i>	<i>9.510</i>
TOTALS	<i>69.00</i>	<i>80.00</i>	<i>54.50</i>	<i>100.60</i>	<i>107.90</i>	<i>84.10</i>	<i>(81.10)</i>	<i>67.00</i>	<i>89.40</i>	<i>76.30</i>	<i>85.980</i>

*1882. Jan. corrected by originals XII.14.**1884. Feb.**1886 Dec. estimated. " "*

RAINFALL AT

Glen Gyle

Lat. _____

Lon. _____

County of _____

Perth.

Rain Gauge, by _____

Observer

J.M. Gale Esq. C.E.

Form - Perth - 3.

Diameter										
Height										
Altitude	380										
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January	15.60	8.40	11.20	6.90	21.50	2.40	6.00	1.70	11.70	11.70	9.710
February	1.10	2.90	2.50	10.90	23.20	1.50	5.30	10.10	11.80	8.10	4.670
March	9.40	6.20	.90	4.10	8.90	9.50	10.50	12.50	4.20	9.90	7.610
April	3.30	3.70	2.50	2.50	2.10	4.70	4.40	7.50	9.50	8.10	4.830
May	4.70	2.40	11.50	3.00	2.50	3.10	1.30	3.50	2.30	3.60	3.690
June	10.00	5.40	5.70	4.10	3.40	3.40	4.90	7.80	4.50	5.80	5.500
July	9.20	2.30	3.90	6.80	6.20	5.90	5.10	7.10	2.10	5.80	5.440
August	7.40	11.50	13.60	10.90	5.80	11.00	4.40	12.20	11.40	2.90	9.110
September....	9.80	15.10	13.60	7.80	.00	6.20	11.70	6.10	10.10	10.00	9.010
October	9.20	14.10	7.20	13.60	5.40	4.10	6.40	6.60	8.10	13.50	8.820
November....	14.20	10.00	12.70	6.20	11.90	13.30	4.00	6.40	13.80	(18.70)	11.120
December	1.20	12.40	4.30	15.10	10.80	9.10	13.20	14.60	22.70	8.10	11.150
TOTALS	95.10	94.40	89.60	91.90	101.70	74.20	76.20	96.10	112.20	106.20	93.860

1893 Feb } Corrected by originals XII. 14
 1896 May }
 1899 Nov. estimated.

RAINFALL AT

Glenogle

Lat.

Lon.

County of

Stirling Perth

Rain Gauge, by

Observer

J.M. Gale Esq. C.E.
J.R. Sutherland Esq. C.E.

Forth, Tenth - 3.

Diameter ..											
Height											
Altitude ..	380										
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..	13.40	6.20	6.40	17.80	7.40	8.10	14.30	(8.00) 5.80	10.10	10.30	10.200
February ..	4.10	2.80	2.30	17.40	7.00	6.50	2.50	(9.00) 4.50	7.00	3.30	6.190
March90	5.70	8.30	19.10	8.20	12.70	6.00	(8.00) 5.10	9.90	2.30	8.110
April	5.30	4.90	4.20	1.50	11.60	4.10	3.20	4.70	2.70	6.10	4.830
May	9.60	3.10	4.20	2.40	7.60	3.90	6.80	5.90	3.40	6.90	5.380
June	7.30	5.10	1.90	4.00	5.30	2.10	1.50	7.40	4.60	3.30	4.250
July	7.90	4.60	4.60	6.50	5.50	5.80	6.00	3.50	4.50	4.60	5.350
August	6.30	5.20	4.10	16.00	6.60	6.60	9.10	13.30	8.50	4.40	8.010
September ..	13.50	12.80	6.20	9.70	9.90	5.00	4.60	2.80	17.30	3.00	8.480
October	8.90	10.50	7.10	19.10	5.80	4.80	13.50	(6.00) 3.00	3.00	16.10	9.480
November ..	7.70	6.50	6.10	9.50	3.50	9.00	8.40	6.50	6.70	4.30	6.820
December ..	19.10	9.30	10.50	6.50	10.40	8.50	5.80	(10.00) 8.20	10.40	11.10	10.160
TOTALS ..	104.00	76.70	65.90	129.50	88.80	77.10	81.70	85.10 65.50	88.10	75.70	87.260

* 1907 end for loss (from 1895 to 1900)

Total for 1907 (11.17)

H. S.

RAINFALL at GlenzyleCounty of Perth
StirlingObserver J. R. Sutherland Esq. C.E.River Basin Forth-Tyith ~~3~~Rain Gauge, by Copper FloatFunnel { 7.90 } + corrected at bottom
 { 8.00 } of gauge where float rests } from 1914 8.00 overall.
 { 8.16 }

Diameter ...			8								
Height			0 6		1 0						
Altitude ...	380										
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	S.M.S. Means. 16-19
January ...	10.30	5.70	7.80	7.40	7.30	8.70	18.00	3.35	10.85	8.25	40.45
February ...	9.70	12.50	9.00	8.40	16.00	14.70	10.00	1.50	14.35	1.60	27.45
March	4.50	2.90	11.30	11.50	10.50	6.20	4.50	3.70	3.20	7.05	18.45
April	8.50	9.90	4.30	8.80	8.70	7.30	6.20	2.55	2.00	6.00	16.75
May	3.50	4.20	3.80	7.90	3.10	1.30	7.80	5.00	3.70	2.15	18.65
June	6.50	4.40	6.30	7.10	1.30	2.20	3.10	4.35	3.70	6.10	17.25
July	8.90	4.80	3.90	1.10	3.70	6.00	3.30	2.55	4.65	2.30	12.80
August	18.50	10.70	5.30 5.50	1.80	6.60	3.60	4.40	11.60	6.30	5.15	27.45
September ..	3.10	4.50	3.50	4.40	5.10	2.70	2.60	7.40	9.30	8.90	28.20
October ...	4.50	7.30	10.70	6.00	4.20	6.50	15.70	15.80	14.75	2.65	118.90
November ..	1.90	9.70	11.30	12.10	12.60	4.80	11.50	14.00	12.15	8.00	45.65
December ...	8.90	18.20	27.20	7.50	16.70	11.40	9.75	4.45	11.40	14.70	40.30
TOTALS ...	88.80	94.80	106.40 106.60	84.00	95.80 inf. D	75.40 D	96.85 D	76.25 D	96.35 D	72.85 D	342.30

1912. Aug. corrected by originals Jul. 14

C. 9.VII.14 Replaced with solid brass rim 8.00" scale.

Inspected C.S. I.VII.13 Copper float g. shallower rim. Fairly level ground, falling away to S. Open iron rails all round 4ft high + 4ft away. A good exposure but floor gauge - which will be replaced.

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

RAINFALL at GlenogleCounty of PerthObserver J. P. Sutherland Esq. C.E.River Basin Forth, Tilt 31926 G. Henshawwood Esq. C.E.

Copper Float Rain Gauge, by _____

Glasgow W.S.

Diameter ...	8			8									
Height	0 6			0 4									
Altitude ...	380			380									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.		Sums
January ...	14.80	17.80	9.90	11.80	9.70	10.70	17.60	14.60	22.10	3.30	17.15		49.45
February ...	17.35	2.90	10.60	12.20	2.30	8.80	9.95	5.60	11.40	3.20	1.45		86.25
March	9.75	16.20	3.95	5.60	1.10	3.75	2.80	7.30	14.00	1.70	6.80		78.35
April	4.00	2.40	4.50	7.10	5.60	9.70	4.00	7.00	5.60	2.00	3.05		54.95
May	11.10	7.55	8.70	3.80	7.80	11.90	5.30	4.30	1.75	7.25	3.85		73.30
June	3.55	1.00	3.60	2.75	5.00	2.40	5.40	7.25	7.80	5.30	4.30		48.35
July	5.60	6.90	7.50	8.50	10.80	3.55	4.65	5.80	7.20	6.95	3.75		71.20
August	6.50	8.10	6.30	11.80	7.15	7.00	2.10	8.40	9.50	10.05	8.55		91.45
September...	5.15	4.05	4.50	12.95	9.90	4.50	6.20	7.60	6.95	3.45	7.10		72.35
October	6.10	9.40	5.15	16.10	6.50	8.65	10.40	11.70	14.40	11.55	14.95		114.90
November...	11.60	4.70	6.20	7.20	2.55	1.95	14.20	10.15	13.80	15.40	10.25		103.70
December...	9.65	17.60	10.50	7.00	15.40	8.30	5.40	2.25	13.00	20.45	10.70		120.25
TOTALS...	105.15	95.60	81.30	104.80	90.30	81.20	100.00	91.95	127.20	90.60	91.40		1066.50
	d	d	d	d	d	d	d	d	d	d	d		

1920 Gauge inspected 1914.

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

RAINFALL at GlenyleCounty of Perth Observer G. Henshawood, C.E.River Basin S. North - Leith J. Cochrane 1885-1935

Type of Gauge

Annual Average 89.9 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B.M.N.

Diameter	8.											
Height	0.6											
Altitude	580.											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	SUMS	Means
January	8.00	20.20	11.70	17.20	5.10	8.55	16.45	18.30	6.90	3.00	115.40	
February	8.70	15	7.95	2.55	14.50	5.40	9.30	9.00	13.00	3.80	74.35	
March	1.40	4.75	7.05	5.95	4.05	5.95	3.60	10.60	7.60	7.90	59.15	
April	4.10	9.20	5.00	8.20	5.85	3.70	4.40	1.10	5.40	4.70	51.65	
May	7.20	4.60	3.95	5.70	75	3.05	4.00	5.30	1.80	1.90	38.25	
June	8.50	3.60	3.35	3.55	7.75	3.10	5.60	10.50	4.00	1.50	51.45	
July	4.00	7.35	6.00	4.50	3.10	9.25	6.60	7.60	10.00	4.30	65.70	
August	2.30	5.00	7.05	7.25	5.65	5.15	5.60	4.80	3.85	4.30	50.95	
September	2.95	6.95	2.35	12.40	12.30	5.70	7.80	8.80	5.60	6.20	70.05	
October	9.15	11.75	6.80	14.55	18.65	10.85	3.50	17.50	6.00	10.70	109.45	
November	15.30	9.95	4.75	2.20	8.70	6.45	1.90	16.20	15.00	13.10	92.55	
December	9.50	18.20	2.70	16.30	6.05	18.10	5.30	10.00	4.75	9.90	101.10	
TOTALS	84.40	100.70	68.65	100.35	92.45	85.25	44.05	119.70	83.90	71.30	881.05	
	2.	2	3d	d.	d.	d	d.	d	d	d		

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

BRITISH RAINFALL ORGANIZATION, EXHIBITION ROAD, LONDON, S.W.7.

Station No. 5522

RAINFALL at Glenogle

41

County of PerthObserver J. Cochrane Esq. C.E.River Basin 3-Forth-TaittJan. 1st 1942Type of Gauge SnowdonS.D. Canvin Esq. S.E. (1946)Annual Average 89.9 in. based on 25 years obs. unweighted. Period of average 1881-1915 Ref. B of N.

File No.

Diameter	8"				8 1/2"	9 1/8"				8"	
Height	0'6"					1				1'0"	
Altitude	380'					41				380'	
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	1.50	8.50	11.16	10.61	3.22	13.99	11.63	11.77	11.64	7.74	91.81
February	8.80	(335)	11.40	4.08	14.62	6.62	1.53	11.30	11.42	11.89	85.01
March	3.20	5.40	5.60	1.55	9.17	6.13	5.23	10.24	3.96	6.50	56.98
April	4.10	5.28	8.03	5.56	4.11	2.85	14.57	6.29	10.63	6.94	68.36
May	2.20	5.55	5.67	6.73	7.24	2.32	6.05	2.51	5.04	3.45	47.76
June	1.30	3.07	8.05	5.70	8.52	7.32	5.92	7.45	2.52	4.20	64.05
July	3.90	6.46	4.29	4.28	5.17	6.51	7.15	8.03	3.16	10.68	59.63
August	7.10	10.10	10.27	6.96	3.44	7.69	.00	11.43	7.78	10.06	74.83
September	3.40	11.41	7.60	6.75	10.00	11.26	10.02	10.92	4.59	14.14	93.12
October	8.60	12.38	20.52	9.18	8.51	.95	6.58	14.08	13.38	11.93	106.11
November	9.80	2.39	6.12	13.25	.87	11.38	15.27	7.51	9.96	6.92	83.47
December	6.10	17.47	5.67	12.75	10.65	10.63	4.04	14.98	17.54	3.23	103.06
TOTALS	61.00	91.36	104.38	87.40	85.52	87.45	88.04	116.51	101.62	100.71	924.19
	d	d	D	D	d	D	D	D	d	D	

1942 Feb. cond. for snow.
 1949. Pluviation 30 ft high 30 gals S.
 1942. Early '32 measurements made by inch to .05 in. flow measure since adopted.
 (See vol 2129 f201414/50.)

20004

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1949.			Aberfoyle.	15.6	S.	Invernaid	10.6	S.W.

BRITISH RAINFALL ORGANIZATION

Station No. 5822

RAINFALL at Glenagyle old site

51

County of Perth Observer J. D. Garvin Esq.

River Basin Forth-Tyrrh - 3

Type of Gauge Snowdon

Annual Average 89.9 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref B. & N.
91.77 - - - - - 1916-1950

1916-1950 File No. P

Diameter ...	8 1/2"				89 1	90 8					
Height ...	1' 0"					1					
Altitude ...	380'					5'					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	9.51	6.30	6.16	8.40	6.30	5.03	15.10	11.69			
February ...	6.63	3.02	5.04	8.66	4.19	2.27	8.80	#-100			
March ...	5.48	9.52	3.44	6.92	2.62	4.82	8.36				
April ...	8.15	4.28	5.74	4.24	6.38	5.54	3.92				
May ...	2.07	2.19	5.92	4.91	5.73	6.23	4.08				
June ...	4.08	7.56	2.44	5.65	4.40	5.37	3.33				
July ...	5.36	4.06	9.03	4.26	1.42	6.95	6.53				
August ...	8.88	6.93	5.95	8.14	1.64	7.25	6.76				
September ...	7.30	4.69	11.98	11.32	8.26	9.25	5.03				
October ...	3.39	9.48	8.22	15.86	8.03	6.32	9.23				
November ...	13.47	3.13	14.45	15.28	4.47	4.36	4.16				
December ...	14.81	8.39	11.10	17.45	14.60	14.13	14.17	-100			
TOTALS ...	89.13	69.55	89.47	111.09	67.84	74.25	89.47	-100			
	D	D	D	D	D	D	D	np inc			

1951 Plantation 30', 3049 3:
8.11.55 Inspected by R. Crampa: Gauge oversheltered: Suggest new gauge and move 30 yds. to ESE.
11.56 New gauge installed Delivery pipe missing:

1958 np inc.

1960 Terminated. Records no longer kept.

Position of Station on Ordnance One-Inch map: No. of Map..... National Grid Reference XY/388133

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
1951			Aberfoyle	15 mi SE	Inveraid	10 mi SW.

Summary of Earlier Records from 10-year Sheets:

1916-1950, P-accepted

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	✓ but n.p. 14 D 14-19	✓ ✓ d	✓ ✓ A but D 35	✓ ✓ but d 44, 45, 46, 47	

RAINFALL at

Glengyle new site

Station No. 55221

51

County of

Perth

Observer

S.D. Lawrie Esq. C.E.

River Basin

Type of Gauge

H.R. 11 A 3401/51

Annual Average in. based on years obs. un-weighted. Period of average Ref.

91 8"

File No.

Diameter ...			891	909		5"					
Height ...				1		1'					
Altitude ...				51		380					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...						-100	14.79	11.17	3.54	6.78	
February ...							8.71	(4.64)	4.57	8.81	
March ...							8.61	2.34	8.52	4.74	
April ...							4.16	4.40	6.20	10.35	
May ...							4.10	6.85	2.06	5.41	
June ...							3.29	4.57	4.72	3.80	
July ...							6.57	4.97	7.97	7.34	
August ...							6.84	9.31	4.18	4.63	
September ...							5.04	7.78	2.25	4.74	
October ...							9.31	(8.35)	10.89	5.84	
November ...						-100	4.21	3.24	10.57	12.15	
December ...						13.21	14.52	11.50	18.85	11.93	
TOTALS ...						-100 inc m.p.	90.15 D	79.17 D	84.32 D	86.52 D	

Ins 24.6.59 G. sound. Fairly steep slope down to level of trees to S. Exp. considered sat. despite steepish slope down to S.

20044

388/33

Position of Station on Ordnance One-Inch map:

No. of Map

National Grid Reference 27/90639

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60