

RAINFALL AT *Thames Ditton Leasing Wells* *Chelsea W. W.*

Observer.....*G. Lott*.....Rain { By.....*Castella*.....Gauge { Diameter.....*1.0*.....in. Height above Ground,.....*2*.....ft. Above Mean Sea Level.....*2.5*.....ft.*Survey of Thames. note.*

YEAR.....	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	MEANS.
January.....						.80	1.94	2.76	.88	.73	
February.....						1.29	.99	.13	1.91	1.35	
March.....						1.82	.68	1.14	1.51	1.16	
April.....						.31	2.62	1.60	3.41	2.12	
May.....						1.73	3.72	.59	2.34	2.59	
June.....						.85	1.24	2.40	1.30	2.92	
July.....						6.38	1.20	1.91	2.85	2.54	
August.....						1.27	3.25	3.01	1.78	1.68	
September.....						1.16	2.15	4.02	1.10	3.92	
October.....						5.65	2.22	4.53	1.54	3.85	
November.....						1.76	1.04	1.35	.52	3.11	
December.....						1.30	2.09	.64	1.86	2.22	
TOTALS.....						24.32	23.14	24.08	21.00	28.19	

g. in an open position, about 200 yds from the Bank of the river Thames"

Cond by return sent to F.C. Boyard.

RAINFALL AT *Thames Ditton, Leamington Wells* *Chelsea N.W.*

Observer *G. Lott*Rain { By *Casella*Gauge { Diameter *1.0* in.Height above Ground, *—* ft. *2* in.Above Mean Sea Level *22.5* ft.*5/ Thames-Mole.*

YEAR.....	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	MEANS.
January.....	2.34	.38	1.94	3.05	.89	3.18	3.73	4.80	4.40	2.46	27.17
February.....	1.06	1.70	.56	.42	1.14	2.14	4.87	1.83	1.27	2.51	17.50
March.....	1.99	2.28	4.14	.45	3.15	1.12	1.74	2.41	1.30	1.27	19.85
April.....	1.32	1.10	2.54	.67	1.06	.57	1.98	2.22	1.83	.96	14.26
May.....	2.66	1.33	4.30	1.40	1.85	3.56	2.34	2.12	1.18	3.03	23.77
June.....	5.72	2.64	2.41	4.63	1.44	3.04	3.80	2.01	.29	1.29	27.27
July.....	1.65	2.64	1.66	.93	.44	2.81	1.96	4.86	2.53	.74	20.22
August.....	3.75	.69	3.45	2.10	1.60	3.90	2.74	3.19	2.56	1.25	25.23
September.....	3.22	1.69	2.28	4.35	2.61	.35	3.48	1.80	1.92	3.97	25.67
October.....	1.70	.80	3.61	2.14	1.58	6.45	1.42	2.15	2.29	2.06	24.20
November.....	2.40	5.13	1.09	1.88	3.01	2.74	1.66	.20	1.01	2.11	21.23
December.....	2.16	1.33	1.70	1.35	.33	1.16	2.20	2.20	4.50	2.18	19.11
TOTALS.....	29.97	21.71	29.68	23.37	19.10	31.02	31.92	29.80	25.08	23.83	26.48

*G.:" in an open position, about 200 yds from the
Bank of the River Thames "*

RAINFALL AT Thames Ditton, Leasing Wells

Lat..... Lon..... County of..... Surrey.....

Rain Gauge, by..... Observer..... E. L. R.

5/ Thames. mile.

Diameter.....						10						
Height.....						2		61				
Altitude.....						25						
Year.....	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January.....	1.46	2.02	3.82	2.71	.96	3.45	.78	4.72	1.04	2.71	2.367	
February.....	1.52	.92	.88	1.85	1.32	1.05	1.68	1.89	.99	3.08	1.518	
March.....	1.87	1.12	1.58	1.62	.50	.73	2.63	1.95	1.04	.67	1.371	
April.....	.35	3.15	1.12	.66	1.55	1.99	2.03	3.00	3.48	2.75	2.008	
May.....	.61	.80	3.61	1.43	.54	1.09	.92	2.29	3.30	3.71	1.830	
June.....	.72	3.36	2.50	2.09	2.27	2.00	1.42	2.85	1.64	3.72	2.257	
July.....	.93	3.55	1.71	2.17	1.23	5.40	.49	2.99	2.56	3.20	2.423	
August.....	3.94	.76	1.11	2.04	1.45	.72	1.58	3.99	8.29	5.08	2.896	
September.....	2.16	3.98	1.22	2.35	2.24	1.44	2.39	.81	.80	2.75	2.014	
October.....	2.83	1.30	4.51	2.74	4.93	4.41	1.80	1.53	1.94	.73	2.672	
November.....	1.15	.40	2.30	2.01	1.61	3.81	2.29	5.72	3.03	.69	2.301	
December.....	2.46	1.16	3.60	.38	2.24	1.55	6.09	1.63	1.11	.54	2.076	
TOTALS.....	20.00	22.52	27.96	22.05	20.84	27.64	24.10	33.37	29.22	29.63	25.733	

1873 Different values were given by Mr. Dines but they are incorrect

RAINFALL AT *Seething Wells, Surrey*

80

Lat. _____

Lon. _____

County of _____

Rain Gauge, by _____

Observer _____

E. G. Lott, Esq.

5/1 Chances made.

R. Hack E.

Diameter	<i>10</i>	<i>10</i>						<i>11</i>	<i>10</i>		
Height	<i>6</i>	<i>6</i>						<i>4</i>	<i>6</i>		
Altitude	<i>25</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.59</i>	<i>1.67</i>	<i>1.04</i>	<i>1.93</i>	<i>1.78</i>	<i>.81</i>	<i>3.92</i>	<i>1.35</i>	<i>.71</i>	<i>.74</i>	<i>1.454</i>
February	<i>1.90</i>	<i>2.81</i>	<i>.94</i>	<i>3.21</i>	<i>1.32</i>	<i>2.32</i>	<i>.44</i>	<i>.51</i>	<i>.80</i>	<i>1.93</i>	<i>1.618</i>
March	<i>.31</i>	<i>1.83</i>	<i>1.29</i>	<i>.98</i>	<i>1.14</i>	<i>1.19</i>	<i>.91</i>	<i>1.13</i>	<i>2.18</i>	<i>1.43</i>	<i>1.239</i>
April	<i>2.24</i>	<i>.45</i>	<i>2.56</i>	<i>1.31</i>	<i>1.24</i>	<i>1.13</i>	<i>1.00</i>	<i>1.28</i>	<i>1.40</i>	<i>1.81</i>	<i>1.442</i>
May	<i>.13</i>	<i>1.26</i>	<i>1.17</i>	<i>1.87</i>	<i>.50</i>	<i>2.57</i>	<i>3.26</i>	<i>1.85</i>	<i>.83</i>	<i>3.38</i>	<i>1.682</i>
June	<i>2.52</i>	<i>1.23</i>	<i>2.48</i>	<i>1.09</i>	<i>1.55</i>	<i>1.29</i>	<i>.95</i>	<i>1.07</i>	<i>2.64</i>	<i>.78</i>	<i>1.560</i>
July	<i>4.62</i>	<i>1.70</i>	<i>1.51</i>	<i>2.63</i>	<i>1.60</i>	<i>.40</i>	<i>1.89</i>	<i>.97</i>	<i>5.24</i>	<i>2.27</i>	<i>2.288</i>
August	<i>.84</i>	<i>4.85</i>	<i>.79</i>	<i>.86</i>	<i>.65</i>	<i>1.12</i>	<i>.65</i>	<i>2.12</i>	<i>2.63</i>	<i>1.90</i>	<i>1.641</i>
September	<i>5.01</i>	<i>2.22</i>	<i>2.70</i>	<i>2.51</i>	<i>1.70</i>	<i>4.27</i>	<i>1.49</i>	<i>1.94</i>	<i>1.16</i>	<i>1.14</i>	<i>2.454</i>
October	<i>6.91</i>	<i>2.17</i>	<i>5.56</i>	<i>1.78</i>	<i>.97</i>	<i>3.01</i>	<i>1.82</i>	<i>1.41</i>	<i>1.29</i>	<i>3.91</i>	<i>2.883</i>
November	<i>1.80</i>	<i>1.62</i>	<i>2.24</i>	<i>2.66</i>	<i>.71</i>	<i>2.53</i>	<i>2.48</i>	<i>3.60</i>	<i>3.48</i>	<i>.59</i>	<i>2.171</i>
December	<i>2.99</i>	<i>1.93</i>	<i>1.93</i>	<i>.6</i>	<i>1.90</i>	<i>1.26</i>	<i>3.21</i>	<i>1.06</i>	<i>1.08</i>	<i>1.19</i>	<i>1.724</i>
TOTALS	<i>29.86</i>	<i>23.74</i>	<i>24.21</i>	<i>21.97</i>	<i>15.06</i>	<i>21.90</i>	<i>22.02</i>	<i>18.29</i>	<i>23.44</i>	<i>21.07</i>	<i>22.156</i>

1889 L Marks Church about 1 mile NE

Coal Shed 17 ft high 48 ft SE

Annual Average rejected from Survey as 1" does.

RAINFALL AT

Surbiton Seething Wells

Lat. _____

Lon. _____

County of _____

Surrey

Rain Gauge, by _____

Observer _____

R. Hack Esq. C.E.

St. James Mole

Diameter	10											
Height	6											
Altitude	25											
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January	2.15	1.82	.27	1.29	3.14	1.36	.45	1.96	.81	2.43	1.568	
February86	.00	1.04	2.32	1.39	.10	.14	2.01	1.13	2.40	1.139	
March	1.46	2.31	1.09	.17	.96	1.08	2.44	3.73	1.24	.44	1.192	
April	1.66	.98	.97	.03	1.83	1.37	.48	1.89	.94	2.44	1.259	
May	1.31	2.48	1.27	1.59	1.49	.47	.26	1.24	2.60	1.46	1.117	
June	2.65	1.55	2.34	1.20	2.00	.27	2.35	3.89	1.32	1.15	1.872	
July	3.82	3.24	1.80	2.38	3.51	4.38	1.42	1.03	.53	.34	2.245	
August	1.65	4.17	3.29	1.02	2.66	3.75	2.51	2.83	1.36	.46	2.370	
September....	.65	.98	2.25	1.02	1.25	.83	7.12	2.12	.43	2.57	1.922	
October94	5.14	3.40	3.70	4.81	2.58	2.62	.46	3.14	2.21	2.900	
November....	1.60	2.36	2.37	1.92	2.88	3.26	1.34	.94	2.64	4.21	2.317	
December70	2.74	1.08	2.13	1.80	1.34	3.47	2.33	2.41	1.27	1.927	
TOTALS . . .	19.45	27.77	21.17	18.77	27.67	20.79	24.60	24.43	18.55	21.38	22.458	

1890 1 Marks Church 1 Mile NE

Coal Shed 17 ft high 48 ft SE

Annual Average rejected from London Survey as 1' low.

RAINFALL AT

Surbiton Seething Wells

#7 Ruster

Lat.

Lon.

County of

Surrey East

Snowdon Rain Gauge, by Guller N. 55.0.9

Observer

R. Hack Egg Ch.

Head

5/ Thomas. Mole.

H.E.H. Wrench Egg Ch.

not water bound

Diameter ..	10				5						
Height	0 6				0 10						
Altitude ..	34				34						
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..	2.76	1.09	.68	2.34	2.70	1.02	3.59	.70	1.66	.80	1.734
February ..	4.00	1.11	.69	.94	2.36	.69	1.59	1.47	1.12	.42	1.439
March96	2.04	1.54	2.32	1.38	3.60	1.10	.74	2.58	2.64	1.890
April67	1.84	.65	1.57	.85	1.35	.41	3.40	2.36	1.57	1.467
May80	.34	2.11	1.71	2.26	.64	1.21	1.63	1.47	1.64	1.381
June	2.38	1.43	3.82	6.64	.80	4.40	2.49	1.69	2.65	3.72	3.002
July	1.26	1.48	1.18	4.05	1.65	.69	.61	1.32	2.52	3.45	1.821
August	2.86	1.92	3.00	4.09	1.82	2.76	.79	2.16	3.16	1.60	2.416
September ..	.54	1.24	2.47	3.21	1.08	1.71	1.81	.46	1.53	2.41	1.646
October	1.66	1.53	1.28	5.13	1.61	1.24	3.72	3.37	1.94	3.58	2.506
November ..	1.73	.41	1.78	1.71	1.48	3.06	3.64	2.10	.63	.88	1.743
December ..	2.02	3.15	1.22	1.43	2.35	.64	1.89	2.89	1.67	2.52	1.978
TOTALS ..	21.64	17.58	20.42	35.14	20.34	21.80	22.85	21.93	23.29	25.23	23.022

1900 St Marks Church 1 mile N.E.

Shed 17 ft high 48 ft S E

1904 New Snowdon Gauge erected early in the year. old g. broken

1906 Surbiton Station 3/4 mile N.E.

Coal Shed 17 ft. high 48 ft S E

Annual average rejected from London Survey as 1" low.

+ Inspected 27.7.06 H.R.M. g. at 9 in. on open gravel in yard. Recor. raising 1/2

RAINFALL at Surbiton Seething WellsCounty of SurreyObserver Met. Water Board
#214 ChurchRiver Basin Thames - Mole 5Surbiton Rain Gauge, by Wassell 8509.

Diameter ...	5											
Height	0	10										
Altitude ...	34	7										
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	Sums
January ...	1.71	1.10	2.14	2.87	.55	4.21	.85	.85	2.66	3.08	2.102	7.44
February ...	2.85	1.11	1.55	.84	2.53	3.23	3.29	.75	.82	1.88	1.915	6.74
March	1.09	1.46	2.67	2.53	4.27	.61	3.66	1.46	.78	3.07	2.160	8.97
April	1.08	1.89	.05	2.61	1.03	1.38	1.21	1.79	2.67	2.72	1.643	8.39
May	1.59	2.24	1.27	1.75	1.21	2.79	1.90	2.45	1.67	.13	1.700	6.15
June	2.53	2.12	2.73	.24	2.10	.93	1.75	2.80	.74	1.31	1.825	6.60
July	2.76	.76	1.53	2.14	2.04	4.62	1.99	5.00	5.65	2.42	2.891	15.06
August	2.38	.89	5.15	1.82	2.06	1.86	3.60	3.85	.95	2.28	2.434	10.88
September ..	1.08	1.08	2.45	2.12	.83	1.89	1.41	1.72	5.12	1.44	1.914	9.69
October ...	2.62	2.59	2.26	3.82	1.31	2.41	3.29	2.72	1.01	.74	2.277	7.76
November ..	2.73	3.30	1.84	2.16	2.92	1.56	3.71	.89	2.09	1.33	2.253	8.02
December ...	3.41	4.93	2.71	1.06	6.52	4.36	1.99	.84	1.99	3.84	3.165	8.66
TOTALS ...	25.83	23.47	28.35	23.96	27.67	29.85	28.65	25.12	26.15	24.24	26.329	
	D	D	D	D	D	D	D	D	D	D		

1910 Coal Shed 17 ft high 48 ft SE

104.16 ✓

104.16

Annual average injected from London during 201° days.

+ Inspected 27.viii.06 H.A.M. g. all at 9½" recommended 15 ft. In yard on open gravel.

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
1910			Surbiton	¾ mile	NE	St Marks	1 mile	NE

RAINFALL at Surbiton Seething WellsCounty of SurreyObserver Metropolitan Water Board
H. E. H. HinchRiver Basin Thames-Mole 5-Cue Snoddon Rain Gauge, by N 4 1/2 W5.00
5.00
5.00

(2)

New gauge January 1924.

Cone measure 464 g (200) 16
glass correct (22)

Diameter ...	5"											5	
Height	0.10	Inspection 8				1	0					10"	
Altitude ...	34											34'	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	Means 1920		Means
23.92	January ...	2.12	2.02	2.47	1.25	2.63	1.74	2.52	1.73	3.36	1.10	2.98	2.17
18.28	February52	.30	1.93	3.13	.52	3.51	2.23	3.87	1.48	.52	.47	1.66
13.52	March	1.24	1.08	1.56	2.04	.91	.46	.23	2.85	1.61	.08	1.49	1.23
21.79	April	2.82	.81	2.57	1.60	3.65	1.93	3.06	1.79	1.42	.93	1.21	1.98
20.20	May69	1.35	1.01	2.46	2.94	1.82	1.52	1.20	2.77	1.80	3.14	1.84
18.29	June	1.93	.23	1.00	.30	2.47	.07	3.76	3.02	2.47	.93	2.11	1.66
28.50	July	4.43	.05	2.98	3.54	3.20	3.84	1.85	3.61	2.21	1.01	1.78	2.59
24.00	August	1.54	1.07	2.42	1.81	2.66	2.11	1.22	3.97	2.40	2.14	2.66	2.18
22.18	September...	2.82	1.58	1.53	1.27	3.34	2.26	1.03	4.45	.49	.18	2.93	2.02
26.06	October.....	1.72	.89	.86	5.46	3.50	2.26	2.54	1.07	4.17	2.89	1.00	2.37
30.04	November...	1.25	1.98	1.36	1.38	2.64	1.72	5.13	2.93	1.56	5.81	4.28	2.73
27.35	December...	1.88	1.09	3.54	2.06	2.72	2.66	.32	3.61	2.28	5.41	1.78	2.49
276.13	TOTALS...	22.96	12.45	23.23	26.30	31.18	24.38	25.44	34.10	26.52	21.77	25.83	24.92
		D	D	D	D	D	D	D	D	D	D	D	D

1920. Coal Shed 17 ft high 28 ft 8 in E NNE

Inspected CB. 28.6.22

Building 40 ft long 30 ft N

1930. Proprietor

15.1.31

1930. G. read in winter

9 a.m. in summer 10 a.m. when it is perfectly open.

Coal shed 17'

Inspected 27.10.22. No. 2 gauge, in site selected by Mr. Salt, in vegetable garden, 5 m. to being sheltered by vegetable is considerable. No. 1 gauge is taken in old site & both gauges agree well. Inspected to find out if there is any shelter around and if so, to find out if building is such as to shelter and to remove it. It is not read for the gauge. There was in case of No. 2 g. gauge had slightly - others than this had only occurred about 1920.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series

No. of Map

Reference No.

P. T. O.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Surbiton	3/4 mi	N.E.	St. Mark's	1 mi	N.E.
1920 Annual Average recorded 1924-1929 for London Survey = 24.1								
Previous record 1" less.								

RAINFALL at Surbiton (Seething Wells)County of SurreyObserver Met. Water Board.River Basin Thames - MoleType of Gauge Standard

24.5

15

Annual Average 24.5 in. based on 15 years obs. un-weighted. Period of average 1881-1915 Ref. J.W.S.

83171/31

Diameter	5											
Height	0 10											
Altitude	34											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January	1.20	1.64	1.39	1.75	1.06	3.79	4.04	2.15	4.09	2.42	2353	
February	1.65	2.0	2.81	0.31	2.50	1.82	4.04	3.4	1.04	1.45	1616	
March	1.24	1.52	2.24	2.17	2.27	1.19	2.30	2.4	0.91	3.36	1494	
April	3.93	2.40	6.2	2.61	2.17	1.89	2.05	0.7	2.38	1.74	2086	
May	2.55	4.51	2.59	0.52	1.29	0.74	2.32	1.36	1.38	1.12	1838	
June	1.69	0.91	1.40	1.01	1.14	2.77	2.21	0.55	1.41	0.82	1691	
July	2.96	2.50	1.93	2.65	1.04	2.97	0.85	1.12	2.50	2.85	2136	
August	6.23	0.41	0.64	1.81	2.45	0.75	3.15	2.19	2.36	0.12	2041	
September	2.08	2.05	2.48	1.38	3.02	2.42	2.32	1.68	0.88	1.25	1956	
October	0.64	5.09	1.51	1.27	2.70	2.23	2.63	2.19	5.47	2.18	2591	
November	2.34	1.08	0.84	2.23	4.62	3.09	1.30	3.79	4.26	6.84	3039	
December	0.59	0.46	0.56	5.31	2.41	2.24	4.07	3.34	1.04	1.10	2112	
TOTALS	26.09	23.07	19.01	23.02	28.67	25.90	31.78	19.02	27.72	25.25	24453	KM.

1932. Goal shed. 14' high 90' N.N.E.
 Insp. 6/1/35: Standard G. with milk bottle, a better bottle to be obtained. Camden measure. Excellent exposure.
 1940 Jan. adj. for snow.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
 1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931.			Surbiton	$\frac{3}{4}$ m.	N.E.	St. Marks	1 ml	N.E.

Station No. 147.M.T.P.RAINFALL at Burlington (Beetham Wells)

41

County of Swansea Observer Met. Water BoardRiver Basin Thomas Moore & Co.Type of Gauge SnowdonAnnual Average 24.5 in. based on 15 years obs. ~~un~~-weighted. Period of average 1881-1915 Ref. I.V.N.S.File No. 83171/31

Diameter	5"										
Height	0' 10"										
Altitude	34'										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	2.38	2.72	4.81	1.37	1.74	1.51	1.56	3.04	1.24	.87	21.24
February	1.92	.64	1.77	.66	1.39	2.27	1.40	1.16	.95	3.56	8.72
March	3.39	1.81	.30	.08	1.01	1.12	4.92	.63	1.00	.71	14.97
April	1.53	1.02	.74	1.59	1.25	2.73	1.71	1.34	1.85	2.95	16.71
May	1.59	2.96	1.79	.79	1.94	3.35	1.51	1.95	2.50	1.80	20.18
June	2.14	.55	1.27	2.17	1.61	2.56	2.83	1.90	.70	1.52	17.25
July	3.57	1.78	1.76	1.93	3.44	1.76	2.13	.97	1.47	3.54	20.35
August	4.74	2.15	1.16	3.07	1.88	4.26	.69	3.38	1.47	1.89	24.19
September	.31	1.13	2.11	2.25	1.78	3.57	1.25	1.05	.53	2.74	16.72
October	.83	3.62	2.68	2.71	2.46	1.18	.19	2.07	4.98	.36	21.08
November	2.62	2.03	1.33	3.79	.31	3.41	1.15	1.51	2.28	5.41	23.79
December	1.71	2.40	1.47	1.47	2.91	2.42	2.59	2.99	1.40	1.87	21.23
TOTALS	26.73	22.81	21.19	21.88	21.22	30.14	21.93	21.99	20.32	27.22	235.43

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

Station No. 147 MV

TF86

RAINFALL at SURBITON (SERRING WELLS)

51

County of SURREY

Observer MET. WATER. APPAR.

River Basin 5 THAMES, MOORE & C.

Type of Gauge. STANDARD M.O. M.A.I.

Annual Average. 24.5 in. based on 15 years obs. un-weighted. Period of average 1881-1915 Ref. 1.2.5

24.66 " " 35 " " 1916-1950

File No. 1916-1950 E 3466/16

Diameter ...	5"	2 3/8	1 1/3			5"					
Height ...	0' 10"		1	1' 1"				1' 1"			
Altitude ...	34'		51			37'					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	3.51	1.25	1.12	1.09	2.49	3.47	1.32	1.62	2.12	1.91	19.50
February ...	5.81	.89	1.16	2.12	1.51	.26	2.75	1.94	.05	1.45	18.94
March ...	3.20	2.74	.41	2.15	1.01	.50	.70	1.23	1.90	1.51	15.35
April ...	2.69	1.42	1.95	.34	.27	.97	.22	0.98	1.64	0.52	11.00
May ...	2.05	1.92	1.41	2.78	3.82	.18	1.25	2.30	1.08	1.74	18.23
June74	2.36	1.21	4.73	2.05	1.51	.71	4.13	.50	1.47	19.41
July ...	1.26	.50	3.96	2.81	.51	4.52	2.74	2.09	2.16	2.63	23.18
August ...	2.95	3.16	1.43	2.69	1.38	2.22	3.68	3.68	1.98	3.84	27.01
September ...	2.74	3.26	2.47	2.25	1.59	1.82	2.22	3.61	.01	2.44	22.41
October74	2.44	3.11	2.04	2.71	1.52	1.56	2.24	1.87	5.72	23.95
November ...	5.89	2.92	1.12	3.97	.80	.44	2.47	1.64	2.63	3.43	25.31
December ...	2.42	2.16	.63	1.93	1.93	2.70	1.68	2.46	3.14	2.44	21.49
TOTALS ...	34.00	25.62	19.98	28.90	20.07	20.11	21.30	27.92	19.08	29.10	242.78
	D	D	D	D	D	D	D	D	D	D	W.M.

Inv. 5124. Q. sound. Trellis 8' high 8' distant 330°. To be kept free of vegetation.
 Re-sited 2.1.56. 495' at 193° from original position letter 7.2.56. Site appears satisfactory. (X) G.D.
 1957. MAY 1957 J.O.N. Slightly over-exposed SW-SE
 Inspected 6.10.60 by W.H. White. o/c SE-SW otherwise satisfactory

Position of Station on Ordnance One-Inch map :

No. of Map. 17.0

National Grid Reference 51/172674

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge.	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

1916-1950, P-accepted

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
c. Jan 1885	✓	✓	✓	✓	
	✓	✓	✓	✓	