

424885

Myriad St John,

RAINFALL AT

Lake Gwynn, Gloucestershire

Lat.

Lon.

County of

Montgomery

Rain Gauge, by

Observer

J. Parry Esq. C.E.

Series - 5.

Diameter.....											8	
Height.....											10	
Altitude.....	1667										1667	
Year.....	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January.....												
February.....												
March.....												
April.....												
May.....												
June.....												
July.....												
August.....												
September.....												
October.....												
November.....												
December.....												
TOTALS.....											7214	

Recd. 1904. Pmt. 30. x. 08

MET. OR. RAINMASTER
RETROSPECTIVE SURV. REVIEWHYD. SURV.
EXAMINER

424885

NGR: SH(23) 971201

ALT: 1667 ft = 508

metres. Date of review:

11/7/79

424885

RAINFALL AT Lake Tynny. Huestown no. 1

Lat.

Lon.

County of MontgomerySevern 5 Rain Gauge, byObserver J. Parry Esq. C.E.

Diameter	8												
Height	10												
Altitude	1664												
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.		
January													
February													
March													
April													
May													
June													
July													
August													
September....													
October													
November													
December													
TOTALS	46.22	48.75	41.84	46.40	41.64	46.45	45.36	54.04	66.04	54.69			

Recd 1904 Mr. 30 x 1.08MET. O. S. RAINMASTER
RETROSPECTIVE 2nd REV.

424885

NGR: 514(23) 911201PMT: 1667 ft = 508 inches. Date of review: 11/7/79

424825

RAINFALL AT

Hyadd St John

Lake Wynbury

Huntingdon No. 1 Not

Lat.

Lon.

County of

Montgomery

Rain Gauge, by

Observer

J. Barry Esq. Ch.

Series - 5.

Diameter	8											
Height	10											
Altitude	1,667											
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January												
February												
March												
April												
May												
June												
July												
August												
September												
October												
November												
December												
TOTALS ..	68.13	85.13	54.30	58.36	83.95	63.53	61.39	74.32	82.98	69.76		

Recd. 1904 Ent. 30X1.08

MET. OBS. BARNMASTER

RETROSPECTIVE REVIEW

424885

NGR: 5H(23) 971201

ALT: 1667 ft = 508 metres. Date of review: 11/7/79

Hyd 67

424885

RAINFALL AT Lake Tynny Limestone No 1

Lat.

Lon.

County of

Montgomery

Rain Gauge, by

Observer

J. P. Perry Esq. C. E.

Seven, L. bank - 5.

Diameter ..				3			8				
Height							10				
Altitude ..				1667							
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..	8.39	6.26	7.95	13.69	8.84	5.21	11.22	2.32	7.68	4.97	7.653
February ..	9.55	2.58	2.41	10.51	9.93	4.27	6.02	4.59	5.10	1.56	5.652
March	1.34	7.56	4.29	12.87	3.24	9.68	7.30	4.57	6.24	4.87	6.196
April	4.04	7.17	2.40	2.33	6.75	4.57	1.64	3.44	4.87	6.26	4.347
May	4.40	1.53	5.46	5.72	3.92	3.19	6.27	4.22	4.93	2.63	4.227
June	6.52	3.72	4.78	1.49	3.28	4.24	2.53	9.37	4.57	3.64	4.414
July	3.14	3.56	3.19	5.23	3.28	3.48	2.17	5.56	6.16	5.60	4.137
August	9.27	6.20	5.76	11.45	8.31	7.86	6.90	7.12	5.30	3.43	7.160
September ..	3.16	3.43	3.60	9.29	3.06	4.12	1.80	1.14	6.99	4.62	4.121
October	9.87	5.58	7.05	20.01	5.01	5.05	10.23	11.13	3.26	11.60	8.879
November ..	7.57	8.31	5.08	6.42	4.02	7.57	6.06	4.60	6.46	3.72	5.981
December ..	12.16	11.09	9.05	6.87	9.35	3.25	7.18	9.58	7.42	9.75	8.570
TOTALS ..	79.41	66.99	61.02	105.88	68.99	62.49	69.32	67.64	68.98	62.65	71.33

1900-1902. Recd XII. 08.

Entered IX. 09.

MET. O. S. RAINFALL
RETROSPECTIVE

424885

NO. 54(23) 571201

ALT: 1667 ft. 508 meters Date of review 11/1/10

424885

10 4263

RAINFALL at

Myndd St John

Lake Yrnyw Lluestwon No 1

County of MontgomeryObserver J. Parry, C.E.River Basin Severn - Left Bank Tributaries 5J.R. Davidson, C.E.

Rain Gauge, by

Diameter ...	8										
Height	10										
Altitude ...	1667	本									
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...	7.58	3.53	5.60	7.80	9.14	8.38	9.93	1.79	6.52	7.15	
February ...	7.68	7.76	5.60	4.43	8.11	8.54	6.42	1.42	10.64	3.39	
March	2.58	3.08	10.40	9.67	8.77	1.94	2.38	3.38	2.96	8.17	
April	5.23	4.52	.66	7.96	2.78	2.81	5.46	1.54	2.07	4.37	
May	3.01	2.65	2.68	4.17	4.57	3.44	4.80	3.82	4.38	1.65	
June	4.47	5.19	7.70	5.88	2.63	.88	3.97	3.63	2.74	3.37	
July	5.20	.99	7.00	.96	5.31	6.01	3.94	3.38	7.15	1.73	
August	8.66	5.91	9.47	3.64	6.51	4.90	4.25	11.68	3.84	5.36	
September ..	.59	6.14	2.08	4.30	3.59	1.77	4.07	3.62	15.99	4.91	
October ...	6.03	6.54	8.34	6.02	2.71	3.72	16.46	10.05	7.76	3.64	
November ..	7.07	9.82	6.39	9.37	10.01	3.81	7.18	6.55	5.43	4.68	
December ...	10.96	9.50	12.80	5.29	12.13	14.39	5.40	2.12	14.66	13.77	
TOTALS ...	68.96	65.63	78.72	69.49	76.26	60.59	74.26	52.98	84.14	62.19	69.322

MET. OBS. RAINFALL
RETROSPECTIVE

424885

NGR: S4(23) 57/201

E.M. 1667 ft = 508

Revised Date of report: 11/7/19

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

Myrtle St. John,

RAINFALL at Lake Vermorel, Lucerne, No 1

County of Marion

Observer ^{Ch} J. R. Davidson, Esq. C.E.

River Basin Severn - 5

Rain Gauge, by

Diameter ...	METEOR SAUNDERS											
Height	RESPONSE ...											
Altitude ...	NGR: 54(23) 971201											
Year	ALT: 1667 ft = 508 metres. Date of review: 1/7/13											
	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	
January ...	11.62	12.12	6.16	6.36	6.57	9.80	10.78	8.31	15.70	3.34	10.42	
February ...	8.96	.36	9.95	14.47	1.04	10.99	8.08	5.07	11.49	1.01	1.12	
March	6.51	8.41	5.49	4.21	3.48	2.10	2.81	7.02	4.71	1.47	3.44	
April	10.53	1.77	3.81	5.63	5.76	4.14	3.47	3.79	3.41	1.99	4.44	
May	7.55	3.49	2.27	6.17	9.50	8.53	4.65	2.90	1.23	3.92	3.64	
June	4.06	.43	3.66	2.41	4.15	.07	3.81	8.23	8.24	4.20	3.72	
July	11.24	5.07	7.88	5.18	8.31	2.17	5.84	4.72	3.51	4.49	6.02	
August	3.79	7.58	5.14	9.90	8.21	5.48	7.02	12.83	8.26	7.71	7.66	
September...	3.87	2.78	5.86	7.61	8.46	5.58	4.40	7.98	2.15	2.80	7.98	
October	4.02	5.11	2.75	13.77	8.91	9.47	6.61	10.94	11.24	9.29	11.29	
November...	5.15	4.13	3.72	6.90	6.09	3.54	11.97	9.92	17.07	17.92	10.66	
December...	8.89	13.19	9.63	7.41	10.43	8.89	1.75	3.89	6.55	16.26	9.04	
TOTALS...	86.19	64.44	66.32	90.02	80.91	70.76	71.19	85.65	93.56	74.40	79.43	

Inspected 25. 2.3.16. 21 S. on open wood rather exposed to SW on windward side of hill; - W drops gradually at first.
S flint then fall away
SW slight slope then west fall
N + E slight shelter by rising ground.

Suggest moving to very slight hollow 75 yds N to a place markedly a stone giving shelter on SW + N + much better position alttho possibly not ideal.

Position of Station on reduced Ordnance Survey } No. of Map
 Map, 2 miles to 1 inch Series

Reference No. _____

[illegible]

RAINFALL at Lake Ognywy, Ebbw Vale No 1County of MontgomeryObserver Col. J. R. Davidson, G.E.River Basin S. Severn - L. E. B. R.Lt. Col. F. Hilbert G.E.

Type of Gauge.....

Annual Average 71.0 in. based on 35 years obs. un-weighted. Period of average 1887-1915 Ref. I.W. 9

660 603/26

Diameter	8										
Height	1.0										
Altitude	1667										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	6.95	12.61	7.65	10.15	2.22	8.77	9.57	13.78	12.25	3.44	8739
February	8.03	.15	8.44	.53	13.74	2.15	11.01	4.00	7.53	6.06	6164
March	1.18	5.00	4.71	5.40	2.65	7.02	4.20	2.72	4.40	5.33	4261
April	5.96	10.66	2.28	4.20	6.62	2.76	4.24	.38	3.81	4.70	4561
May	7.52	5.49	1.71	4.53	1.46	2.14	2.34	4.73	1.46	2.68	3406
June	5.96	1.72	3.77	3.77	6.66	7.19	4.17	7.98	4.77	1.16	4715
July	5.17	6.52	5.25	1.51	2.74	9.57	3.74	6.75	12.25	4.97	5847
August	6.89	2.53	1.82	6.62	1.83	2.78	2.52	6.09	3.15	1.49	3572
September	4.14	8.69	1.36	6.47	12.07	7.65	2.78	2.75	1.32	5.36	5359
October	3.11	12.78	7.51	8.86	12.22	6.46	4.24	15.46	4.01	11.26	8501
November	13.93	8.36	2.07	2.75	8.58	8.59	2.98	11.59	17.85	16.72	9345
December	5.56	5.91	1.62	14.44	4.34	9.40	6.45	7.12	7.28	6.95	6907
TOTALS	74.40	804.2	48.19	69.23	75.13	74.48	58.24	83.35	80.11	71.12	71467

1931. Nov. 10. Depth in g. at 9.15 am. = 6.81 in.

1933. Aug. 1st. New Gauge taken fixed.

Annual average of 71.03 adopted with effect from 12.1.40

+ Amended 23/6/1973

68 97

MET. O.S. RAINMASTER

RETROSPECTIVE

NGR: 54(23) 97120

ALT: 1667 ft = 508

metres. Date of 11/7/79

424885

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge

424885

RAINFALL at 11 * Mydd St John Station No. T.F. 4263 41
11th Mydd St John Westbury, Wilts.
 County of Wiltshire Observer H. C. F. Hibbert
 River Basin 5 - Severn - left Bank
 Type of Gauge

Annual Average 7.0 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. 1.W.S.

File No. 660.603.2/62285/45

Diameter	8											
Height	10											
Altitude	1667											
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January	(400)	9.63	11.72	11.92	(7.00)	12.25	7.75	18.68	6.12			
February	7.55	2.35	7.05	3.74	13.58	13.58	2.38	7.88	4.21			
March	5.36	4.50	2.75	1.09	4.14	3.41	13.91	5.07	2.68			
April	2.85	4.97	3.38	3.18	4.80	1.82	7.13	3.64	8.44			
May	5.43	6.99	7.45	4.14	5.79	2.62	4.12	3.54	5.66			
June	1.86	.82	8.64	5.13	8.44	7.80	4.93	8.97	2.09			
July	3.41	6.39	4.97	4.80	3.67	3.91	4.80	4.24	2.93			
August	8.94	6.74	9.44	3.64	5.50	9.97	.86	9.70	4.44			
September	2.04	5.45	8.01	7.98	6.12	10.86	3.84	5.93	2.68			
October	8.61	8.31	7.05	11.06	9.07	3.21	2.18	4.34	10.83			
November	5.13	1.14	5.96	12.25	.82	12.51	10.70	5.83	10.18			
December	7.28	7.61	4.30	8.28	9.11	8.71	7.45	8.51	14.40			
TOTALS	61.66	64.90	80.72	77.21	78.04	90.65	70.05	86.33	74.61			
	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.			

1941 Jan. edit. by MO3.

1941 n.p. low

1940-43 n.p. low.

1943 New g. on new site see 6263/8

1945 n.p. low.

The head will not be sent to MO3, after end of 1946. Inquiries will continue to keep it as a check.

1946 n.p. low.

1947 n.p. check

1948 n.p. check.

1949 n.p. check. 1950 site ceased.

11 site overexposed.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series } No. of Map Reference No. W.T.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.