RAINFALL AT Wrene ham Packeaddle Mes.

Int. 53° 1'7" N Int. 3° 2'5" W. County of Den bigh.

Rain Gauge, by Passella Observer F. Ifor

Nes 1

5-1.									ARTER STATE		-
Diameter									5		
Height									9		
Altitude									370*		
Year	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS,
January						(3-04)	Link		1282	1.12	
February										2.63	
March										1.87	
April										365	
May										1.75	
June										6.57	
July										4:43	
August										5.78	
September										2.48	
October						(5.48)	(3:45)		4.77	1.25	
November										1.15	
December						(104)	(5.70)	(1.96	3.17	1.37	
Torals	(2670)	(2850)	(52-00)	(26.72)	(29.50)	3418	38.10	(36.93)	36.68	31:05	

1878 Nedge + a few trees about 100 yor distant

1879 Weekam church 2'z miles N.E. & E

Gange on Reservir Bank.

Jan 1875 - may 18 sought estimated by taking 91% of the land an totale 1870-78 - computed from Plas Brown 8/20.

0 39

RAINFALL AT

Lat.

County of Deubigh 0 8 Woodford Eng

Perry coe

Dec -1.								V			/
Diameter							5				
Height								1.0			
Altitude							732		660T		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEAN
January								2.32	1.06	-91	
February								.69	104	1.92	
March								1.47	1.09	2.17	
April May							#8.28	2.01	1.65	2.98	
June							1.51	1.27	3.22	.39	
July							2.67	2.01	3.22	3.02	
August							1.27	3.45	3.67-	3.55	
September							3.09	2.93	1.9/4	1.91	
October							5 18	3.84	3.67- -84 -67 1.9/4 2.04 6.30	3.80	
November											
December ,							4.77		2.78		
TOTALS								25.90	31.19	30.46	

1889 Ruabon Charch 2/2 miles NW 1888 Corrected for wrong day (inreduik). Feb. 1911.

RAINFALL AT Mucham Pack Saddle Rev. Lat. 53° 1' 7° N Lon. 3° 2' 5'W County of Dentigh Rain Gauge, by Observer F. M. Store Esa

Dec 21.											
Diameter	58										
Height	0.9										
Altitude											
Year	1	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	25	.61	2.27	11:04	3.43	1:10	3.86	2.711	1.27	.78	2.131.
February											
March											
April											2.073
May											
June										-70	
July									5.88	2.67	3-170
August									3.03	2000 MIN	2:274
					1.80				1.02		2.327
					1.26					404	4.063
					2:57					2.13	3.366
					2.61					2-42	3.158
TOTALS	39.83	31.61	36.88	30.78	27:50	30:22	37.62	24.98	30.67	31.02	32:111

1880. Wrecham

2½ miles N.E. by E.

RAINFALL AT Wrencham Sact Saddle Reservon

Lat.		Rain (lauge, by	Lon.				Den 7 Sto			
Dec -1.				,							
Diameter	5										
Height	09										
Altitude	370 木										
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Means.
January	5.36	1.75	2.46	1.58	2.66	3.89	.90	2.43	1.08	4.52	2.663
February											1.763
March											1.900
April	1.46	247	1.21	.90	1.75	2.39	1:40	2.37	2.09	2.79	1-883
May											2.845
June	2.43	5.39	2:50	1.66	2.12	2.94	2.74	3.32	1.61	3.02	2.773
July											2332
August					1						2 814
September											2 386
October											3 840
November	7.54	3.03	2.02	1.95	2.85	5.46	1.39	3.19	1.80	2.26	3-149
December											3.034
Totals	32.74	39.30	3036	26.26	29.55	32.29	28.88	29.81	29.41	30.22	30.882

1880 -

RAINFALL AT Wresham Pack Saddle Reserver

Lat. Lon. County of Derbright

Rain Gauge, by Observer F. Storn Eng St.

Diameter . 5

Diameter	5										
Height	09										
Altitude											
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January	3.34	3.19	1.70	4.17	3.50	1.19	4.49	1.42	2.23	2-4-1	2:764
February										1.53	
March	1.33	3.33	1-47	6.58	1.69	3.71	1.63	2.04	4.17	2.53	2:848
April	2.13	2.48	2.28	1.93	1.23	2.60	. 82	1.67	3.49	2.57	2:12:0
May		1.33	3.61	4.40	1.89	.80	2.50	2.97	3-13	1.10	2374
June	1.51	2.29								4.15	
July	1.73	3.94	1.56	2.88	1.69	3.40	1.13	2.25	3 · 32	2.55	2:445
August	6.79	2.42	3.44	5.14	5.11	4.56	2.43	2.87	3.23	2.63	3.862
September	. 56	.90	1.70	4.77	1.31	1.41	.99	1.01	5.04	2.95	2:064
October	4.21	3.20	4.53	9.03	1.49	2.17	6.30	6.75	2.69	4.31	4468
November	3.23									.71	
December	3.37	5.23	2.93	2.48	2.40	. 84	4.29	2.93	2.59	5.80	3:286
TOTALS	34.52	32.93	28-85	48-27	27.01	27.84	31-54	32.61	37.48	33.24	33-429

RAINFALL at Vrescham Fack Saddle Rev

County of Denbigh	Observer 7 Ston Eng C.E.
River Basin Dec 1	
Rain Gauge, by	

Diameter	5										
Height	0.9										
Altitude	370 TK										
Year	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January	2.46	.60	3.92	4.13	1.43	3.85	1.40	2-38	2.31	2.91	2539
February			The state of the s	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM					2.76	2.52	2519
March	1.05	1.10	4.08	4.30	3.06	1.12	3.55	3-24		6.14	The second second
April	2.48								2.22	285	2035
May									3.50	1.18	2468
June	2.40	2:24	4.45	1.65	2.47	.91	2:03	2.05	1.98	1.68	2186
July					THE PROPERTY.	THE PARTY OF THE P			3.32	1.69	2397
August						The state of the s		7		3.38	San Property and
September								1.07	7.19	2.33	2257
October	3.37	2:84	3.58	3.63	1.34	1.98	5.45	5.92	1.84	4.83	3478
November										2.10	3660
December									459	6.64	4327
TOTALS	36.41	26.33	35.29	31.77	32.79	33.04	35:38	35.10	35-91	38.25	34027

Date.	Lat. N.	Long-	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

16

Rain Gauge, by_

4-290

RAINFALL at Weetham, (Back Saddle Kesenvir)

Country of Dealith Observer & Horry Egg, 68.
River Basin De - / Dealing water Con.

Diameter	5									200	
Height	0.9										
Altitude	370					376					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MBANE 1930
January	4.19	3.61	4.16	2.39	2.85	3.15	3.62	3.75	4.98	1.72	4.80
February	256	-86	4.03	6.36	. 65	5.59	2.38	2.26	2.85	.90	1.22
March	4.83	1.77	2.47	1.52	1.52	1.14	- 79	3.28	2.92	. 10	3.51
April	5.56	1.12	2.90		2.16						3.44
May	3.96	1.21	.56		6.29		7.00		,	1.47	2.42
June	3.35	- 25	1.07	. 68				5.67		2.36	1.42
July	5.35	. 67	338	1.64	5.28			3.25			3.15
August	1.56	3.26	2.04	4.75	3.66	3.56	2.66	4.95	2.44	2.37	4.22
September	1.89	-79	3.17	2.67	3.92	3.98		1	1 2 4 4	1.54	4.57
October	1			1	439			CONTRACTOR BY	The state of the s	4.68	5.10
November	1.25	3.33	1.78		2.44			4.38			4.13
December					443			COTTON SOL		7.36	5.27

Position of Station on reduced Ordnance Survey \ No. of Map Reference No.

Date. Lat N. Long. Railway Station. Direction from gauge Parish Church. Distance Direction from gauge

	Form 1356.	· A	ir M	inistr	y, M	eteor	ologi —	cal O	ffice.		· · · ·	3	1
	RAINFA	LL	at	и) sexha						.)(,		
	County of Denligh Observer J. a. Dayles d. 1940												
	River Basin 1- Dec The Secretary or Mana												
4	Type of Gauge					4.3 D.			901 - 1	215	Pof	Bald	
A	nnuat Average.3%.2.1	in. basea	on.an.y	ears obs.	un-weigh	itea. Pe	rioa oj ai	erage	SPIRE COLOR	41.24		874/26.	
	Diameter	5											
	Height	0.9.											
	Altitude	376.			370.	370	1						
	Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Mound	
1	January	3./2	3.50	2.36	2.62	1.92	4.83	3.92	474	6.37	2.92	3630	
	February	3.16	.13	2.83	.24	3.08	3.33	5.82	1.23			2477	
1	March	.79	1.84	2.28	286	-87	2.51	2.26	.80		2.31		
The second	April	3.62	4.65	091	3.21		2.43	3.04	29			2753	
	May	4.11	+ 23	177	1.71		1-36	2.35	3.12		2.53		
	June	1.98	5.60	103	1.81		4.64		3.92		3.50		
	July August	6.76	2.13		3.38	1:48			4:08	1-60		2393	
	September	4.49	2.37		1.47	5.41	3.63	1-18	1:39	-86		23:46	
	October	1.43	6.01	-	3.73	5.52	1.65	3-19	4:07		/	3748	
State State of	November	638	2.55	-	182	5.74	3.85	1.92	4-63			41.61	
-	December	1.68	1.54	085	6.00	4.63	4.74	2.95	4.01	2.32		31.67	
1	Torals	4240		0.81	20.88	22 20	37.91	33.34	35.22	31-70	35.14		

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series Reference No ... Distance Direction Distance Direction Railway Station, Date. Lat. N. Long. Parish Church. from gauge from gauge

					4	1

RAINFALL at Wiesham h	2 W. (Pack Suddle Reservoir)
County of Deulsich	Charmer The Secretarity has made

County of Dankingh Observer has Sacret and I hanger
River Basin | - Dec The Brig mean (1944)

Type of Gauge

Annual Average 32.2. in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B.S.M.

								File No	. 67	7874	1-126
Diameter	. 5				546	042					
Height	. 0 9					1					
Altitude	370	1		-		41	1				
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	4.93	4:18	5.95	3.49	2.45	3.56	3.08	8.48	2.76	1.29	40.17
February	360	168		1.50	2.38	5.39	-	2.08	1.46	6.15	29.80
March	2.97	244	1.35	0.91	0.91	1.03	8.13	1.18	2.17	1.92	1304
April	1.18	2:36	1.72	0. 98	1.59	0.86	3.90	2-36	3.75	420	22.90
Мау	374	386	3.58	1.77	2.59	2.74	3.30	1.33	2-22	1.30	26-43
June		0.19	3.16	1.73	2.55	2.55	2.42	4.51	0.56	0.96	19.77
July	1.78	261	2.04	1.63	2.22	1.78	3.85	2.43	3.63	2.38	24.35
	332	3.64	1.94	2.13	1.93	4.79	0.42	4.10	1.70	4.34	28-31
September	0.49	1.88	3.84	3.87	1.82	3.67	1.80	1.32	0.95	481	24-45
	3.10	1-62	3.59	4.88	4.92	The street of	,	1.68	5.43	2.65	30.54
November	335	103	3.08	5.12	0.28	5.94	- "	2.26	4.37	4.56	3420
December	1.73	4.51	1.94	2.44	3.32	3.76	5.37	4.87	3.35	2.72	30.71
TOTALS	31:33	20.70	34.50	30.45	278/	38.13	37.04	31.13	20.24	24 6	22 644
	7	0	D	30.45 D	-146	2	D	36.90	D 2.30	37.28	20-164

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.		

Type of Gauge MK 1.9 (com Speckian)

Annual Average 32.0 in, based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B N. 34-91. 1915 Ref. B N. 1916-1950

File No. 507874126

. 0 9		100000000000000000000000000000000000000		546	042	The state of	400			
					1	1'0"				
370					51	*				
1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means Totals
2.54	5.31	1.10	2.84	2.36	4.72	197	3-77	445	6.54	35.6
3.50	1.19	1.62	3.23	2.63	0.49	3.32	5.85	047	4.15	26.3
. 5:9	0.68	0.92	2.87	2.68	1.86	1.72	1.50	2.04	2.07	22.2
2.02	2.01	2.56	-69	1.10	1.98	0.22	0.62	5.41	1.48	18.0
3.38	2.78	2.37	2.82	4.06	0.54	1.87	2.41	1.98	2.02	24.2
. 1.05	1.63	2.01	3.72	3.68	1.75	136	4.18	2 07	1.51	22.91
. 1.99	2.13	2.75	2.43.	0.27	3.89	4.41	4.14	2-26	2-17	26.4
. 2.91	2.59	2.59	3.38	0.94	5.71	433	4.09	0-80	3.76	31-10
2.67	3.17	3.69	3.13	2.11	3.31	8.49	4.28	0.14	4.73	35.7
1.26	6.86	1-74	5.42	2.19	2.32	2.44	3.02	2-79	5-88	33.9
. 6.86	2.74	3-04	7.81	2.63	1.44	2:22	2.22	H-29	6.66	39.9
. 5-16	4.53	1.37	3.16	4.39	4.16	1.79	3.56	6.08	3.39	37.5
	2.54 3.50 5.96 2.02 1.05 1.05 1.99 2.91 2.67 1.26	2.54 5.31 3.50 1.19 5.90 0.68 2.01 2.01 3.28 2.78 1.05 1.63 2.91 2.69 2.67 3.17 1.26 6.86 6.68 2.74 5.76 4.53	2.54 5.31 1.10 3.50 1.19 1.62 5.90 0.68 0.92 2.02 2.01 2.56 3.38 2.78 2.37 1.05 1.63 2.01 1.99 2.13 2.75 2.91 2.69 2.59 2.67 3.17 3.49 1.26 6.86 1.74 1.68 2.74 3.04 1.576 4.53 1.37	2.54 5.31 1.10 2.84 3.50 1.19 1.62 3.23 5.90 0.68 0.92 2.87 2.02 2.01 2.56 69 3.38 2.78 2.37 2.82 1.05 1.63 2.01 3.72 1.99 2.13 2.75 2.43 2.29 2.69 2.59 3.38 2.67 3.17 3.69 3.13 1.26 6.86 1.74 5.42 6.66 2.74 3.04 7.81	2.54 5.31 1.10 2.84 2.36 3.50 1.19 1.62 3.23 2.63 5.90 0.68 0.92 2.87 2.68 2.01 2.01 2.56 69 1.10 3.38 2.78 2.37 2.82 4.06 1.05 1.63 2.01 3.72 2.68 1.705 2.13 2.75 2.43 0.21 2.91 2.59 2.59 2.58 0.94 2.67 3.17 3.69 3.13 2.11 1.726 6.86 1.74 5.42 2.19	2.54 5.31 1.10 2.84 2.26 4.72 3.50 1.19 1.62 3.23 2.63 0.49 5.90 0.68 0.92 2.87 2.68 1.86 2.02 2.01 2.56 69 1.10 1.98 3.38 2.78 2.37 2.82 4.06 0.54 1.05 1.63 2.01 3.70 3.68 1.73 1.99 2.13 2.75 2.43 0.21 3.89 2.99 2.69 2.59 3.38 0.94 5.71 2.67 3.17 3.69 3.13 2.11 3.31 1.26 6.86 1.74 5.42 2.19 2.32 1.688 2.74 3.04 7.81 2.63 1.44	2.54 5.31 1.10 2.84 2.86 4.72 197 3.50 1.19 1.62 3.23 2.63 0.49 3.32 5.90 0.68 0.92 2.87 2.68 1.86 1.72 2.02 2.01 2.56 69 1.10 1.98 0.22 3.38 2.78 2.37 2.82 4.06 0.54 1.87 1.05 1.63 2.01 3.72 3.68 1.75 1.36 1.99 2.13 2.75 2.43 0.21 3.89 4.41 2.99 2.69 2.59 3.38 0.94 5.71 4.33 2.67 3.17 3.69 3.13 2.11 3.31 8.49 1.26 6.86 1.74 5.42 2.19 2.82 2.44 6.68 2.74 3.04 7.81 2.63 1.44 2.22	2.54 5.31 1.10 2.84 2.36 4.72 197 3.77 1.50 1.19 1.62 3.23 2.63 0.49 3.32 5.85 5.90 0.68 0.92 2.87 2.68 1.86 1.72 1.50 1.98 0.22 0.62 1.31 2.78 2.79 2.68 1.96 0.54 1.87 2.41 1.98 1.62 2.78 2.78 2.78 2.68 1.75 1.36 4.18 1.75 1.63 2.01 3.72 3.68 1.75 1.36 4.18 1.19 2.13 2.75 2.43 0.21 3.89 4.41 4.14 1.29 2.69 2.59 2.38 0.94 5.71 4.33 4.09 2.26 3.17 3.69 3.13 2.11 3.31 8.49 4.28 1.76 6.86 1.76 5.42 2.19 2.52 2.44 3.02 1.66 8.86 2.74 3.04 7.81 2.63 1.44 2.22 2.22	2.54 5.31 1.10 2.84 2.36 4.72 197 3.77 445 3.50 1.19 1.62 3.23 2.63 0.49 3.32 5.85 0.47 5.90 0.68 0.92 2.87 2.68 1.86 1.72 1.50 2.04 2.02 2.01 2.56 .69 1.10 1.98 0.22 0.62 5.41 3.38 2.78 3.37 2.82 4.06 0.54 1.87 2.41 1.98 1.95 1.63 2.01 3.72 3.68 1.73 1.36 4.18 2.07 1.97 2.13 2.78 2.43 0.21 3.89 4.41 4.14 2.26 2.91 2.59 2.59 3.38 0.94 5.71 4.33 4.09 0.80 2.67 3.17 3.69 3.13 2.11 3.31 8.49 4.28 0.14 1.26 6.86 1.74 5.42 2.19 2.32 2.44 3.02 2.72 1.688 2.74 3.04 7.81 2.63 1.44 2.22 2.22 1.29	2.54 5.31 1.10 2.84 2.36 4.72 197 3.77 445 6.54 3.50 1.19 1.62 3.23 2.63 0.49 3.32 5.85 0.47 4.15 5.90 0.68 0.92 2.87 2.68 1.86 1.72 1.50 2.04 2.07 2.02 2.01 2.56 6.9 1.10 1.98 0.22 0.62 5.41 1.48 1.38 2.78 2.37 2.82 4.06 0.54 1.87 2.41 1.98 2.02 1.05 1.63 2.01 3.72 3.68 1.75 1.36 4.18 2.07 1.51 2.91 2.52 2.43 2.43 0.41 3.89 4.41 4.14 2.2 2.17 2.91 2.59 2.59 2.59 3.38 0.94 5.71 4.33 4.09 0.80 3.76 2.67 3.17 3.69 3.13 2.11 3.31 8.49 4.28 0.14 4.73 3.02 2.76 6.86 1.74 5.42 2.19 2.32 2.44 3.02 2.76 5.88 2.74 3.04 7.81 2.63 1.44 2.22 2.22 2.22 2.29 6.66

1952 try confirms gauge round, no change in gauge, measure or aits for many years.

Inspected 10,10.55. sange sound, found toose and titled E. Unwithodox site on top of conseed service very view servoi whent 100' dismeter. Frote led by tree, home, around view many for the first found of the first found of the first found of the first found form 1'2" 5 11

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direct from gauge.

Summary of Earlier Records from 10-year Sheets:

1916-1950, P- accepted

| 1910-19 | 1920-30 | 1931-40 | 1941-50 | 1951-60 | | 1951-60 | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 1951-60 | | 19