

Resin Bond to Indirect Composite and New Ceramic/Polymer Materials: A Review of the Literature

FRANK A. SPITZNAGEL*, SEBASTIAN D. HORVATH, DMD†‡, PETRA C. GUESS, DDS§, MARKUS B. BLATZ, DMD, PhD¶**

ABSTRACT

Statement of the Problem: Resin bonding is essential for clinical longevity of indirect restorations. Especially in light of the increasing popularity of computer-aided design/computer-aided manufacturing-fabricated indirect restorations, there is a need to assess optimal bonding protocols for new ceramic/polymer materials and indirect composites.

Purpose of the Study: The aim of this article was to review and assess the current scientific evidence on the resin bond to indirect composite and new ceramic/polymer materials.

Materials and Methods: An electronic PubMed database search was conducted from 1966 to September 2013 for in vitro studies pertaining the resin bond to indirect composite and new ceramic/polymer materials.

Results: The search revealed 198 titles. Full-text screening was carried out for 43 studies, yielding 18 relevant articles that complied with inclusion criteria. No relevant studies could be identified regarding new ceramic/polymer materials. Most common surface treatments are aluminum-oxide air-abrasion, silane treatment, and hydrofluoric acid-etching for indirect composite restoration. Self-adhesive cements achieve lower bond strengths in comparison with etch-and-rinse systems. Thermocycling has a greater impact on bonding behavior than water storage.

Conclusions: Air-particle abrasion and additional silane treatment should be applied to enhance the resin bond to laboratory-processed composites. However, there is an urgent need for in vitro studies that evaluate the bond strength to new ceramic/polymer materials.

CLINICAL SIGNIFICANCE

This article reviews the available dental literature on resin bond of laboratory composites and gives scientifically based guidance for their successful placement. Furthermore, this review demonstrated that future research for new ceramic/polymer materials is required.

(J Esthet Restor Dent ••:••–••, 2014)

INTRODUCTION

Resin bonding is a crucial step^{1,2} in the process of placing indirect restorations that rely on adhesion, such as tooth-colored indirect inlays/onlays, and is indispensable for their longevity. Characteristics of a

resilient and durable adhesive bond are prerequisites of high retention,³ prevention of microleakage, and enhancement of marginal adaptation.⁴ Furthermore, successful adhesive bonding can increase fracture resistance of the restored tooth and the indirect restoration.^{2,5} It is still a challenge to bond indirect

*Doctoral student, Department of Prosthodontics, School of Dentistry, Albert-Ludwigs University, Freiburg, Germany

†Adjunct assistant professor, Department of Preventive and Restorative Sciences, University of Pennsylvania, Philadelphia, PA, USA

‡Dentist in private practice, Jestetten, Germany

§Associate professor, Department of Prosthodontics, School of Dentistry, Albert-Ludwigs University, Freiburg, Germany

¶Professor and Chair, Department of Preventive and Restorative Sciences, University of Pennsylvania, Philadelphia, PA, USA

**Adjunct professor, Department of Prosthodontics, School of Dentistry, Albert-Ludwigs University, Freiburg, Germany

composite restorations to dental hard tissues, as different interfaces—the one between dentin/enamel and adhesive cement, and the interface between luting agent and indirect restoration—have to be considered.⁶

The final bond strength is defined by the weakest link in the chain. Therefore, the adhesive bond between the different material interfaces has to be constantly improved⁷ and adapted to the requirements of new materials. Numerous studies have shown that surface treatment prior to the cementation process via different methods, such as air-particle abrasion systems, hydrofluoric acid (HF) etching, and/or silanization can enhance bond strengths of certain indirect restorations.^{2,5,8,9} Adequate surface activation and increasing roughness of indirect, polymerized composite resins through various surface treatments provide a better mechanical interlocking and a stronger chemical bond to the cement.⁵

Modern adhesive cements can be classified in glass ionomer cements (resin-modified glass ionomer cement) and composite resin cements, which can be further divided according to their chemical curing reaction in light-activated, autopolymerizing, and dual-activated⁵ materials. Another classification distinguishes between adhesives, which require enamel/dentin etching and application of a bonding agent (total-etch systems) and self-adhesive materials, which do not need any pretreatment steps. Each of them provides different application benefits.

In general, indirect composites represent a good alternative to ceramics as a material for indirect restorations. They can be divided in computer-aided design/computer-aided manufacturing (CAD/CAM) fabricated and hand-made laboratory-processed composite resins. Depending on the remaining tooth structure, intraoral conditions, and costs, indirect composite resins may¹⁰ provide increasing reliability and durability, and are more favorable than their porcelain counterparts while presenting good esthetic results.¹¹ Compared with direct composites, laboratory-processed composites show reduced deficiencies, increased degree of conversion, and negate the negative effect of polymerization shrinkage in the

oral cavity,^{10,12} consequently improving mechanical and physical properties. Further advantages are better interproximal contacts, higher wear resistance, and simplified creation of natural and anatomical shapes in large defects.¹² Clinical long-term studies of indirect composite restorations show good clinical performance in both posterior^{13–15} and anterior teeth.¹⁶

So-called “hybrid ceramics” have recently been introduced to the market. The currently available member of this new CAD/CAM material group is Vita Enamic (VITA Zahnfabrik, Bad Säckingen, Germany). The ceramic part consists of an aluminum oxide-enriched, fine-structure feldspar matrix (86 wt%) infused by a polymer material consisting of 14 wt% urethane dimethacrylate and triethylene glycol dimethacrylate.¹⁷ So far, hybrid ceramic materials in dentistry are defined as: “a material consisting of a ceramic substructure infiltrated with a composite material.”¹⁸ Another innovative new CAD/CAM material is Lava Ultimate (3M ESPE, Bad Seefeld, Germany), a resin-based block nanocomposite.¹⁹ The blocks consist of nanoceramic particles embedded in a highly cured resin matrix.²⁰ It is neither a composite nor a ceramic but rather a mixture of both.²¹ The manufacturer characterizes Lava Ultimate as a “Resin Nano Ceramic” in their technical product profile.

Both materials can be taxonomically summarized as “new ceramic/polymer materials,” which they are referred to in the following.

The new ceramic/polymer materials supposedly combine the positive aspects of both ceramics and composites with beneficial properties for patients. It is claimed that the dual network of a ceramic and polymer material provides less brittleness, excellent machinability, and edge stability.

Although resin-bonding protocols to silica-based^{1,5,22} and high-strength ceramics^{23–27} are well documented, there are only few reviews reporting on the bond to laboratory-fabricated composites.^{2,8} Scientific evidence on bonding behavior and surface treatment of indirect composite^{6,28} and new ceramic/polymer materials is more difficult to find.

Therefore, the main objective of this review was to identify preferred bonding protocols and surface-treatment procedures for indirect composites and new ceramic/polymer materials by systematically searching the literature for respective in vitro studies and formulate clinical guidelines from the results, if possible.

MATERIAL AND METHODS

Search Strategy and Study Selection

A PubMed search for articles published in dental journals in English from 1966 to September 2013 was conducted. The following search terms were used: resin bond strength OR bond strength AND “indirect composite”, surface treatment AND “indirect composite”, resin bond strength OR bond strength AND “new ceramic/polymer materials”, surface treatment AND “new ceramic/polymer materials”, resin bond strength OR bond strength AND “hybrid ceramic” and surface treatment AND “hybrid ceramic”, resin bond strength OR bond strength AND “resin nano ceramic” and surface treatment AND “resin nano ceramic”. Furthermore, the bibliographies and related reviews of all chosen full-text articles were scanned for additional publications on the topic.

Inclusion Criteria

The inclusion criteria for study selection were:

- Only in vitro studies were considered
- Publications in the dental literature with language restriction to English
- Bonding of new ceramic/polymer materials or indirect composites to either human teeth or ceramic or composite
- Studies reporting on at least one common chemical (silane, silica coating) or mechanical (grinding, roughening with diamond burs, air-particle abrasion, acid etching, laser) surface treatment on tested specimens
- Studies describing at least one common method of artificial aging (water storage, artificial saliva storage, or thermocycling [TC])
- Studies applying a shear bond strength (SBS) test, tensile bond strength (TBS) test, micro-TBS (μ TBS)/micro-SBS, or other bond strength test

Exclusion Criteria

- Studies about repair bond strength
- No detailed information on sample size
- Research question and purpose of the study focused on parameters other than solely bond strength (e.g. influence of specific parameters)

Selection of Studies

Figure 1 describes the process of identifying the selected studies. From an initial 198 studies, 33 studies were chosen for full-text analysis. After full-text analysis, 12 studies met the inclusion criteria. Moreover, a total of 10 studies were added through hand-search of the bibliographies of the 12 studies. Following detailed analysis, a final number of 18 studies were selected for review.^{6,10–12,28–41}

Excluded Studies

Out of the 43 full-text articles, 25 were excluded from the final analysis.


Reason for exclusion:

- No surface treatment of indirect composite^{42–51}
- No detailed information on number of specimens⁵²
- Research question and purpose of the study focused above on other parameters^{53–62} than bond strength
- Other bonding substrates than human teeth or ceramic or composite^{63,64}
- No or uncommon artificial aging method^{9,65}

Data Extraction

Out of the 18 studies included, information on the surface treatment, the cements, influence and method of artificial aging, and the influence of the different bond strength test used were evaluated.

Different mechanical and chemical surface treatment methods were examined, for instance silane treatment,

**FIGURE 1.** Search strategy.

air-particle abrasion with different particle sizes, HF etching with different concentrations and times, silica-coating and their combinations.

Investigation of common autopolymerizing (chemically activated), photo-activated or dual-activated resin cements, and their respective bonding agents was further performed. Moreover, water storage, artificial saliva, and TC as artificial aging methods and their effects on bonding behavior were tested.

RESULTS

Indirect Composites

A total of 18 studies^{6,10–12,28–41} were included in the analysis of this review. The characteristics are shown in Table 1.

The oldest study was published in 1991 and the median year of publication was 2003. Eighteen different indirect composite materials were tested with 12 various surface treatment methods and 28 resin cements. Mostly human third molars were used as a bonding substrate for testing. The most common method for artificial aging was water storage at 37°C for 24 hours before testing. TC as an additional stress test was just used in six studies. Seven of the studies used the SBS test, six measured the μ TBS, three the TBS, and two applied a different bond strength test.^{33,39}

Surface Treatment

Twelve studies reported on several surface treatments of the prosthetic composites, and nearly all of them^{10,28,33,36–40} found that air-abrasion with aluminum-oxide (Al_2O_3) particles with a particle size of 50 μm was the most effective method to roughen the

TABLE 1. Study characteristics of the selected studies for indirect composite bonding

Study	Year of publication	Indirect composite	Manufacturing procedure surface treatment cement		No. of specimens per group	Bonding partner	Artificial aging method	Bond strength test
Fuentes et al. ⁶	2013	Filtek Z250	Silane Silane + bonding agent	RelyX Unicem Maxem Elite G-Cem RelyX ARC	N ≥ 10	Human molars	H ₂ O at 37°C for 24 hours	μTBS
Vaz et al. ²⁹	2012	Symphony	Air-particle abrasion + Silane	RelyX Arc C & B Cement RelyX Unicem	N = 5	Human molars	100 % rel. humidity at 37°C for 24 hours or 30 days	μTBS
Türkmen et al. ¹²	2011	Estenia	Air-particle abrasion	Cement—I ^t RelyX Unicem Maxcem Embrace Wet Bond	N = 10	Human molars	H ₂ O at 37°C for 24 hours	TBS
Honda et al. ¹¹	2008	Adoro Artglass	Air-particle abrasion Air-particle abrasion + Silane	Rely X ARC	N = 30	Human molars	Artificial saliva at 37°C for 6 days	μTBS
Hori et al. ³⁰	2008	Estenia	Air-particle abrasion HF etching Silane HF etching + Silane Air-particle abrasion + Silane	Panavia F	N = 7	Similar treated indirect composites (different size)	H ₂ O at 37°C for 24 hours + 0 TC or 50,000 TC	SBS
D' Arcangelo et al. ²⁸	2007	Enamel-Plus HFO UD3	Air-particle abrasion HF etching + Silane Air-particle abrasion + Silane	EnamelPlus UD2	N = 22	Human molars	Distilled H ₂ O at 37° C for 24h + 5000 TC	TBS
De Menezes et al. ³¹	2006	Clearfil APX	Air-particle abrasion	Rely X Enforce Panavia F	N = 24	Human molars	H ₂ O at 37°C for 24 hours	μTBS
Soares et al. ¹⁰	2004	Targis Solidex Filtek Z250	Air-particle abrasion HF etching Silane HF + Silane Air-particle abrasion + Silane	Rely X	N = 12	Similarly treated surfaces	100 % rel. humidity at 37°C for 24 hours	μTBS
Burnett et al. ³²	2004	BelleGlass Sculpture Targis	Silane HF etching Er:YAG laser Er:YAG laser + HF Air-particle abrasion Air-particle abrasion + HF	„Silane“ + Single Bond	n = 10	Filtek Z250	Distilled H ₂ O at 37°C for 24 hours	TBS
Ellakwa et al. ³³	2003	Belleglass HP	Air-particle abrasion Air-particle abrasion + Silane Air-particle abrasion + Silane + dry storage Air-particle abrasion + Artglass liquid	Dual curing Luting Cement (Kerr)	N = 5	Similar indirect composites	H ₂ O at 37°C for 24 hours	Other bond strength test
Mak et al. ³⁴	2002	Light—activated hybrid resin composite (Bisco, Inc)	Air-particle abrasion + Silane	Choice RelyX ARC Super Bond C&B Panavia F	N ≥ 22	Human molars	Distilled H ₂ O at 37°C for 24 hours	μTBS
Yoshida et al. ³⁵	2001	GN—I	Silane	Link Max Vita Cerec Duo Cement	N = 5	Similar indirect composites (different size)	Distilled H ₂ O at 37°C for 24 hours + 0 TC or 50,000 TC	SBS
Nilsson et al. ³⁶	2000	Z—I00 Targis Artglass	Grinding Air-particle abrasion Air-particle abrasion + Silane	Scotchbond resin cement Variolink 2 bond 2	N = 10	Similar IC (?)	100 % rel. humidity at 37°C for 24 hours	SBS
Bouschlicher et al. ³⁷	1999	Artglass belleGlass HP Concept Targis	Air-particle abrasion CoJet-Sand	Dual	N = 10	Similar indirect composites (different size)	Double-deionized H ₂ O for 24 hours at 37°C + 300 TC	SBS

TABLE I. Continued

Study	Year of publication	Indirect composite	Manufacturing procedure surface treatment cement		No. of specimens per group	Bonding partner	Artificial aging method	Bond strength test
Imamura et al. ³⁸	1996	Concept Herculite XRV	Air-particle abrasion Air-particle abrasion + Special Bond II Air-particle abrasion + Silane + All Bond 2 Air-particle abrasion + HF etch Silane + Rocotec System	Dual Cement Porcelite Dual Cure Cement	N = 10	Similar indirect composites	Distilled H ₂ O at 23°C for 7 days + 1,000 TC	SBS
Shortall et al. ³⁹	1996	Brilliant Dentin	Water rinsing + Air drying Air—particle abrasion Air—particle abrasion + fluoride gel	Duo Cure Cement Porcelite Dual Cure	N = 10	Similar indirect composites	Distilled H ₂ O at 37°C for 24 hours	Other bond strength test
		Herculite XRV Lab	Air—particle abrasion + HF Air—particle abrasion + Silane Air—particle abrasion + HF + Silane					
Swift et al. ⁴⁰	1992	Herculite XRV	HF etching Air-particle abrasion Air-particle abrasion + HF	Porcelite Dual Cure	N = 20	Human molars	Half distilled H ₂ O RT for 7 days Half distilled H ₂ O RT for 7 days + 500 TC	SBS
			Air-particle abrasion Air-particle abrasion + Silane Air-particle abrasion + HF		N = 10		Distilled H ₂ O for 48 hours + 500 TC	
Tam et al. ⁴¹	1991	Isosit—N	HF etching Air-particle abrasion (different particle sizes) HF etching + Silane Special Bond	Heliolink G-Cera Prisma PVC Durafil Porcelite Chameleon	N ≥ 8	Ceramic blocks (Vita)	Distilled H ₂ O at 37°C for 24 hours	SBS

μTBS = microtensile bond strength; HF = hydrofluoric acid; RT = room temperature; SBS = shear bond strength; TBS = tensile bond strength; TC = thermocycling.

surface independently of the indirect composite used. According to Burnett and colleagues³² Er:YAG laser abrasion can also be a favorable surface-conditioning method instead of air-particle abrasion. Furthermore, a study by Bouschlicher and coworkers³⁷ revealed that surface roughening with the silica coating Co-Jet system (3M ESPE) resulted in same bond-strength data as air-abrasion. The Rocatec System (3M ESPE) is the laboratory version of CoJet and has shown to be similarly effective.³⁸ Silane treatment yielded in further increased bond strength in most of the studies.^{10,33,36} Yoshida and coworkers³⁵ even claimed that silane coupling is the essential factor. In contrast, D'Arcangelo and Vanini²⁸ stated that silane did not have a significant effect on resin bonds. Almost all of the studies agreed that HF etching in different concentrations showed lower bond strength data, except for the study by Hori and colleagues,³⁰ which resulted in highest bond strength value, when 1% HF etching for 5 minutes was applied.

Even combinations of HF etching and air-particle abrasion,^{32,39,40} or silane treatment could not reach the bond strength values achieved by air-particle abrasion treatment. In general, increasing surface roughness through mechanical surface treatment had a greater impact on bond strength than chemical conditioning.

Resin Cements

Studies that compared different adhesive cements demonstrated that the chosen cements had a significant effect on bond strength and that there is no ideal universal luting agent. De Menezes and colleagues³¹ pointed out that the type of bonding agent was important. Bonding agents with multiple steps yielded higher bond strength values than self-adhesive cements. Türkmen and colleagues,¹² and Vaz and colleagues²⁹ confirmed this statement, as did Fuentes and colleagues⁶ in 2013; total-etch bonding agents still provided better values. In the same study, there were no

significant differences in tested self-adhesive cements, except for Maxcem Elite (Kerr, Orange, CA, USA), which resulted in distinctly lower bond strengths.

TC as an additional artificial aging procedure seemed to have a greater impact than only short-term water storage.

New Ceramic/Polymer Materials

Despite this extensive literature search, no in vitro studies referring to the resin bond to new ceramic/polymer materials could be identified. Likewise, there was no information found regarding recommendations for surface treatment, resin cements, or artificial aging methods.

DISCUSSION

This review examined the effect of different bonding parameters, such as surface conditioning, resin cements, and artificial aging on the resin-bond behavior of indirect composites and new ceramic/polymer materials based on the current dental literature.

The search period was defined from 1966 to September 2013 based on the reviews by Blatz and colleagues,⁵ and Soares and colleagues.⁸ There were no studies that met the inclusion criteria published before 1991.

Surface Treatment and Resin Cements

Pretreatment steps of indirect restorations and supporting tooth structure plus luting with an adhesive cement is defined as resin bonding.⁶⁶ Therefore, the focus of this review was based on the different pretreatments steps and adhesive systems used in the studies. Air-particle abrasion increases surface energy of indirect restorations, such as high-strength ceramics^{23,24,67} and indirect composites,^{10,28,39,40} thus resulting in an increased surface roughness. Moreover, these irregularities provide better mechanical attachment of the luting agent to the finished composite.¹⁰ Similarly, before silanization, the surface has to be preconditioned for the resin matrix to being

partially destroyed and the filler particles being exposed.^{38,40,41} This leads to better mechanical interlocking between the restoration and the substructure, which is a main reason for a durable bonding.¹¹ Silica-based ceramics also need adequate surface activation for a durable long-term bond.⁵ Many laboratory studies^{68–70} have investigated different methods for surface pretreatment. In contrast with high-strength ceramics, acid-etching with HF solutions between 2.5% and 10% applied for 1 to 3 minutes plus usage of a silane is reported as the best surface-conditioning protocol.^{1,5,70} Hori and colleagues³⁰ detected that after TC, 1% HF etching for 5 minutes is also an adequate pretreatment method for prosthetic composites. However, according to them, neither etching time nor etchant concentration were significantly relevant to bond strength.

Silane is a bifunctional molecule that bonds through siloxane to the exposed fillers in the composite.¹⁰ It also increases the bond strength³³ by improving the wettability of the treated surface. Soares and colleagues,¹⁰ Ellakwa and colleagues,³³ Nilsson and colleagues,³⁶ and Swift and colleagues⁴⁰ reported on the positive effects of chemical treatment with silane in their studies, which is in conclusion with other studies^{33,35} in the dental literature. Yoshida and colleagues³⁵ even preferred silane as a surface-roughening method because air-particle abrasion can induce material chipping and HF produces weaker bond strengths and additionally needs to be treated with special care and experience due to its toxic properties. However, studies by Tam and colleagues,⁴¹ and Fuentes and colleagues⁶ found conflicting results as they could not detect a significant increase in bond strength when silane was applied. Etching with HF resulted in dissolution of the embedded glass fillers in the laboratory composites, leaving no retention for silane molecules.¹⁰ The silane had therefore no impact on bond strength.

Two other methods for pretreatment are the extraoral Rocatec System (3M ESPE) and Co-Jet (3M ESPE) for intraoral use. Both systems are mostly indicated to repair defective indirect restorations and treat material surfaces tribochemically through an air-particle

abrasion step with silica-coated aluminum-oxide particles, which provides a silica coat, and silane coupling agent application.

In most of the included studies,^{6,10,11,29–31,34} dual-curing resin cements were used. They have proven successful throughout the last decades and are characterized by good retention and esthetics.¹² However, clinicians prefer simplified applications, whereas composite resins require skillful handling, especially when removing excess cement, and are time-consuming.¹²

Self-adhesive cements were introduced to the dental market within the last decade.⁷¹ Because of the fact that application of luting cements is technically demanding and technique-sensitive,⁷¹ self-adhesive cements attempt to overcome these challenges without pretreatment of the supporting tooth structure. They combine ease of handling with good to dental hard tissues.¹² However, the few *in vitro* studies showed that these new adhesives are still inferior to multistep protocols that include total-etch and self-etch bonding systems, when bonding to indirect composites.

Fuentes and colleagues⁶ found that choice of resin cement seemed to have a greater impact than surface treatment. They confirmed that total-etch bonding systems provide higher bond strength values than self-adhesive cements. The same findings were reported by Viotti and colleagues⁷² in 2009, Türkmen and colleagues,¹² and Vaz and colleagues.²⁹

Clinical long-term studies^{13–16} of indirect composite inlays and veneers are in support as mostly dual-cure composite-resin cements were used.

Table 2 summarizes the outcome of the included studies and shows a bonding protocol recommendation based on them.

Artificial Aging Methods

Indirect restorations are exposed to chemical, thermal, and mechanical stresses in the oral cavity.⁵ Therefore, it is important to mimic these circumstances in *in vitro*

TABLE 2. Recommended bonding protocol for indirect composite

Indirect composite	<ol style="list-style-type: none"> 1. Cleaning of the indirect restoration 2. Surface treatment: Air-particle abrasion with 50 μm aluminum oxide 3. Application of a silane
Supporting tooth structure:	Choosing of total-etch, self-etch, or self-adhesive cementing system. Steps according to manufacturer's recommendation.

studies with artificial aging methods to draw sound conclusions with respect to durability and long-term bonding behavior. The common artificial aging treatment methods to stress adhesive surfaces⁵ were considered to simulate oral conditions, such as long-term water storage⁷³ and TC. Equally artificial saliva solutions can be used instead of water storage, as shown by Kitasako and colleagues.⁷⁴ No significant difference could be detected.

Test Methods and Conditions

In the dental literature, bond strength tests can be divided in microtest and macrotest methods, depending on the bonding area.⁷⁵ Tensile, microtensile, and shear test are the most common bond strength tests described.⁵ The advantages and disadvantages of each testing method are thoroughly discussed and described in an article by Van Meerbeek and colleagues⁷⁵ in 2010. The SBS test is considered the easiest and fastest method for reliable results. One of the advantages of the microtensile test is that all specimens from one tooth undergo the exact same sample preparation. It is, however, more technique sensitive.

Because of the fact that all tests are being carried out under different circumstances, comparisons between studies and measured bond strength are difficult.^{76–78} Testing parameters like bonding area, etching time, air-particle abrasion distance, time and pressure, crosshead speed, and dwell time between different

baths of TC differ in almost every study. To date, there is no consensus about a standardized TC method. The number of cycles varies from 100 up to 50,000, whereas 10,000 cycles is considered to simulate 1 year of clinical performance.¹²

In Vitro Tests

Although randomized, controlled, clinical trials present the highest level of evidence to identify the best dental materials, they require a complex performance and are usually associated with high costs.⁷⁷ Laboratory tests, on the other hand, provide information on bonding behavior under controlled conditions.^{23,79} Variables can be controlled, and individual parameters can be evaluated separately. Furthermore, long-term bonding is difficult to measure clinically because of the fact that indirect restoration failure is often multicausal and simple debonding a rare occurrence.

However, results from in vitro studies have to be interpreted with care as they simulate clinical conditions with great limitations⁶⁶ and cannot imitate the complexity of the oral cavity. Nevertheless, laboratory tests under standardized testing conditions provide crucial information before clinical use and/or testing of new materials.⁷⁷

New Ceramic/Polymer Materials

At the time of this review, no scientific evidence pertaining to the proper bonding protocols for new ceramic/polymer materials could be found in the literature. It seems, however, that these materials comprise a well-diverse material group. As per manufacturers' recommendation, hybrid ceramics (i.e., VITA Enamic) should be pretreated through HF etching and silane coupling agent application.¹⁷ Resin nanoceramics (i.e., Lava Ultimate²¹), however, should be subject to air-particle abrasion and application of a universal bonding agent. Independent studies that investigate resin bond strength and preferred treatment protocols for this new and increasingly popular material group are needed.

CONCLUSIONS

Air-particle abrasion and additional silane treatment should be applied to enhance the resin bond to laboratory-processed composites. However, there is an urgent need for in vitro studies that evaluate the bond strength to new ceramic/polymer materials.

DISCLOSURE AND ACKNOWLEDGEMENTS

The authors do not have any financial interest in the companies whose materials are included in this review.

REFERENCES

1. Vargas MA, Bergeron C, Diaz-Arnold A. Cementing all-ceramic restorations: recommendations for success. *J Am Dent Assoc* 2011;142(Suppl 2):20s–4s.
2. Kramer N, Lohbauer U, Frankenberger R. Adhesive luting of indirect restorations. *Am J Dent* 2000;13:60d–76d.
3. el Mowafy O. The use of resin cements in restorative dentistry to overcome retention problems. *J Can Dent Assoc* 2001;67:97–102.
4. Sorensen JA, Kang SK, Avera SP. Porcelain-composite interface microleakage with various porcelain surface treatments. *Dent Mater* 1991;7:118–23.
5. Blatz MB, Sadan A, Kern M. Resin-ceramic bonding: a review of the literature. *J Prosthet Dent* 2003;89:268–74.
6. Fuentes MV, Ceballos L, Gonzalez-Lopez S. Bond strength of self-adhesive resin cements to different treated indirect composites. *Clin Oral Investig* 2013;17:717–24.
7. Stewart GP, Jain P, Hodges J. Shear bond strength of resin cements to both ceramic and dentin. *J Prosthet Dent* 2002;88:277–84.
8. Soares CJ, Soares PV, Pereira JC, Fonseca RB. Surface treatment protocols in the cementation process of ceramic and laboratory-processed composite restorations: a literature review. *J Esthet Restor Dent* 2005;17:224–35.
9. Hummel SK, Marker V, Pace L, Goldfogle M. Surface treatment of indirect resin composite surfaces before cementation. *J Prosthet Dent* 1997;77:568–72.
10. Soares CJ, Giannini M, Oliveira MT, et al. Effect of surface treatments of laboratory-fabricated composites on the microtensile bond strength to a luting resin cement. *J Appl Oral Sci* 2004;12:45–50.
11. Honda MI, Florio FM, Basting RT. Effectiveness of indirect composite resin silanization evaluated by microtensile bond strength test. *Am J Dent* 2008;21:153–8.

12. Turkmen C, Durkan M, Cimilli H, Oksuz M. Tensile bond strength of indirect composites luted with three new self-adhesive resin cements to dentin. *J Appl Oral Sci.* 2011;19:363–9.
13. Thordrup M, Isidor F, Horsted-Bindslev P. A prospective clinical study of indirect and direct composite and ceramic inlays: ten-year results. *Quintessence Int* 2006;37:139–44.
14. Huth KC, Chen HY, Mehl A, et al. Clinical study of indirect composite resin inlays in posterior stress-bearing cavities placed by dental students: results after 4 years. *J Dent* 2011;39:478–88.
15. Cetin AR, Unlu N, Cobanoglu N. A five-year clinical evaluation of direct nanofilled and indirect composite resin restorations in posterior teeth. *Oper Dent* 2013;38:E1–11.
16. Gresnigt MM, Kalk W, Ozcan M. Randomized clinical trial of indirect resin composite and ceramic veneers: up to 3-year follow-up. *J Adhes Dent* 2013;15: 181–90.
17. Bojemüller E, Coldea A. VITA ENAMIC technical-scientific documentation. Bad Säckingen: VITA Zahnfabrik, Germany; 2012.
18. Kurbad A, Kurbad S. A new, hybrid material for minimally invasive restorations in clinical use. *Int J Comput Dent* 2013;16:69–79.
19. Mörmann WH, Stawarczyk B, Ender A, et al. Wear characteristics of current aesthetic dental restorative CAD/CAM materials: two-body wear, gloss retention, roughness and Martens hardness. *J Mech Behav Biomed Mater.* 2013;20:113–25.
20. Koller M, Arnetzl GV, Holly L, Arnetzl G. Lava ultimate resin nano ceramic for CAD/ CAM: customization case study. *Int J Comput Dent* 2012;15:159–64.
21. 3M/ESPE. Lava ultimate CAD/CAM restorative technical product profile. St. Paul (MN): 3M Espe Dental Products; 2011.
22. Blatz MB, Sadan A, Maltezos C, et al. In vitro durability of the resin bond to feldspathic ceramics. *Am J Dent* 2004;17:169–72.
23. Blatz MB, Chiche G, Holst S, Sadan A. Influence of surface treatment and simulated aging on bond strengths of luting agents to zirconia. *Quintessence Int* 2007;38:745–53.
24. Blatz MB, Phark JH, Ozer F, et al. In vitro comparative bond strength of contemporary self-adhesive resin cements to zirconium oxide ceramic with and without air-particle abrasion. *Clin Oral Investig* 2010;14: 187–92.
25. Wolfart M, Lehmann F, Wolfart S, Kern M. Durability of the resin bond strength to zirconia ceramic after using different surface conditioning methods. *Dent Mater* 2007;23:45–50.
26. Lüthy H, Loeffel O, Hammerle CH. Effect of thermocycling on bond strength of luting cements to zirconia ceramic. *Dent Mater* 2006;22:195–200.
27. Thompson JY, Stoner BR, Piascik JR, Smith R. Adhesion/cementation to zirconia and other non-silicate ceramics: where are we now? *Dent Mater* 2011;27:71–82.
28. D'Arcangelo C, Vanini L. Effect of three surface treatments on the adhesive properties of indirect composite restorations. *J Adhes Dent* 2007;9:319–26.
29. Vaz RR, Hipolito VD, D'Alpino PH, Goes MF. Bond strength and interfacial micromorphology of etch-and-rinse and self-adhesive resin cements to dentin. *J Prosthodont* 2012;21:101–11.
30. Hori S, Minami H, Minesaki Y, et al. Effect of hydrofluoric acid etching on shear bond strength of an indirect resin composite to an adhesive cement. *Dent Mater J* 2008;27:515–22.
31. de Menezes MJ, Arrais CA, Giannini M. Influence of light-activated and auto- and dual-polymerizing adhesive systems on bond strength of indirect composite resin to dentin. *J Prosthet Dent* 2006;96:115–21.
32. Burnett LH Jr, Shinkai RS, Eduardo Cde P. Tensile bond strength of a one-bottle adhesive system to indirect composites treated with Er:YAG laser, air abrasion, or fluoridric acid. *Photomed Laser Surg* 2004;22:351–6.
33. Ellakwa AE, Shortall AC, Burke FJ, Marquis PM. Effects of grit blasting and silanization on bond strengths of a resin luting cement to Belleglass HP indirect composite. *Am J Dent* 2003;16:53–7.
34. Mak YF, Lai SC, Cheung GS, et al. Micro-tensile bond testing of resin cements to dentin and an indirect resin composite. *Dent Mater* 2002;18:609–21.
35. Yoshida K, Kamada K, Atsuta M. Effects of two silane coupling agents, a bonding agent, and thermal cycling on the bond strength of a CAD/CAM composite material cemented with two resin luting agents. *J Prosthet Dent* 2001;85:184–9.
36. Nilsson E, Alaeddin S, Karlsson S, et al. Factors affecting the shear bond strength of bonded composite inlays. *Int J Prosthodont* 2000;13:52–8.
37. Bouschlicher MR, Cobb DS, Vargas MA. Effect of two abrasive systems on resin bonding to laboratory-processed indirect resin composite restorations. *J Esthet Dent* 1999;11:185–96.
38. Imamura GM, Reinhardt JW, Boyer DB, Swift EJ Jr. Enhancement of resin bonding to heat-cured composite resin. *Oper Dent* 1996;21:249–56.
39. Shortall AC, Baylis RL, Wilson HJ. Composite inlay/luting resin bond strength—surface treatment effects. *J Dent* 1996;24:129–35.
40. Swift EJ Jr, Brodeur C, Cvitko E, Pires JA. Treatment of composite surfaces for indirect bonding. *Dent Mater* 1992;8:193–6.

41. Tam LE, McComb D. Shear bond strengths of resin luting cements to laboratory-made composite resin veneers. *J Prosthet Dent* 1991;66:314–21.
42. Komine F, Kobayashi K, Saito A, et al. Shear bond strength between an indirect composite veneering material and zirconia ceramics after thermocycling. *J Oral Sci* 2009;51:629–34.
43. Komine F, Fushiki R, Koizuka M, et al. Effect of surface treatment on bond strength between an indirect composite material and a zirconia framework. *J Oral Sci* 2012;54:39–46.
44. Fushiki R, Komine F, Blatz MB, et al. Shear bond strength between an indirect composite layering material and feldspathic porcelain-coated zirconia ceramics. *Clin Oral Investig* 2012;16:1401–11.
45. Komine F, Kobayashi K, Blatz MB, et al. Durability of bond between an indirect composite veneering material and zirconium dioxide ceramics. *Acta Odontol Scand* 2013;71:457–63.
46. Kobayashi K, Komine F, Blatz MB, et al. Influence of priming agents on the short-term bond strength of an indirect composite veneering material to zirconium dioxide ceramic. *Quintessence Int* 2009;40:545–51.
47. Ikeda M, Nikaido T, Foxton RM, Tagami J. Shear bond strengths of indirect resin composites to hybrid ceramic. *Dent Mater J* 2005;24:238–43.
48. Jayasooriya PR, Pereira PN, Nikaido T, Tagami J. Efficacy of a resin coating on bond strengths of resin cement to dentin. *J Esthet Restor Dent* 2003;15:105–13, discussion 13.
49. Lacy AM, LaLuz J, Watanabe LG, Dellinges M. Effect of porcelain surface treatment on the bond to composite. *J Prosthet Dent* 1988;60:288–91.
50. Koizuka M, Komine F, Blatz MB, et al. The effect of different surface treatments on the bond strength of a gingiva-colored indirect composite veneering material to three implant framework materials. *Clin Oral Implants Res* 2013;24:977–84.
51. Silva PC, Goncalves M, Nascimento TN, Centola AL. Effect of air abrasion on tensile bond strength of a single-bottle adhesive/indirect composite system to enamel. *Braz Dent J* 2007;18:45–8.
52. Yoshida K, Greener EH, Lautenschlager EP. Shear bond strengths of two luting cements to laboratory-cured prosthetic resin composite. *Am J Dent* 1993;6:13–6.
53. Okuda M, Nikaido T, Maruoka R, et al. Microtensile bond strengths to cavity floor dentin in indirect composite restorations using resin coating. *J Esthet Restor Dent* 2007;19:38–46, discussion 7–8.
54. Lee JI, Park SH. The effect of three variables on shear bond strength when luting a resin inlay to dentin. *Oper Dent* 2009;34:288–92.
55. Antonopoulou A, Papadopoulos T, Hatzikyriakos A. In vitro evaluation of shear bond strength and mode of failure of the interface between an indirect composite bonded to fiber-reinforced composite substructures. *J Prosthodont* 2012;21:451–9.
56. Broyles AC, Pavan S, Bedran-Russo AK. Effect of dentin surface modification on the microtensile bond strength of self-adhesive resin cements. *J Prosthodont* 2013;22:59–62.
57. Shafiei F, Memarpour M. Effect of chlorhexidine application on long-term shear bond strength of resin cements to dentin. *J Prosthodont Res* 2010;54:153–8.
58. Gresnigt M, Ozcan M, Muis M, Kalk W. Bonding of glass ceramic and indirect composite to non-aged and aged resin composite. *J Adhes Dent* 2012;14:59–68.
59. Arrais CA, Miyake K, Rueggeberg FA, et al. Micromorphology of resin/dentin interfaces using 4th and 5th generation dual-curing adhesive/cement systems: a confocal laser scanning microscope analysis. *J Adhes Dent* 2009;11:15–26.
60. Arrais CA, Giannini M, Rueggeberg FA, Pashley DH. Effect of curing mode on microtensile bond strength to dentin of two dual-cured adhesive systems in combination with resin luting cements for indirect restorations. *Oper Dent* 2007;32:37–44.
61. Aguiar TR, Di Francescantonio M, Ambrosano GM, Giannini M. Effect of curing mode on bond strength of self-adhesive resin luting cements to dentin. *J Biomed Mater Res B Appl Biomater* 2010;93:122–7.
62. Inukai T, Abe T, Ito Y, et al. Adhesion of indirect MOD resin composite inlays luted with self-adhesive and self-etching resin cements. *Oper Dent* 2012;37:474–84.
63. Latta MA, Barkmeier WW. Bond strength of a resin cement to a cured composite inlay material. *J Prosthet Dent* 1994;72:189–93.
64. Stokes AN, Tay WM, Pereira BP. Shear bond of resin cement to post-cured hybrid composites. *Dent Mater* 1993;9:370–4.
65. Aggarwal V, Logani A, Jain V, Shah N. Effect of cyclic loading on marginal adaptation and bond strength in direct versus indirect class II MO composite restorations. *Oper Dent* 2008;33:587–92.
66. Blatz MB, Oppes S, Chiche G, et al. Influence of cementation technique on fracture strength and leakage of alumina all-ceramic crowns after cyclic loading. *Quintessence Int* 2008;39:23–32.
67. Kern M, Barloi A, Yang B. Surface conditioning influences zirconia ceramic bonding. *J Dent Res* 2009;88:817–22.
68. Kato H, Matsumura H, Atsuta M. Effect of etching and sandblasting on bond strength to sintered porcelain of unfilled resin. *J Oral Rehabil* 2000;27:103–10.
69. Borges GA, Sophr AM, de Goes MF, et al. Effect of etching and airborne particle abrasion on the

- microstructure of different dental ceramics. *J Prosthet Dent* 2003;89:479–88.
70. Chen JH, Matsumura H, Atsuta M. Effect of different etching periods on the bond strength of a composite resin to a machinable porcelain. *J Dent* 1998;26:53–8.
 71. Ferracane JL, Stansbury JW, Burke FJ. Self-adhesive resin cements—chemistry, properties and clinical considerations. *J Oral Rehabil* 2011;38:295–314.
 72. Viotti RG, Kasaz A, Pena CE, et al. Microtensile bond strength of new self-adhesive luting agents and conventional multistep systems. *J Prosthet Dent* 2009;102:306–12.
 73. Berry T, Barghi N, Chung K. Effect of water storage on the silanization in porcelain repair strength. *J Oral Rehabil* 1999;26:459–63.
 74. Kitasako Y, Burrow MF, Nikaido T, Tagami J. The influence of storage solution on dentin bond durability of resin cement. *Dent Mater* 2000;16:1–6.
 75. Van Meerbeek B, Peumans M, Poitevin A, et al. Relationship between bond-strength tests and clinical outcomes. *Dent Mater* 2010;26:e100–21.
 76. Della Bona A, van Noort R. Shear versus tensile bond strength of resin composite bonded to ceramic. *J Dent Res* 1995;74:1591–6.
 77. Oilo G. Bond strength testing—what does it mean? *Int Dent J* 1993;43:492–8.
 78. Braga RR, Meira JB, Boaro LC, Xavier TA. Adhesion to tooth structure: a critical review of “macro” test methods. *Dent Mater* 2010;26:e38–49.
 79. Salz U, Bock T. Testing adhesion of direct restoratives to dental hard tissue—a review. *J Adhes Dent* 2010;12:343–71.

Reprint requests: Sebastian D. Horvath, DMD, Dr. Horvath — Praxis für Zahnheilkunde, Bahnhofstrasse 24, Jestetten 79798, Germany; Tel.: +49-7745-7211; Fax: +49-7745-97916; email: sebastian.horvath@drhorvath.de; <http://www.drhorvath.de>