

## Quiz Submissions - mini-Quiz 1



Hassan Ismail Abdalla (username: s210783)

### Attempt 1


Written: 10 February, 2022 11:37 AM - 10 February, 2022 11:48 AM

### Submission View

Your quiz has been submitted successfully.

### Question 1

1 / 1 point



In the attached graphic, the left-most image is the original image. To create the middle image, the original was treated with a 9x9 mean filter.

What filter could have been used to produce the right-most image from the original (left-most) image?

(Choose all answers that might apply)


- ☒ 9x9 median filter
- ☒ 5x5 median filter
- ☒ 15x15 mean filter
- ☒ 9x9 max filter
- ☒ 5x5 mean filter

### Question 2

1 / 1 point

## DTU Sharpening

$$\begin{aligned}
 f_{sharp} &= f + \alpha(f - f_{blur}) \\
 &= (1 + \alpha)f - \alpha f_{blur} \\
 &= (1 + \alpha)(w * f) - \alpha(v * f)
 \end{aligned}$$



$$= ((1 + \alpha)w - \alpha v) * f$$

DTU Electrical Engineering

Slide from: Bharath Hariharan

We have seen in our lectures that we can implement a sharpening linear filter by a single convolution with an appropriate kernel, as shown in the attached graphic.

Assume that  $\alpha=0.9$  to calculate the sharpening filter kernel. Examine the elements of this kernel and answer the following questions:

The maximum value of all kernel elements is:

\_\_\_1.8\_\_\_ ✓(50 %)

The minimum value of all kernel elements is:

\_\_\_-0.1\_\_\_ ✓(50 %)

### Question 3

1 / 1 point

How do we call the smallest change of a pixel's intensity that we are able to distinguish with a specific sensor?

- ☐ Accuracy
- ☐ None of the above
- ☐ Precision

☐ Saturation☒ Resolution**Question 4****1 / 1 point**

Consider a grayscale digital image with 100 rows and 540 columns, where each pixel can take values from 0 up to 1023.

How many bits are required to store such a digitized image?

Answer:

540,000 ✓

---

**Attempt Score:**100 %**Overall Grade (highest attempt):**100 %

Done