```
All: page 37: 5, 6, 7, 8 (me)
G1: page 37: 14, 15, page 57: 41, 44
G2: page 37: 16, 17, page 57: 42, 43 (me)
(In other words, do: page 37: 5, 6, 7, 8, 16, 17, page 57: 42, 43)
```

# Page 37

# Exercise 5

For  $n \geq 3$ , describe the elements of  $D_n$ . (Hint: You will need to consider two cases: n is even and n is odd.)

The elements of  $D_n$  are just reflections and rotations of the n-gon.

If n is even,  $D_n$  will have n-1 rotations, n reflections, and the identity, for a total of 2n operations.

If n is odd,  $D_n$  will have n - 1 rotations, n reflections, and the identity, for a total of 2n operations.

How many elements does  $D_n$  have?

### 2n

# Exercise 6

In  $D_n$ , explain geometrically why a reflection followed by a reflection must be a rotation.

Flipping a shape twice either puts all the corners back where they were or puts them back where they were with some offset for all of them, which is a rotation.

#### Exercise 7

In  $D_n$ , explain geometrically why a rotation followed by a rotation must be a rotation.

Because rotating a shape (x + y) degrees is the same thing as rotating that shape x degrees, followed by rotating it y degrees.

#### Exercise 8

In  $D_n$ , explain geometrically why a rotation and a reflection taken together in either order must be a reflection.

Well, suppose there was a rotation and a reflection that yielded a non-reflection. Then it must either be the identity or a rotation. Since the inverse of a rotation is a rotation, the result of a rotation and a reflection (or vise versa) cannot be the identity. Thus, this rotation and reflection combo must be a rotation. However, because all rotations form a cyclic subgroup, this rotation and reflection combo must be a member of that cyclic subgroup. Since all rotations can be split into any arbitrary rotation plus another rotation based on the first rotation, if we split the rotation and reflection combo into the rotation part and the reflection part, then this implies the reflection must be a rotation - a contradiction. Therefore, a rotation and a reflection taken together must be a reflection.

# Exercise 16

Describe the symmetries of a parallelogram that is neither a rectangle nor a rhombus.

Then the parallelogram is a trapezoid, and it only has 4: reflection down the symmetric part from either direction, or rotation either 180 or -180 degrees.

Describe the symmetries of a rhombus that is not a rectangle.

I think it only has two: rotation by either 180 or -180 degrees.

### Exercise 17

Describe the symmetries of a non-circular ellipse. Do the same for a hyperbola.

A non-circular ellipse has 6: 2 reflections across the vertical axis and 2 across the horizontal axis, and 180 or -180 degree rotation. A hyperbola appears to have the exact same symmetries.

# Page 57

## Exercise 42

Suppose  $F_1$  and  $F_2$  are distinct reflections in a dihedral group  $D_n$  such that  $F_1F_2 = F_2F_1$ . Prove that  $F_1F_2 = R_{180^{\circ}}$ 

Well, suppose that there exists distinct  $F_1$  and  $F_2$  reflections in a dihedral group  $D_n$  such that  $F_1F_2 = F_2F_1$  and  $F_1F_2 \neq R_{180^{\circ}}$ 

Since a reflection followed by a reflection is a rotation, and  $\mathbf{F}_1\mathbf{F}_2 \neq \mathbf{R}_{180^\circ}$ ,  $\mathbf{R}_n = \mathbf{F}_1\mathbf{F}_2$  such that 0 < n < 180 or 180 < n < 360.

However, by symmetry,  $F_2F_1$  must be equal to  $R_t$  such that t = 360 - n

If t = n, then the only way that's true is if n = 180, a contradiction. Hence,  $F_1F_2$  is  $R_{180}$ .

### Exercise 43

Let R be any fixed rotation and F any fixed reflection in a dihedral group, prove that  $R^kFR^k=F$