

Jotham Wong Yi Shuen 3 Sep 2024 Slides at

Introduction

Synta

Introduction

Commands and Environments

Mathematics

Bibliography

Conclusion

Introduction Syntax Commands and Environments Mathematics Bibliography

NUS Hackers



http://nushackers.org

hackerschool

Friday Hacks

Hack & Roll

Hacker Tools

About Me

Introduction

Hi! I'm Jotham Wong. My GitHub is https://github.com/JothamWong

Year 4 CS and an aspiring graduate student/professor.

I also enjoy games (League, Civ, Godot), walking and teaching.

Required Software

These are preferable, but otherwise you should be to follow along using Overleaf¹

- A T_EX distribution (instructions in our publicity channels)
- VS Code with LaTeX Workshop

¹https://www.overleaf.com/

What is LaTeX?

Introduction

- A markup language for document preparation²
- Uses plain text³ in contrast to most WYSIWYG editors
- Started as a writing tool for mathematicians and computer scientists.
- Built on top of T_FX by Leslie Lamport⁴ in 1983

²Just like HTML (Hyper-Text Markup Language) is a markup language ³thus versionable using a VCS like git

⁴Winner of the Turing Award in 2013 for his work in distributed and concurrent systems

What is TFX?

Introduction

- A typesetting system designed and mostly written by Donald Knuth⁵ in 1978
- Because Knuth was disappointed with the typesetting of the 2nd edition of TAOCP
- 2 Goals:
 - Allow anybody to produce high-quality books with minimal effort
 - Provide a system that would give exactly the same results on all computers, at any point in time

⁵Winner of the Turing Award in 1974 for analysis of algorithms and the design of programming languages

Trivia

Introduction

Version number of TFX approaches π :

$$3.0
ightarrow 3.1
ightarrow 3.14
ightarrow 3.141
ightarrow ...
ightarrow 3.14159265$$
 (current)

Version number of Metafont⁶ approaches e:

$$2.0
ightarrow 2.7
ightarrow 2.71
ightarrow ...
ightarrow 2.7182818$$
 (current)

⁶Companion to T_FX written by Knuth, used to describe fonts using geometrical equations

What can I use LATEX for?

- Reports
- Books
- Cheatsheets
- Presentation⁷
- And so much more!

⁷This presentation is written in LATEX using Beamer! https://github.com/indocomsoft/hackertools-slides/blob/ master/latex/latex.tex

- A LATEX document consists of commands and environments⁸
- The command syntax:

```
\command[option1,option2,...]{arg1}{arg2}...
```

■ The environment syntax:

```
\begin{environment}
  % Some children content
\end{environment}
```

Comments are whatever comes after %

⁸HTML terms: tags = commands, tags with children = environments

Basic LaTeX Document

We will explain the commands and environment used here later on.

\documentclass{article}

\begin{document} Hello world! \end{document}

- All whitespace characters are treated as space.
- Several consecutive spaces are treated as one space.
- Leading/trailing spaces are ignored.
- A single line break is treated as a space.
- Two or more line breaks define the end of a paragraph.

Let's try out spaces

```
\begin{document}
It does not matter whether you
enter one or several spaces
after a word.
```

An empty line starts a new
paragraph.
\end{document}

Reserved Characters

Reserved characters either have a special meaning or are unavailable in all the fonts ⁹.

Instead, use

Note the empty argument to caret and tilde, because otherwise they are used to create diacritics.

We use \textbackslash because \\ is line breaking.

 $^{^9} This$ might feel weird, but remember that $T_{E\!X}$ and LATEX are such old systems from the 1970s and 1980s

- < and > symbols usually do not get rendered correctly.
- Instead, use \textless and \textgreater
- In some circumstances, square brackets are reserved (for options)
- Thus, \command [text] fails, instead do \command{} [text]

■ Just like other programming languages, LATEX has packages as well

- LATEX also has its own package manager, called CTAN
- Use the command \usepackage {packagename} to "import" and use a package.
- We will go through some useful packages in the upcoming subsections.

Where are we?

Commands and Environments

```
\documentclass{article}
```

\begin{document} Hello world! \end{document}

Where are we?

Commands and Environments

Document Class

Document Class

\documentclass{article}

- Use the article document class.
- Document class file defines the formatting standard to follow, which in this case is the generic article format.
- Other document classes, e.g. acmart for ACM¹⁰ publications, beamer for presentations¹¹
- Another option is extarticle as it offers extra font sizes (good for cheatsheets)

¹⁰Association for Computing Machinery

¹¹Like this presentation!

Document Class options

- 10pt, 11pt, 12pt size of main font (default: 10pt)
- a4paper, letterpaper, ... size of paper
- landscape Landscape mode layout
- titlepage, notitlepage whether a new page should be started after the document title

Find out more at https://en.wikibooks.org/wiki/ LaTeX/Document_Structure#Document_classes

Where are we?

Commands and Environments

Document environment

\begin{document}

- The beginning of the document environment.
- Tells LATEX that the content of document starts here.
- Anything before this line is called **the preamble**

\end{document}

- The end of the document environment
- Tells LATEX that the document is complete.
- Anything after this line is ignored.

op iviatter

Top Matter: information about the document itself

- Provide information using the title, author, date
- Typeset the title using maketitle

\documentclass{article}

```
\title{How to Basic: \LaTeX{}}
\author{Jotham Wong Yi Shuen}
\date{3 September 2024}
```

```
\begin{document}
\maketitle
\end{document}
```

```
\section{Some Section Title}
\subsection{Some Subsection Title}
\subsubsection{Some Subsubsection Title}
```

To get an unnumbered sections, add an asterisk to the end of the command name, e.g. \section*{Look Ma, no numbers!}

Typeset a table of contents using \tableofcontents

Note: unnumbered section will not be included in the TOC unless explicitly included:

```
\addcontentsline{toc}{subsection}{Look Ma, no 

→ numbers!}
```

Where are we?

Commands and Environments

Fonts

Emphasising text

- Use the \emph{text} command
- Typically done by italicising the text.
- Note that the command is dynamic: emphasising a word in an already emphasised sentence will revert the word to upright font.

\uppercase{uppercase}

```
\textnormal{document font family}
\emph{Emphasised text}
\texttt{teletype font family (monospaced)}
\textbf{bold fontface}
\textsc{Small Capitals}
```

Changes the size in scope

```
{\tiny test}
{\scriptsize test}
{\footnotesize test}
{\small test}
{\normalsize test}
{\large test}
{\Large test}
{\LARGE test}
{\huge test}
{\Huge test}
```

Where are we?

Introductio

Syntax

Commands and Environments

Document Class

Document environment

Fonts

Text and Paragraph Formatting

Mathematics

Non-breaking Space

Use tilde (~) to tell LATEX not to change space into line break.

Line spacing

- For controlling line spacing, I usually use the setspace package.
- Import it in the preamble: \usepackage{setspace}
- Useful commands: \singlespacing, \onehalfspacing, \doublespacing
- Useful environments: singlespace, onehalfspace, doublespace, spacing

```
\begin{spacing}{2.5}
This paragraph has \\ huge gaps \\ between lines.
\end{spacing}
```

Quote-marks

In LATEX, quote-marks can go the wrong way if you're not careful!

```
To `quote' in LaTeX
To ``quote'' in LaTeX
```

Alignment	Environment	Command	
Left justified	flushleft	\raggedright	
Right justified	flushright	\raggedleft	
Center	center	\centering	

Paragraph Indentation

- By default, first paragraph after a heading is not indented, subsequent paragraphs are indented by \parindent
- This follows typical Anglo-American publishing convention.
- To set this length, in preamble: \setlength{\parindent}{1cm} % Default 15pt
- You can use the indentfirst package to indent the beginning of every section
- To force indent a non-indented paragraph, use \indent at the beginning of the paragraph.
- To force non-indent an indented paragraph, use \noindent

- To make paragraphs boundary clear using zero indentation, vertical space between paragraphs is needed.
- Use the parskip package

Verbatim Environment

Introduce text that will not be interpreted by the compiler in a monospaced font

```
\begin{verbatim}
The verbatim environment
  simply reproduces every
  character you input,
including all s p a c e s!
\end{verbatim}
```

Code Blocks

We can also use the minted package to introduce code blocks with syntax highlighting!

https://ctan.org/pkg/minted?lang=en

Typesetting URLs

Use the hyperref package, with the \url{https://www.nushackers.org/} command

If you want coloured hyperlink instead of box, set option colorlinks when using the hyperref package:

\usepackage[colorlinks]{hyperref}

Introduction

Syntax

Commands and Environments

Mathematics

Bibliography

Conclusion

Knuth's motivation to develop TFX among others was to allow simple construction of mathematical formulae that looks professional when printed.

Typesetting Mathematics is one of LATEX's greatest strengths

Getting started

I usually use the mathtools package to provide more powerful and flexible commands than plain $\slash\hspace{-0.07cm}\text{L}^{-1}T_FX$

\usepackage{mathtools}

Mathematics

Environments

LATEX provides displayed equation environment (displaymath), where the formulae are on a line by themselves

Short hand 12 : \[e^{i \pi} + 1 = 5\]

To get automatically numbered equations, use the equation environment:

\begin{equation} $e^{i \cdot pi} + 1 = 0$ \end{equation}

¹²DO NOT use **\$\$...\$\$**, it is an older TFX syntax that causes problems and is not officially supported by LATEX

However, if you want to get an inline formula, use the math environment or the shorthand¹³:

$$e^{i} = 0$$

These work on some flavours of Markdown too, e.g. https://hackmd.io

¹³There also exists the LATEX shorthand \(...\)

Maths Symbols

```
A pretty good list at https://en.wikibooks.org/wiki/
LaTeX/Mathematics#List_of_mathematical_symbols
```

You can also use detexify:

http://detexify.kirelabs.org/

Or even cooler: https://mathpix.com/

Powers and indices

Use the caret (^) to raise something, and underscore (_) to lower.

If more than one expression is raised or lowered, group them using curly braces

Exercise: typeset this

$$k_{n+1} = n^2 + k_n^2 - k_{n-1}$$

Fractions and Binomials

```
$\frac{x^2}{y^3}$
```

 $\infty n}{r}$

Roots

$$\frac{1 + x + x^2 + x^3 + \det x^n}{1 + x + x^2 + x^3 + \cdots + x^n}$$

Sums and Integrals

Use the \sum and \int for sum and integral respectively, with the limits specified using caret and underscore.

Use \limits if you want the limits specified above and below the symbol in inline mode, or use displayed equation mode.

Use \, for a small space

$$\int_0^{\infty} e^{-x} \, dx$$

$$\sum_{i=1}^{10} t_i$$

$$\sum_{i=1}^{10} t_i$$

$$\int_0^\infty e^{-x} dx$$

$$\int_{0}^{\infty} e^{-x} dx$$

Other big commands

Note that this also applies to other "big" commands like ρ \prod\(\(\pri\), \\$\bigcup\(\pri\), \\$\bigcap\(\pri\), etc.

Brackets, braces, delimiters

```
$( a ), [ b ], \{ c \}, | d |, \| e \|, \langle f

→ \rangle, \lfloor g \rfloor, \lceil h \rceil,

→ \ulcorner i \urcorner$
(a), [b], \{c\}, |d|, ||e||, \langle f \rangle, |g|, [h], [i]
```

Automatic sizing

$$P\left(A=2\left|\frac{A^2}{B}>4\right)\right$$

$$P(A=2|\frac{A^2}{B}>4)$$

Exercises

$$\binom{n}{r} = {}_{n}C_{r} = \frac{n!}{r!(n-r)!}, \ {}_{n}C_{r} \times r! = {}_{n}P_{r}$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_{n}} \right| = \rho$$

$$\frac{d^{2}y}{dx^{2}} + p(x)\frac{dy}{dx} + q(x)y = F(x)$$

$$\{x \mid x \in \mathbb{R}^{+}, -1 < x < 1\}$$

Bibliography

One of LATEX's greatest power is automated bibliography and references. Especially useful for writing a formal paper.

We will be using BibTFX

Bibliography

Bib File

First, create a '.bib' file in your project. Here is what a sample '.bib' file might look like.

```
@book{texbook.
  author = {Donald E. Knuth},
  year = \{1986\},\
  title = {The \{\TeX\}\ Book\}.
  publisher = {Addison-Wesley Professional}
```

The bib file serves as your project's bibliography database.

Bibliography

Inside your document, include these 2 commands.

```
\bibliographystyle{plain}
\bibliography{refs}
```

Inside a paragraph, where you wish to cite

```
\LaTeX is a set of macros built upon \TeX
→ \cite{texbook}
```

Introduction

Synta

Commands and Environments

Mathematics

Bibliography

Conclusion

Wikibooks provide some good resources:

https://en.wikibooks.org/wiki/LaTeX

So does overleaf:

https://www.overleaf.com/learn/latex/Main_Page

Get started writing LATEX

Overleaf is a good option for collaborative LATEX document writing. Used by virtually all academic researchers.

Learn good LATEXcode on GitHub!

Make your own cheatsheets and make them open source! Refer to Jovyn's cheatsheets:

https://github.com/jovyntls/cheatsheets

Acknowledgements

Julius Putra (ex NusHackers Core Team) for the base set of slides and Beamer template

https://github.com/indocomsoft

Talk to us!



■ Feedback form:

https://hckr.cc/ht2425s1-w4-feedback

- Telegram Group Chat:
 - https://t.me/nushackers_chat (@nushackers_chat)
- Telegram Channel:

https://t.me/nushackers(@nushackers)