Rajalakshmi Engineering College

Name: Jothika k

Email: 241801110@rajalakshmi.edu.in

Roll no: 241801110 Phone: 8015818072

Branch: REC

Department: I AI & DS FB

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 5
   10 20 30 40 50
Output: 10 20 30 40 50
   Answer
   #include<stdio.h>
   #include<stdlib.h>
   typedef struct node
     int data;
     struct node* next;
     struct node* prev;
   }Node;
   void insertatend(Node**head,int data)
     Node* newnode=(Node*)malloc(sizeof(Node));
     newnode->data=data;
     newnode->next=NULL;
     newnode->prev=NULL;
     if(*head==NULL)
       *head=newnode;
       return;
     node*temp=*head;
     while(temp->next!=NULL)
       temp=temp->next;
```

```
24,180,110
next=newnode;
newnode->prev=temp;
}
void +-
    void traverse(Node*head)
       Node*temp=head;
       while(temp!=NULL)
         printf("%d ",temp->data);
         temp=temp->next;
       }
    int main()
                                                    24,801,10
int n,e;
       Node*head=NULL;
       scanf("%d",&n);
       for(int i=0;i<n;i++)
         scanf("%d",&e);
         insertatend(&head,e);
       }
       traverse(head);
    }
     Status: Correct
                                                    24,80,110
```

24,801,10

241801110

241801110

24,801,10

241801110

24,801,10

24,180,1,10

24,801,10

24,801,10

Marks: 10/10