# **Project Proposal**

Advanced Gameplay Survival Mechanics First-third/person for multiplayer video games in Unreal Engine



# SCHOOL OF ARCHITECTURE, COMPUTING & ENGINEERING

BSc in Computer Science

# **Research Project Proposal Title:**

"Advanced Gameplay Survival Mechanics First-third/person for multiplayer video games in Unreal Engine"

#### Mentor

Dr. Christos Frantzidis

# Responsible

Michail Markou

CN6000 - MENTAL WEALTH PROFESSIONAL LIFE 3 (PROJECT)

## **UEL NUMBER**

2020732

#### Date

11/11/2021

# Advanced Gameplay Survival Mechanics First-third/person for multiplayer video games in Unreal Engine

## Michail Markou

# **University of East London**

Co	nte	nts			
1.	Abs	tract	······································		
2.	Intr	odud	ction 2	Lifestyl Real	ity
2.	1.	Wh	nat are Video Games 2	6	
2.	.2.	Infl	uence 2	Possibil	
2.	.3.	Res	search questions: 4		/
3.	Lite	ratu	re Review and Hypotheses6	Second Lif	e
3.	1.	Gai	me Graphics Engine 6		
	3.1.	1.	Unreal Engine 5 [9] 7		
3.	.2.	Prir	nciples of the idea of designing successful games. 8		
3.	.3.	Sys	tem Characteristics Architecture 8	Second Life Science	S R
	3.3.	1.	Software application architecture 8		
	3.3.	2.	Object-Oriented Programming 9		
	3.3.	3.	Server-Client Architecture 9		
	3.3.	4.	Game Al	Second	Seco Real
	3.3.	5.	Game Mode & Game State 12	Life	Keal
3.	4.	Gai	me Comparisons 12		
4.	Met	thod	ologies   Objectives 12	Evolution	
4.	1.	Gai	me Graphics Engine Selection 12		
	.2.		plementation of Architecture Characteristics of	Second Life	
			n (s)	Second Reality Reality	
	.3.		pected results14	Change	
				Lyolution	
•				Figure 1 Pro	ogress
l'i	meta	able	17		

Figure 1 Progress of evolution	C
Figure 2 Word Cloud	C
Figure 3 https://steamcharts.com/cmp/739630,1562420,264710#1y	
Figure 4 Game Idea	2
Figure 5 ISFE https://www.isfe.eu/games-in-society/	
Figure 6 The Matrix What is real? What is not? Does it matter to you/us?	
Figure 7 An Unreal Engine 5 interactive cinematic experience through simulation Enter the Mat	rix: Wake
JD	5
- Figure 8 Client-Server Model	
Figure 8 https://videogameintelligence.com/	



Figure 2 Word Cloud

#### 1. Abstract

Video games are high-involvement products that tend to retain their players throughout the duration/narrative or objective goal. At its core of implementation from business goals to product delivery, there is where the gameplay systems sit.

Because of a plethora of game genres categorization even though the line can be blurred easily between each genre this is dependent on the project's vision; this study will be focused on survival experience multiplayer horror approach with FPP (first-person perspective) and some RPG (role-playing) mechanics mixed.

Our thesis project study addresses this succession line of which games are being made in the literature by analyzing the core concept and actual implementation of an immersive virtual world of innovation, freedom and a form of digital identity of an offline or online player instance.

First, we describe with a brief review the technology and creation of worlds through science as the arrival of multidimensional / metaverses using AR / VR (enchanced «"sur"»-realism).

Later, we analyze the observable factors, a dataset and impact of 4 well known multiplayer cooperative and non-co-operative video games via Steam Charts associated with a similar genre approach. The historical behavioral data and the time of the game's actual release throughout its competitors and deconstructing the mechanics/systems in short of each game and why it retains the majority of the players more than the others.

We also show that player retention diminishes due to the absence of a particular game mechanic or lack of a plethora level design strategy that contributes to the factors as well and how to reverse engineer a gameplay genre system based and developed on Unreal Engine with the help of various Digital Content Creation (DCC) software's.

*Keywords*: Game Design; Multiplayer Games; Player Behavior; Player retention; Gameplay Mechanics; Gameplay Systems;




Figure 3 https://steamcharts.com/cmp/739630,1562420,264710#1y

#### 2. Introduction

#### 2.1. What are Video Games

#### What is a Game?

A voluntary experience that contains at least 4 elements.



Figure 4 Game Idea

A video game on the other hand is a game played by electronically manipulating images produced by a computer program on a monitor other display. [1]

Question: What does this mean?

Answer: A huge amount of effort to bring real-world data,

about accurate physically world (or not) to a digitalized form representation.

That immediately makes gameplay mechanics a very dependent thing. Agnostic Creation and abstraction of such a system are really difficult to make.

We must be also aware of other fields in form of assets such as AI, Sound, 2D/3D art, Animation, visual effects, rigs, shaders, Graphics, textures, physics and any other form of external Data like CSV/excel files or any proprietary extension that can be translated and be understand by a game engine.

#### 2.2. Influence

The "video game" industry represents one of the most significant pillars/components of the global market expanded in many fields, e.g., entertainment, training and simulation, architectural and automotive visualization, higher education, linear film and television content creation, broadcast and live event production, real-time virtual production, metaverse and other real-time applications. According to Europe's video game industry (ISFE), consumers reach a 50% mark of the European population aged between 6-64. The average age between them is 32 years old and half of that population, the 47%, are women's across these markets. Usually, there is a higher chance of someone pursuing a STEM job when playing video games, which concludes in higher science development rates.

Also, another excellent impact point is that 10h/week the average is being spent playing video games. In contrast, 14/h week on social media and 24/h week on watching tv from these statistics can someone easily tell that this is all part of the "video game" industry in a way, the virtual world is everywhere and its growing onset rapidly [2].

Now you may wonder where gameplay mechanics fit here? In a broader term, well actually everywhere because they define the field and ruleset of the deterministic non-linear virtual or augmented reality world. Everything has its logic and with the logic comes the actual design and implementation of gameplay systems of interactions because it is nothing more than what a user will input as his next instruction set in the iconic or more pronounced virtual world, nowadays they can be expanded upon what's called gamification, this concept takes the systems in a game and applies it in real-world data that way because of its nature, a game always pushes its player to achieve something so players get rewarded<sup>1</sup> <sup>2</sup>. The world is digital, and life events also contribute to these areas. As pandemic hits us or world pollution and climate change become a more controversial issue for our day's digitalization is a must and that means at its core, "gameplay" mechanics usage, proper structure, architectural software solutions are becoming our reality, modern problems require modern solutions.

From an entertainment perspective, modern video games are high-involvement products with emergent multiplatform and multiplayer skill and attribute characteristics or story-wise, aiming to deliver long-term happiness to consumers [3]. This directly leads to more significant retention of consumers in the market, which is often seen as more preferable and profitable than acquiring new ones. Jolley et al. argue that retention can be measured by the duration of time a consumer continues to buy from a company [4]. Rust and Zahorik add that retention can be viewed as the propensity for a consumer to stay with a brand over time [5]. To improve player retention rates beyond the short scope term, producers attempt to efficiently organize and effectively create immersive blueprints for match participants in the multiplayer world into teams and thus customize the video game experience around aspects of the player such as preferences, playing style and skill level [6] [7].

<sup>&</sup>lt;sup>1</sup> We see this almost always in the Internet many web sites provide unlockable achievements when you doing something based on their "business" rules or it could also be applied in higher education which is a type of a Serious Game.

<sup>&</sup>lt;sup>2</sup> High scores create the charm of repetition [23]




Figure 5 ISFE https://www.isfe.eu/games-in-society/

What makes a game appealing? Is it the story? Is it just for fun? Do we like spending more on thinking while playing or just playing for nothing? What is real and what is not, does it matter?



Figure 6 The Matrix What is real? What is not? Does it matter to you/us?

Therefore, this study examines key pioneering research questions that have always existed from a high perspective in the evolution of life and everyday life and knowledge in the implementation of specific techniques at the level of entertainment that the digital toy world eventually becomes real (both in the microcosm and in the macro / as above so below) relating it to the enjoyment, matching and retaining of players in video games? for many players / multiplayer from virtual or real character operators (human or machine-artificial intelligence aka one step closer to completing the Turing test):

#### 2.3. Research questions | Agenda:

(i) Historical obstacles to creating a digital world and why is it happening now?

- (ii) What is the future of AR / VR in higher education and everyday life and how does it converge with metaverse combining gameplay mechanics in terms of human history and events?
- (iii) How do life, choices and knowledge, cinema and video games (dimensions?) Converge?
- (iv) How will the physical world be affected by the virtual world?
- (v) Which genre affects the most a player by design?
- (vi) Which observable, game logic behaviors tend to affect player retention?
- (vii) What is the proper way of building an architectural gameplay system?



Figure 7 An Unreal Engine 5 interactive cinematic experience through simulation <u>Enter the Matrix: Wake up</u>

#### 2.3.1. Dealing with research problems

We address these research questions through a multi-stage analysis approach.

Initially, we explore theoretically by researching how the evolution of the material world provided materials to create a new dimension / life as current technologies in line with the logical world of programs and science Data science / mine store and process bring the completion of algorithms by answering how it works the world both materially and intangibly and how this creates innovative sciences. Finally, through an online platform we compare a continuous analysis of the simultaneous Steam players using its data set, how this anticipates the arrival of metaverse and all this has been contributed by the science of game mechanics to attract and retain players in a «"sur"»-Realistic virtual world. After extensive empirical analysis, we look at what basic game systems ideas can most impact a game, such as the balance between teamwork and game difficulty. Then, based on the findings, we conclude what is the best way to develop similar systems and architectural structure, in order to create a riveting experience of a video game genre

with reverse engineering of the existing ones. (Do we live already as species in a video game and prepare for nested "real" dimensions / lives within each other and if so are we an advanced interstellar software of networks that is voluntarily recycled into biological organisms?<sup>3</sup>)

# 3. Literature Review and Hypotheses.

#### 3.1. Game Graphics Engine

To handle 3D simulated worlds, you need a strong infrastructure and implement software level. A graphics engine is this infrastructure that offers ready-made features such as for critical tasks:

- Physics In-game-immersions-immersions / in-game physics should be a perfect balance between simulation quality and end-user computing power constraints.
- Introduce player input This is an extremely common issue in multi-platform development. The game machine solves this problem as it provides abstraction to the underlying mechanism and the creation of a multiplatform (pc, consoles, VR headsets) is transparent.
- Optical (visual) data processing Lighting, shading, texture mapping, and depth of field require less programming effort when using gaming machines.

In short, the gaming machine you have chosen will enable you to perform the above tasks with reduced coding effort. This significantly shortens development times and allows teams to focus on designing their games to offer a unique and unique user experience. [8]

Famous industry standard Game Graphics Engines in the field:

- Unreal Engine (by Epic Games)
  - o Available on GitHub full-code but non-open-source license
  - o Largest Ecosystem for Games & Film making & Largest Support from Devs
  - Free and open-minded with sharing everything for everyone
  - o Quixel Megascans Free assets
  - o TwinMotion for Architectural visualization
  - Artstation for portfolio representation (Now free masterclasses from epic contribution)
- Unity

-

Second Leading after UE but first choice of Indie Game Developers when it comes to 2D game Development

<sup>&</sup>lt;sup>3</sup> The questions between many realities and their realization bring us closer as creators and students at the same time how life came about and what its meaning is. All their architecture. Who is "the architect" Chicken and egg paradox. Power over this grandfather paradox? Is the mystery hidden hanging on a wall clock? (That is, time and gravity itself (theory of relativity by Einstein)) working with oscillation (space and time impulse gravity produces oscillation:) and always the beginning is the end and the end is the beginning from wherever you take it (in a clock cycle). Combining it with the above question If you transfer material/physical or intangible/"software"/"soul" (basically what is the documentation of the material and the intangible matters what it is? How do you distinguish it?) In another time frame (backwards) of a specific parent / root "reality Which contains all the nested / encapsulated realities who is the previous genealogist in you (your creator) in that time "trigger"? a glitch into the matrix; This brings us to the example of the clock a complete cycle the end and the beginning the beginning and the end and through this comment if you noticed it really became a cycle of questions that went back to the beginning. After all, everything is an additive complex game mechanism from whatever point of view you see it.

Just entered Film industry (weta acquisition)

CryEngine

Available on GitHub full-code but non-open-source license

Godot

GameMaker : Studio

Cocos2d

	Installation & Ownership	2D/3D	Ease of Use	Integration & Compatibility	Film Making	VR Support	Customer Support
Unreal Engine	***	Both	****	****	****	Yes	****
Amazon Lumberyard	***	3D Only	****	***	No	Yes	***
CryENGINE	***	Both	***	****	***	Yes	**
Unity	***	Both	***	****	***	Yes	***
GameMaker: Studio	****	2D Only	****	***	No	No	***
Godot	****	Both	****	***	No	No	****
Cocos2d	****	2D Only	****	***	No	No	***

Table 1 Engines Comparison (one) \* poor and (five) \*\*\*\*\* perfect

#### 3.1.1. Unreal Engine 5 [9]

Version 5 brings innovative changes in the field of User Interface (user experience)<sup>4</sup>Graphics-rendering-lighting, World Building, Animation, Audio, physics system, Gameplay Framework, Performance and Platform Management and Platform SDK upgrades as well as making the Blur line for the first time in a strong degree in the history between Film industry & Game industry (industry convergence / union).

With a greater focus on those that brought a real revolution and change of workflow in the near future which are some:

- Nanite: Massive Virtualized micropolygon Geometry
- Lumen: Real-time Global Illumination and reflections
- World Partition: Now better hierarchy in open world/section maps and better collaboration when multiple users edit the same map or file.

<sup>&</sup>lt;sup>4</sup> A proper user interface / user experience but also common as "standard" among a multitude of software gives a serious advantage in familiarity, and immediate use by a user (that is, between many different programs to have exactly the same UI with the same mentality and hierarchy and even color code). This is considered innovative as in the past such a thing was never implemented (for example see Blender, Unreal Engine with the same UX)

#### 3.2. Principles of the idea of designing successful games

The late 70s were interesting for many reasons. That high (g)old retro era is still at the top despite the year goes. It has nothing to do with what you put on the screen or the game Design is what happens in the players' heads. Making a TV screen from a passive medium to an active medium by re-imagining the world is a success [10]. Space invaders among others launched back then. This is the first game that has actual AI and you have to have a strategy to achieve a high score. To beat its level, you must recognize patterns of artificial intelligence to "reverse-engineer" it [10] [11]. Games have suddenly become so immersive because of the "flow" which is known in many fields among gaming which is something so challenging fun and addictive that you focus on it and lose track of time [12]. In addition, the whole "script" of the game should remain unpredictable with a stochastic process technique but not all of its systems [13]. A Game must be biased in the player's favor.

There are 3 big principles for a game design (aka is my game fun):

#### 1) Build around a core game mechanic

The best way to understand something is by studying something similar.

Grab a concept mechanic and make it to last the entire duration of game e.g., in Portal video game players have a Portal gun that they are using to solve puzzles.

If this mechanic, which players will be performing constantly during your game, is uninteresting, your design has failed. Even if you repeat something make it fun by introducing new elements such as new abilities, new enemies, new harder platforming sections.

#### 2) Easy to learn but fun to master

It must have a depth to it no matter if it's competitive or not but each section must behave with a pattern that by repetition could be recognized analyzed and solved by the player.

#### 3) Reward the player

Depending on the content as human beings we like getting feedback from our hard work actions. Give players something like easter eggs, hidden levels, new abilities, secret boss fights or secret cutscenes [14].

### 3.3. System Characteristics Architecture

#### 3.3.1. Software application architecture

Unreal Engine provides many different approaches when comes to software engineering.

It gives you two options for writing code:

1) Blueprint Programming: Design Level abstraction (visual scripting/programming) such as UML mixed with actual implementation code on that level by connecting

nodes<sup>5</sup> (running over virtual machine-like java does by converting it to intermediate instruction set then to machine code) (<u>slower compile-time Faster Development time</u>, and a performance hit on the runtime of the <u>qame</u> $^{6}$ ).

- 1.1) **Nativization of Blueprints** (Reduces VM overhead): Hybrid approach by converting before cooking of the final game code from Blueprints to C++ with some overhead extra code auto-generated but the gain is 90%+ compared to Blueprint approach [15].
- 2) **"Coding":** text editor style like C++. Code Runs from C++ to machine code pipeline (faster compile time Slower Development time. Faster execution at runtime of the game).

#### 3.3.2. Object-Oriented Programming

After of Software implementation architecture (in the previous step) that has been selected, we proceed with how we build the system.

The system follows a modern approach, a hierarchical pattern of classes with inheritance. Everything is an object<sup>7</sup> and each Object actor can have inside him another object like a sub-object. Every gameplay mechanic will be implemented with this in mind<sup>8</sup>.

Communication between objects/Blueprints is done via 2 ways.

- 1) Interfaces
- 2) Casting

When an object of a different hierarchy wants to communicate with another object then interfaces will be used. If it is in the same hierarchy casting of an object from lower to higher and the inverse in the hierarchy can be used as an alternative that's how you get parents properties or methods to be executed<sup>9</sup>.

#### 3.3.3. Server-Client Architecture

Making a Network replicated aka multiplayer game in Unreal Engine code is actually all code convention meaning that is not an option you check and activate but a coding style

<sup>&</sup>lt;sup>5</sup> It retains all the concepts of Software Engineering architecture despite that has a node graph. In the end of the day abstraction level is what we are trying to achieve e.g., from circuit switching to assembly to C++ all the way to python with GitHub Copilot AI. It just makes you more productive and more valuable as an asset of the business.

<sup>&</sup>lt;sup>6</sup> Nowadays Consoles/PC's can easily handle raw Blueprint code without any slowdown.

<sup>&</sup>lt;sup>7</sup> e.g., Actor of Player, bullets, flashlights, doors, lights, windows, wall, vehicle etc.

<sup>&</sup>lt;sup>8</sup> e.g., player moves, player shoots, player interacts with the environment and the environment (object/s) respond back from caller to callee and the inverse.

<sup>&</sup>lt;sup>9</sup> In the above example we describe communication between 2 actor references/objects always from a third object/actor reference point of view.

you follow, this also acts as security control/measure for instance a player/client can execute malignant/cheat code of the game but if this is not matching in servers side the client's code then it won't be executed and the player will create "laggy" results on the game thus it can be detected and kicked out/banned from the game.

You need to tell each game instance to send information to the server and the server will multicast back to all client player instances. Not all information is necessary to be known from the server because not all clients should know it either. If its client only like what happens on your screen menu it's per player locally but your health for example needs to be updated among other clients as long as your screen too.

Another Aspect of Server-Client architecture is Save Game Component. Traditionally you would create a local save game file on each computer and each of these computers will store all the data about the player's position in the world, the status of the player and inventory to load and other variables to spawn again but the drawback is if any computer loses a file, then that player will be forced to play from the beginning in order to unlock all the perks.

The solution to this is to create a database like MySQL for persistent storage of information like a save game either in a private cloud e.g., a supercomputer or public one like AWS with Kubernetes instance for dynamic resources to allocate.

Server Types: [15]

- Listen Server
- Dedicated Server headless (no game rendering only logic execution)
- Client




Figure 8 Client-Server Model

#### 3.3.4. Game Al




Figure 9 https://videogameintelligence.com/

Like everything else in-game design AI must fit the game's intended experience there is not a common AI to fit in all games it must do more than just kill the player it must be ambitious and ingenious. Actually, nowadays AI differs from academic AI. It serves to improve the game-player experience rather than machine learning or decision making. During the golden age of arcade video games, the idea of AI opponents was largely popularized in the form of graduated difficulty levels, distinct movement patterns, and ingame events dependent on the player's input. Modern games often implement existing techniques such as pathfinding and decision trees to guide the actions of NPCs. AI is often used in mechanisms that are not immediately visible to the user, such as data mining and procedural-content generation.

However, "game AI" does not, in general, as might be thought and sometimes is depicted to be the case, mean a realization of an artificial person corresponding to an NPC, in the manner of say, the Turing test [16].

Implementation Approaches: [17]

- Behavior Trees
- Navigation System
- Environment Query System
- Al perception
- Al Debugging

#### 3.3.5. Game Mode & Game State

There are two main categories that handle information about the game being played: Game Mode and Game Mode.

The game mode is a way to structure our game logic without using too much repetitive code (e.g., Level blueprint) and transfer it to new levels and maps.

You can have a different game mode for single player and multiplayer for example that way we define clearly which code is going to be executed on its player choice.

Rules of Game Mode: [18]

- The number of players and spectators present, as well as the maximum number of players and spectators allowed.
- How players enter the game, which can include rules for selecting spawn locations and other spawn/respawn behavior.
- Whether or not the game can be paused, and how pausing the game is handled.
- Transitions between levels, including whether or not the game should start in cinematic mode.

When game-related events occur and need to be monitored and communicated to all players, this information is stored and synchronized through the game mode. This information includes:

- How long the game has been running (including running time before the local player joined).
- When each individual player joined the game, and the current state of that player.
- The base class of the current Game Mode.
- Whether or not the game has begun.

#### 3.4. Game Comparisons

- Metaverse Concept (open world survival)
  - o Fortnite
  - o SubNautica
- Survival Horror Multiplayer
  - o Phasmophobia
  - Forewarned

# 4. Methodologies | Objectives

#### 4.1. Game Graphics Engine Selection

The best toolset for a 3D world and a Lead industry Standard in many fields but in our case for console/PC gaming is <u>Unreal Engine</u>.

#### 4.2. Implementation of Architecture Characteristics of the system (s)

Below we see a high-level content of what the system is apart (class style hierarchy).

To build a system, you must first understand the *style*, *taste*, *vision direction* of specific game genres it cannot have everything if it doesn't fit the style direction itself.

#### 4.2.1. Implementation of software application architecture

Visual blueprint programming / scripting will be used to run the system on an unreal graphics engine.

#### 4.2.2. Implementation Features of the system/s Object-Oriented

#### Version 1:

- 1. Player:
  - i. Health System
  - ii. Sprint/Stamina System
  - iii. Damage System
  - iv. Dynamic Inventory System as component
  - v. Footstep Sound System (with physical materials)
  - vi. Full Editable Inspection System as component
  - vii. Realtime Depth of Field
  - viii. Diary (Quest) System as component
  - ix. Interactable Physics System
  - x. Save System as component
  - xi. User Interface/Widget System
  - xii. NPC behavior
- 2. Flicker System as Component (attached to other Actors e.g., Light Actors)
- 3. Light Actors Equipment:
  - i. Flashlight System
  - ii. Flare System
  - iii. Candle System
  - iv. Camcorder and polaroid System

Night Vision System

**Record System** 

Photo Capture System (interact with environment objects)

- v. Torch System
- vi. Glowstick System
- vii. Lighter System
- 4. Save System
  - i. Local save files
  - ii. Database
- 5. Animation System
  - i. Player Locomotion
  - ii. Light Actors

#### 4.2.3. Implementation Server-Client Architecture (Networking & Multiplayer)

We will follow the standard and rules based on the Unreal Engine for the dissemination / execution of information between multiple game instances creating (in order to achieve

synchronized communication between them) a Client-Server model. To achieve this the following will be implemented: [19]

- Replication to a base Actor.
- Take advantage of **Movement Components** in a network game.
- Add replication to variables.
- Use **RepNotifies** when a variable changes.
- use Remote Procedure Calls (RPCs)
- check an Actor's Network Role in order to filter calls that are performed within a function.

Multiplayer control will be performed based on the capability of the machine provided by in-editor menu. [20]

#### 4.2.4. Implementation of Game AI

For the initial implementation of Version 1 of the system, the Navigation System will be implemented with AI perception sight, hear senses for NPC management as well as Behavior Trees for decision making in combination with Environment Query System (EQS) in the behavior tree for a more realistic response. artificial intelligence.

#### 4.2.5. Implementation of Game Mode & Game State

There will be a mode similar to multiplayer specific with code controlled in it.

#### Analysis:

- How Pause in-game will be implemented
- Re/spawn behaviors

#### 4.3. Expected results

#### Cosmological:

- Understanding Metaverse?
- Understanding the future (and the past?)

#### Technical (landing in 2021):

- The player can save the game
- Players can see each other interactions/animations without lag (Network replicated)
- The Player can use Equipment
- An NPC AI can hunt the player.

# References

- [1] O. Languages, "What is a video game," [Online]. Available: https://www.google.com/search?q=what+is+a+video+game&oq=what+is+a+video+game&aqs=c hrome.0.35i39j0i512l6j69i65.2349j0j7&sourceid=chrome&ie=UTF-8. [Accessed 11 11 2021].
- [2] "2021 key facts about the european video games sector ISFE," Europe's video game industry, [Online]. Available: https://www.isfe.eu/data-key-facts/key-facts-about-europe-s-video-games-sector/. [Accessed 11 11 2021].
- [3] C. Fornell, E. W. Anderson and D. R. Lehmann, "Customer Satisfaction, Market Share, and Profitability: Findings from Sweden'," *Journal of Marketing*, vol. 58, no. 3, pp. 53-56, 1994.
- [4] B. Jolley, R. Mizerski and D. Olaru, "How habit and satisfaction affects player retention for online gambling," *Journal of Business Research*, vol. 56, no. 6, pp. 770-777, 2006.
- [5] R. T. Rust and A. J. Zahorik, "Customer satisfaction, customer retention, and market share," *Journal of Retailing*, vol. 69, no. 2, pp. 193-215, 1993.
- [6] N. Stroh-Maraun, D. Kaimann and J. Cox, "More than skills: A novel matching proposal for multiplayer video games," *Entertainment Computing*, vol. 25, pp. 26-36, 2018.
- [7] S. Karpinskyj, F. Zambetta and L. Cavedon, "Video game personalisation techniques: A comprehensive survey," *Entertain. Comput.*, vol. 5, pp. 211-218, 2014.
- [8] "Top 7 Gaming Engines You Should Consider for 2021," [Online]. Available: https://www.incredibuild.com/blog/top-7-gaming-engines-you-should-consider-for-2020. [Accessed 23 12 2021].
- [9] "Unreal Engine 5 Early Access Release Notes," Epic Games, [Online]. Available: https://docs.unrealengine.com/5.0/en-US/ReleaseNotes/. [Accessed 23 12 2021].
- [10] H. S. Warshaw, Interviewee, *High Score: The Golden Era of Gaming: Boom & Bust.* [Interview]. 2020.
- [11] B. A. Heineman, Interviewee, *High Score: The Golden Era of Gaming: Boom & Bust.* [Interview]. 2020.
- [12] C. Martinet, Interviewee, High Score: The Golden Era of Gaming: Boom & Bust. [Interview]. 2020.
- [13] E. Adams and J. Dormans, "Games Are Unpredictable," in *Game Mechanics: Advanced Game Design*, Berkeley, Calif, New Riders, 2012, p. 26.
- [14] "Pro Game Designers Follow These 3 Game Design Principles When Making Successful Video Games," Gamedesigning.org, [Online]. Available: https://www.gamedesigning.org/learn/gamedesign-principles/. [Accessed 11 11 2021].
- [15] "Client-Server Model," Epic Games, [Online]. Available: https://docs.unrealengine.com/4.27/en-US/InteractiveExperiences/Networking/Server/. [Accessed 23 12 2021].

- [16] "Artificial intelligence in video games Wikipedia," Wikipedia, [Online]. Available: https://en.wikipedia.org/wiki/Artificial\_intelligence\_in\_video\_games. [Accessed 11 11 2021].
- [17] "UE documentation Artificial Intelligence," Epic Games, [Online]. Available: https://docs.unrealengine.com/4.27/en-US/InteractiveExperiences/ArtificialIntelligence/. [Accessed 23 12 2021].
- [18] "Game Mode and Game State," Epic Games, [Online]. Available: https://docs.unrealengine.com/4.27/en-US/InteractiveExperiences/Framework/GameMode/. [Accessed 23 12 2021].
- [19] "Multiplayer Programming Quick Start," Epic Games, [Online]. Available: https://docs.unrealengine.com/4.27/en-US/InteractiveExperiences/Networking/QuickStart/. [Accessed 23 12 2021].
- [20] "Testing Multiplayer," Epic Games, [Online]. Available: https://docs.unrealengine.com/4.27/en-US/InteractiveExperiences/Networking/TestMultiplayer/. [Accessed 23 12 2021].
- [21] "Artificial intelligence in video games Wikipedia," Wikipedia, [Online]. Available: https://en.wikipedia.org/wiki/Artificial\_intelligence\_in\_video\_games. [Accessed 11 11 2021].
- [22] U. Engine, "Nativizing Blueprints," [Online]. Available: https://docs.unrealengine.com/4.27/en-US/ProgrammingAndScripting/Blueprints/TechnicalGuide/NativizingBlueprints/. [Accessed 11 11 2021].
- [23] T. Nishikado, Interviewee, High Score: The Golden Era of Gaming: Boom & Bust. [Interview]. 2020.

# Appendix Timetable GAMEPLAY MECHANICS IN BACKGROUND High-favor Design and Low-kevel implementation of Advanced Gamelply Mechanics First-eningiperson for mulpigayer video garnes to Unreal Engine. System Version 1 O COALS Discuss Represent Represent

Glossary			
Term	Definition		
UE	Unreal Engine		
BP	Blueprints		
Blueprints (in UE)	High level of abstraction Design system of coding		
	style in editors.		
Component	an object attached to another Object e.g.,		
	Inventory System is not IN the player is ON the		
	player as Lego games		
Callee	The object that receives an action from another		
	object.		
Caller	The initiator of the action to inform/trigger		
	another object.		
Al	Artificial Intelligence		
Agnostic	Not Depended on the content e.g., no hardcoded		
stochastic process	Non-Deterministic, more random believable		
Deterministic	Same initial state same end results. Not truly		
	random		
VM	Virtual Machine		
Actor	An Object spawned from class in the game world.		

Shaders	A materials function component part that allows an object to be rendered and visualizes the color and shades of a surface and it gets executed in GPU. E.g., How an asset will look on render, how the object will respond to light.
Rig	Entire Skeleton System anatomy e.g., per bone linked
Animation	In a 2D world, either rig driven or rotoscoped in a 3D world driven by the rig (the bone parts can bend by simulating "muscles" via weight painting of the areas of 3d model manually or using a motion capture suit/software bundle setup).
texture	An Image that can be used in a material usually comes in a texture set which is a complex set of images called maps. Most of the time is UV wrapped
UV	2D coordinates of an image wrapped around a 3D model to create the "surface" look of it
material	A function applied in a 3D model to create the outer appearance of it (or part of it). Shader driven because if there is no light then no color (that has not to be absorbed) can bounce back to the camera's "eye".
NPC	Non-Player Character. Al-driven. But still; derived from the same class in Object Oriented Hierarchy.
Abstraction	A high-Level view of things from the final consumer perspective without knowing too much about its underlying mechanics but still able to use it.
rotoscope	Frame by Frame animating 2D images.
Actor reference	Spawned class == object
Real-time virtual production	Virtual production uses a suite of software tools to allow studios to combine live-action footage and computer graphics in real-time with animation. Contributors across multiple locations can create and render digital environments, while cast members are physically working on set.