Curriculum Vitae

A. Name

William Dampier

B. Home and Professional Mailing Address

Home Address

226 W. Rittenhouse Sq, Apt 2213

Philadelphia, PA, 19103

Cell Phone Number: (267) 403-0049

Professional Address

Drexel University College of Medicine

Department of Microbiology and Immunology

18th Floor New College Building

Rm. 18105

245 N. 15th Street

Philadelphia, PA 19102

(215) 762-7340

Electronic Mail: wnd22@drexel.edu

C. Education

2001-2006 Drexel University, Philadelphia, Pennsylvania

Major: Bioinformatics

Awarded Bachelor of Science degree

2006-2010 Drexel University, Philadelphia, Pennsylvania

School of Biomedical Engineering and Health Sciences

Awarded Doctoral Degree

D. Postgraduate Training

2001-2006 Postdoctoral Researcher

Department of Computational Biology GlaxoSmithKline Collegeville, Pennsylvania Under the direction of Dr. Jim Brown, Director

E. Employment History

2002-2003 Research Assistant

Viropharma Inc.

Chester Springs, Pennsylvania

Research Interest: Small molecule inhibitors of Hep-C Virus

2003-2004 Research Assistant

NovaFlora Inc.

Philadelphia, Pennsylvania

Research Interest: Genetic engineering of ornamental flowers

2004 Research Assistant

GlaxoSmithKline

Upper Providence, Pennsylvania

Research Interest: Alzheimer's research in C. elegans

2005-2006 Research Assistant

University of Pennsylvania Department of Microbiology Philadelphia, Pennsylvania

Research Interest: Entry methods of L. monocytogenes

2008-2013 Assistant Director

Center for Integrated Bioinformatics

Drexel University, School of Biomedical Engineering

Philadelphia, Pennsylvania

2011-2013 Research Assistant Professor

Drexel University

School of Biomedical Engineering

Philadelphia, Pennsylvania

2013-present Research Assistant Professor

Department of Microbiology and Immunology

Drexel University College of Medicine

Philadelphia, Pennsylvania

F. Certification and Licensure

N/A

G. Military Service

N/A

H. Honors and Awards

2009 6th place in the Matlab Programming Contest.

More then 6000 entries world-wide

2007 2nd Place, Most Innovative Technology Poster

School of Biomedical Engineering and Health Systems, Drexel Uni-

versity

Philadelphia, Pennsylvania

I. Memberships in Professional Societies

2013-present The International Society of NeuroVirology

J. Professional Committees and Administrative Service

Institutional Service

2010-present Senior Design Committee Member

Drexel University, School of Biomedical Engineering

Philadelphia, Pennsylvania

2012-present Senior Design Committee Advisor

Drexel University, School of Biomedical Engineering

Philadelphia, Pennsylvania

Extramural Service

2011-present
 2011-present
 2011-present
 2011-present
 2011-present
 2011-present
 Python Django Contributor
 Python Scikits-Learn Contributor

Journal Editorial and Review Responsibilities

2010-present BMC Bioinformatics (Reviewer)
2011-present BMC Medical Genomics (Reviewer)

2012-present International Journal of Genomics (Reviewer)

K. Community Service

N/A

L. Educational Activities

Teaching Experience

2008-present Head Instructor

Drexel Judo Club (10 hours/week)

Drexel University

Philadelphia, Pennsylvania

2010-2012 Head Instructor

UPenn Judo Club (4 hours/week) University of Pennsylvania Philadelphia, Pennsylvania

2010-2011 Adjunct Professor, (BMES 505-507)

Math for Biomedical Scientist (3 credits each)

Drexel University School of Biomedical Engineering

Philadelphia, Pennsylvania

2010-present Adjunct Professor, (BMES 375)

Computational Biology (4.5 credits)

Drexel University School of Biomedical Engineering

Philadelphia, Pennsylvania

M. Clinical Activities

N/A

N. Grant Support

Pending (Ordered by submission)

R01 RFA-MH-14-170 (Julio)

4/01/2014 - 3/31/2019

National Institutes of Health

Direct Cost - \$2,492,003.45

The HIV-1 CNS reservoir: macrophage tropism, latency and eradication.

Role on Project: Co-Investigator Salary Coverage: 5% Effort

Submitted: 9/17/2013

HIV-1 envelope glycoproteins (Env) present in the brain of infected individuals are characterized by their macrophage tropism, or the ability to efficiently infect macrophages. Indeed, macrophages and microglia, the resident brain macrophage, support most if not all productive viral replication within the brain compartment. HIV-1 is believed to enter the CNS early after systemic infection and might either be cleared, or continue to reside there and perhaps maintain a low level, continuous replication, which may lead, at least in a subset of infected individuals, to the development of neurocognitive manifestations of varying severity, known collectively as HIV-1-associated neurocognitive disorders. The brain thus may contain productively and latently infected cells, and in the context of combination anti-retroviral therapy (cART) and eradication efforts, may become a viral reservoir. However, it remains to be demonstrated whether HIV-1 infection within the brain can eventually re-seed non-CNS tissues after viral eradication using cART. In other words, whether the CNS can truly act as a functional reservoir for HIV-1. Macrophage tropic Env are also known to have altered reactivity to certain types of neutralizing antibodies (nAbs) and small molecules/inhibitors that target various steps of the receptor-mediated binding and entry process. We and others have shown that macrophage-tropic Env have increased exposure of epitopes that are recognized by Abs that are generally produced in HIV-1 infected individuals, resulting in increased sensitivity to neutralization by HIV-1 positive sera, and by Abs targeting the CD4-induced (CD4i) epitopes that partially overlap with the bridging sheet regions that form the co-receptor binding site. In addition, an inverse relationship between macrophage tropism and sensitivity to inhibition by certain gp120- or gp41-targeted entry or fusion inhibitors, respectively (such as BMS-378806, T20 and T1249) has also been observed, whereas another class of gp120 inhibitors, the 12p1-derived peptides, actually seems to target more efficiently macrophage-tropic than non-macrophage-tropic Env. Thus, it is of great interest to determine whether macrophages and microglia infected with viruses containing macrophage-tropic Env will only be producing a progeny of virions containing Envs with this phenotype or rather a mixture of viruses containing both macrophage-tropic and non-macrophage-tropic Env. Our overall hypothesis is that macrophages/microglia infected with viruses with macrophage-tropic Env produce progeny virions with both macrophage- and non-macrophage-tropic Env, which will be able to re-seed infection of non-CNS peripheral tissues after viral eradication with cART. To test this hypothesis, or specific goals are: (i) to investigate in vitro how HIV-1 is able to establish and maintain viral replication in the CNS, and how the CNS can potentially serve as a reservoir from which the virus can re-seed peripheral tissues in the context of viral eradication efforts; (ii) to finely define the determinants for differential sensitivity of macrophage-tropic and non-macrophage-tropic Env to two types of entry inhibitors (BMS-378806 and related small molecules, and 12p1-related peptides); and (iii) to use the RAG-hu mouse model of HIV-1 infection to define in vivo early mechanisms of HIV-1 neuroinvasion and establishment of viral replication and/or latency in the brain, to determine the potential efficacy of targeted interventions against HIV-1 infection of the CNS and re-infection of peripheral tissues, and to study the role of cellular trafficking and CNS inflammation in maintaining viral persistence within this compartment.

R01 PA-11-260 (Wigdahl)

4/01/2014 - 3/31/2019

National Institutes of Health

Direct Cost - \$2,424,486.75

Defining the HIV-1 R5 genotype beyond the envelope and in viral reservoirs

Role on Project: Co-Investigator Salary Coverage: 50% Effort

Submitted: 9/9/2013

HIV-1 is known to interact with the cell surface receptor CD4 in conjunction with a chemokine coreceptor, either CCR5 (R5) or CXCR4 (X4). R5-utilizing viruses are more commonly found emerging in the peripheral blood (PB) following the selection bottleneck after sexual transmission, in the early asymptomatic stages of disease and treatment-naïve patients, within the brain at end-stage disease, and in cerebrospinal fluid (CSF) during HIV CNS disease; whereas X4-utilizing viruses emerge later in the course of disease in approximately 50-60% of infected individuals with an average time to emergence of 5 years. The presence of X4 virus in an infected patient has been shown to be a predictor of lower CD4+ T-cell count, higher viral load, and greater degree of HIV disease severity. However, more recent analyses have implied that lower CD4+ T-cell counts and higher viral loads may be observed with dual/mixed tropic virus compared to that associated with patients carrying R5 or X4 virus as their predominant virus. In addition, we have recently demonstrated through bioinformatics analyses that there appears to be defined subgroups of R5 viruses that may have specific pathogenic properties and may be more or less prevalent at different stages of disease, within different cellular/tissue compartments involved in immunologic and neurologic dysfunction, and development of viral reservoirs prior to or after the initiation of antiretroviral therapy. Furthermore, recent studies have also indicated that X4- and R5-specific colinear nucleotide and amino acid sequences as defined by the position-specific scoring matrix (PSSM) algorithm utilizing the Env-V3 sequence exist within the HIV-1 long terminal repeat (LTR) as well as Tat and Vpr, respectively. These highly innovative concepts have paved the way for defining in greater detail the molecular architecture of the X4, R5, and R5 subgroups (and eventually the dual tropic virus) beyond the well characterized signature sequences contained within Env-V3 sequence to the rest of the viral genome, in particular the LTR, Tat, and Vpr sequences, the focus of this proposal. The studies outlined in this proposal will utilize PB and CSF samples from cross-population and longitudinal studies from several cohorts in addition to brain samples collected from the National NeuroAIDS Tissue Consortium (NNTC) for sequencing and structure/function analyses to examine the working hypothesis that R5 subgroups can be categorized by sequence clustering and the individual subgroups correlate with disease severity and other clinical parameters including neurocognitive impairment and immune activation and relates to reservoir development and cellular compartmentalization. The specific aims of this application are to: (1) Enhance collection and definition of samples from patients classified as nonusers with respect to drugs of abuse utilizing NGS; (2) Determine envelope phenotype for patient samples and categorize into X4-utilizing or R5-utilizing with classification into R5 subgroups; (3) Identify the immune activation profile of various R5 subgroups and correlate with clinical parameters including neurocognitive impairment; and (4) Determine the function of the viral proteins beyond the envelope and correlate the function to the various R5 subgroups.

U01 PAR-13-029 (Nonnemacher)

10/01/2014 - 9/30/2017

National Institutes of Health

Direct Cost - \$199,967.64

CSF HIV compartmentalization and neuroimmune correlates of HAND in military HIV+

Role on Project: Co-Investigator Salary Coverage: 15% Effort

Submitted: 3/20/2013

Nearly one fifth to one third of HIV-infected individuals develop neurocognitive deficits, collectively referred to as HIV associated neurocognitive disorders (HAND), despite adequate combination antiretroviral therapy (cART) and excellent virological control in blood. HIV is detected in the cerebrospinal fluid (CSF) soon after a primary infection and traffics into brain early in the course of infection where it resides in perivascular macrophages and microglial cells, sites of productive replication and viral evolution. Importantly the virus enters the brain in only about 50% of patients as detected by molecular methods at the time of death. For those with central nervous system (CNS) infection, complete suppression of HIV replication in the brain is challenging due to the selectively permeable blood brain barrier that interferes with bioavailability of cART in brain. Multiple mechanisms have been proposed as to how low level viral replication may lead to neurocognitive disorders. Thus it is critically important to identify patients who may not have HIV in the brain as they may have the lowest risk of HAND and/or the best chance for curative therapies. A cure for HIV infection is not possible unless safe heavens of the

virus are purged and total eradication of HIV from the host is achieved. An essential step toward this end is identification of host and viral responses in the CNS both among recently seroconverted individuals and those on long term cART. In the U.S. military, although HIV infected members may remain on active duty, they are restricted by policy from some positions (e.g. pilot of high performance aircraft) and for the most part from overseas deployments, largely due to concerns about neurocognitive dysfunction. This proposal brings together investigators in the fields of HIV neuroimmunology, neurovirology and neuroradiology with a team of clinical researchers leveraging a unique population of military members who are routinely screened for HIV infection. We will employ highly sensitive biomarker assays as well as viral and proviral HIV deep sequencing and evolutionary analysis to characterize HIV infections in the CNS of these subjects in detail and longitudinally.

U01 PAR-12-222 (Wigdahl)

7/01/2013 - 6/30/2018

National Institute on Drug Abuse

Direct Cost - \$2,498,831.50

HIV-induced cognitive & immune impairment in a preferential cocaine using cohort

Role on Project: Co-Investigator Salary Coverage: 25% Effort

Submitted: 12/11/2012

HIV-1 infection and subsequent therapeutic management can be modulated by a variety of cofactors, including substance abuse, which continues to be a major driver of global infection due to classical risk factors including risky sexual behavior and injection drug use (IDU). However, HIV prevalence among non-injecting drug users has also grown to levels similar to those observed for IDU, and polysubstance use is common among HIV-1-infected populations. Through development of the HIV-1-infected DREX-ELMED HIV/AIDS Genetic Analysis Cohort, we have identified cocaine abuse as the most prevalent substance of abuse in this Philadelphia-centered patient population with preferential cocaine use clearly evident in the population paralleled by a substantial cohort of polysubstance abusers as determined by routine drug screening. Cocaine has been shown to affect both immune activation and cellular gene expression including transcription factors resulting in impact on HIV-1 gene expression and pathogenesis. HIV-1 also displays extensive sequence variation induced by many host-specific and comorbidity pressures, including substance abuse (most notably cocaine), while simultaneously maintaining functions that are critical to replication and infectivity. In this proposal, we will utilize molecular and systems biology approaches to generate an overall picture of important pathways in HIV-1 pathogenesis and how cocaine interacts with and affects these pathways and the development of viral quasispecies over the course of disease. The overall Hypothesis of the proposed studies is that alterations in the cross talk between HIV-1 and the host due to cocaine abuse will increase the rate of HIV-1 disease progression and result in immune dysregulation with the genesis of a viral quasispecies unique to preferential users of cocaine. We have illustrated the importance of linear protein sequence motifs and LTR footprints in viral-host cross talk during the course of our preliminary investigations. In this application, we will quantify the HIV-1 protein sequence motifs and TF footprints on the HIV-1 LTR enriched in sequences associated with cocaine abuse as well as quantify and compare global gene and immune activation profiles of HIV-1-infected individuals with no history of substance abuse (PN) and with preferential cocaine addiction (PC). The Specific Aims of this proposal are to (1) examine the impact of cocaine on HIV-1 LTR and viral protein host motifs; (2) enhance the clinical demographics and neuropsychological analysis associated with PN, PC, and multi-use subcohorts within the DREXELMED HIV/AIDS Genetic Analysis Cohort; and (3) determine the impact of preferential cocaine use on immune regulatory pathways in HIV-1-infected patients. This proposal will develop and utilize unique HIV-1-infected patient subcohorts to determine the overall impact of cocaine use on human and viral gene expression, immune activation, and selection of viral quasispecies. These studies will significantly impact research on HIV/AIDS and cocaine abuse through the identification of new targets and strategies for anti-HIV-1 therapeutics and strategies to minimize the impact of substance abuse on HIV disease progression and overall human health.

Past

8/15/2012 - 12/31/2012

Thomas Jefferson University

Direct Cost - \$34,556.61

Jefferson Kimmel Center - Drexel Bioinformatics Research Alliance.

Role on Project: Co-Investigator Salary Coverage: 50% Effort

8/15/2012 - 12/31/2012

GlaxoSmithKline Direct Cost - \$32,164.01

GSK - Drexel University Bioinformatics Research Collaboration.

Role on Project: Co-Investigator Salary Coverage: 50% Effort

O. Graduate Students, Postdoctoral Fellows, and Postgraduate Medical Trainies

Co-Supervision of Graduate Student Research

2012-present Gregory Antell, School of Biomedical Engineering

Graduate Program (Ph.D degree student)

Drexel University

Philadelphia, Pennsylvania

P. Bibliography

Published full-length papers

- 1. Gormley M., **Dampier W.**, Ertel A., Karacali B., Tozeren A. Prediction potential of candidate biomarker sets identified and validated on gene expression data from multiple datasets. BMC Bioinformatics, Oct. 2007; 8:415 Cited by 17
- 2. **Dampier W.**, Tozeren A. Signaling perturbations induced by invading H. pylori proteins in the host epithelial cells: A mathematical modeling approach. Journal of Theoretical Biology, Sept. 2007; 248(1):130 Cited by 8
- 3. Layton B., D'Souza A., **Dampier W.**, Zeiger A., Sabur A., Jean-Charles J. Collagen's triglycine repeat number and phylogeny suggest an interdomain transfer event from a Devonian or Silurian organism into Trichodesmium erythraeum. J Mol Evol. June 2008; 66(6):539. Cited by 7
- 4. Evans P., **Dampier W.**, Ungar L., Tozeren A. Prediction of HIV-1 virus-host protein interactions using virus and host motifs. BMC Med Genomics, May 2009; 2:27 Cited by 34, Highly Accessed (As determined by Biomed Central)
- Dampier W., Evans P., Ungar L., Tozeren A. Host sequence motifs shared by HIV-1 predict patient response to antiretroviral therapy. BMC Med Genomics, July 2009; 2:47 Cited by 13
- 6. Zhou J., Wang C., Wang Z., Dampier W., Wu K., Casimiro M., Chepelev L., Popov V., Quong A., Tozeren A., Zhao K., Lisanti M., Pestell R. Attenuation of Forkhead Signaling by the Retinal Determination Factor DACH1. Proceedings of the National Academy of Sciences, March 2010 Cited by 13
- Dawany N., Dampier W., Tozeren A. Large-scale integration of microarray data reveals genes and pathways common to multiple cancer types. Int J Cancer. Dec 2010. Cited by 12
- 8. Sarmady M., **Dampier W.**, Tozeren A. HIV Protein Sequence Hotspots for Crosstalk with Host Hub Proteins PLOS One. June 2011, Cited by 5

- 9. Sarmady M., **Dampier W.**, Tozeren A. Sequence- and Interactome- Based Prediction of Viral Protein Hotspots Targeting Host Proteins: A Case Study for HIV Nef. PLOS One. June 2011, Cited by 2
- Casimiro MC., Crosariol M., Loro E., Ertel A., Yu Z., Dampier W., Saria EA., Pestell R. ChIP sequencing of cyclin D1 reveals a transcriptional role in chromosomal instability in mice, The Journal of Clinical Investigation 122 (3), 833, March 2011, Cited by 16
- 11. Smith SB., **Dampier W.**, Tozeren A., Brown JR., Magid-Slav M. Identification of Common Biological Pathways and Drug Targets Across Multiple Respiratory Viruses Based on Human Host Gene Expression Analysis. PloS one 7 (3), e33174. March 2011, Cited by 14
- 12. Clark PM., Dawany N., **Dampier W.**, Byers SW., Pestell RG., Tozeren A. Bioinformatics analysis reveals transcriptome and microRNA signatures and drug repositioning targets for IBD and other autoimmune diseases. Inflammatory Bowel Diseases, June 2012, Cited by 5

Abstracts

- 1. Aiamkitsumrit B., Nonnemacher M., Pirrone V., Zhong W., Frantz B., Rimbey M., Passic S., Blakey B., Parikh N., Martin-Garcia J., Downie D., Lewis S., Jacobson J., Moldover B., **Dampier W.**, Wigdahl B. Identification of HIV-1 X4, R5, and R5 subgroup genetic signatures in the viral promoter, Tat, and Vpr. University of Pennsylvania CFAR 11th Annual Research Retreat, Philadelphia, PA, December 3, 2012
- 2. **Dampier W.**, Nonnemacher M.,, Pirrone V., Williams J., Aiamkitsumrit B., Wojno A., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Downie D., Lewis S., Jacobson J., Wigdahl B. Impact of substance abuse on HIV-1 LTR single nucleotide polymorphisms (SNPs) and disease progression in a clinical cohort. Society for Neuroimmune Pharmacology 18th Scientific Conference, San Juan, Puerto Rico, April 3-6, 2013.
- 3. Nonnemacher M., Pirrone V., **Dampier W.**, Aiamkitsumrit B., Williams J., Shah S., Wojno A., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Downie D., Lewis S., Jacobson J., Wigdahl B. HIV-1 LTR single nucleotide polymorphisms (SNPs) correlate with clinical disease parameters. Society for Neuroimmune Pharmacology 18th Scientific Conference, San Juan, Puerto Rico, April 3-6, 2013.
- 4. Antell G., Nonnemacher M., Pirrone V., **Dampier W.**, Aiamkitsumrit B., Williams J., Shah S., Wojno A., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Downie D., Lewis S., Jacobson J., Wigdahl B. HIV-1 LTR single nucleotide polymorphisms (SNPs) that correlate with clinical disease parameters are found in both the peripheral blood and brain compartments. Society for Neuroimmune Pharmacology 18th Scientific Conference, San Juan, Puerto Rico, April 3-6, 2013.
- 5. Nonnemacher M., Strazza M., Pirrone V., Lin W., Feng R., Dampier W., Wigdahl B. Use of an in vitro model of the blood brain barrier to examine the effects of aging. Translational Medicine & Applied Biotechnology Workshop on Cognition and Aging, Drexel University College of Medicine, Philadelphia, PA, June 5, 2013.
- 6. Pirrone V., Nonnemacher M., Passic S. R., Parikh N., Aiamkitsumrit B., Dampier W., Katsikis P., Mueller Y., Sell C., Libon D., Moldover B., Feng R., Jacobson J. M., Wigdahl B. Aging in the HIV-1-infected population: Impact on markers of HIV-1 disease. Translational Medicine & Applied Biotechnology Workshop on Cognition and Aging, Drexel University College of Medicine, Philadelphia, PA, June 5, 2013.
- Aiamkitsumrit B., Nonnemacher M., Pirrone V., Zhong W., Frantz B., Rimbey M., Passic S., Blakey B., Parikh N., Martin-Garcia J., Downie D., Lewis S., Jacobson J. M., Moldover B., **Dampier W.**, Wigdahl B. Identification of HIV-1 X4, R5, and R5 subgroup genetic signatures in the LTR, Tat, and Vpr. 2013 International Symposium

- on Molecular Medicine and Infectious Disease, Drexel University College of Medicine, Philadelphia, PA, June 17-21, 2013.
- 8. Antell G., Nonnemacher M., Pirrone V., **Dampier W.**, Aiamkitsumrit B., Williams J., Shah S., Wojno A., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Downie D., Lewis S., Jacobson J., Wigdahl B. HIV-1 LTR single nucleotide polymorphisms (SNPs) that correlate with clinical disease parameters are found in both the peripheral blood and brain. 2013 International Symposium on Molecular Medicine and Infectious Disease, Drexel University College of Medicine, Philadelphia, PA, June 17-21, 2013.
- Parikh N., Dampier W., Feng R., Passic S., Zhong W., Frantz B., Aiamkitsumrit B., Pirrone V., Nonnemacher M., Jacobson J. M., Wigdahl B. Cocaine alters cytokine profiles within HIV-1-infected African American individuals in the DREXELMED HIV/AIDS Genetic Analysis Cohort 2013 International Symposium on Molecular Medicine and Infectious Disease, Drexel University College of Medicine, Philadelphia, PA, June 17-21, 2013.
- 10. Williams J., Dampier W., Nonnemacher M., Pirrone V., Aiamkitsumrit B., Wojno A., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Downie D., Lewis S., Jacobson J. M., Wigdahl B. Impact of substance abuse on HIV-1 LTR single nucleotide polymorphisms (SNPs) and disease progression in a clinical cohort. 2013 International Symposium on Molecular Medicine and Infectious Disease, Drexel University College of Medicine, Philadelphia, PA, June 17-21, 2013.
- Aiamkitsumrit B., Nonnemacher M., Zhong W., Russo T., Pirrone V., Frantz B., Rimbey M., Passic S., Blakey B., Parikh N., Martin-Garcia J., Jacobson J., Moldover B., Dampier W., Wigdahl B. Differential HIV-1 X4 and R5 genetic signatures within the LTR, Tat and Vpr. Journal of Neurovirology, Washington DC, October 25-30, 2013.
- 12. **Dampier W.**, Parikh N., Nonnemache, M., Pirrone V., Williams J., Aiamkitsumrit B., Passic S., Zhong W., Moldover B., Feng R., Jacobson J., Wigdahl B. Longitudinal analysis of the impact of substance abuse on HIV-1-associated neurological decline in the DrexelMed HIV/AIDS Genetic Analysis Cohort. Journal of Neurovirology, Washington DC, October 25-30, 2013.
- 13. Parikh N., **Dampier W.**, Feng R., Passic S., Zhong W., Aiamkitsumrit B., Pirrone V., Nonnemacher M., Jacobson J., Wigdahl B. Cocaine alters immunomodulatory profiles within HIV-1-infected African American individuals in the DREXELMED HIV/AIDS Genetic Analysis Cohort. Journal of Neurovirology, Washington DC, October 25-30, 2013.
- 14. Zhong W., Pirrone V., Nonnemacher M., Parikh N., Aiamkitsumrit B., **Dampier W.**, Katsikis P., Mueller Y., Sell C., Libon D., Moldover B., Feng R., Jacobson J., Wigdahl B. Impact of Aging on markers of HIV-1 disease. Journal of Neurovirology, Washington DC, October 25-30, 2013.
- 15. Williams J., **Dampier W.**, Nonnemacher M., Pirrone V., Aiamkitsumrit B., Wojno A., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Downie D., Lewis S., Jacobson J., Wigdahl B. Use of drugs of abuse impact HIV-1 LTR single nucleotide polymorphisms (SNPs) in the DrexelMed HIV/AIDS Genetic Analysis Cohort. Journal of Neurovirology, Washington DC, October 25-30, 2013.
- 16. Antell G., Nonnemacher M., Pirrone V., Dampier W., Aiamkitsumrit B., Williams J., Shah S., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Jacobson J., Wigdahl B. Multiple HIV-1 LTR single nucleotide polymorphisms (SNPs) that occur in peripheral blood and correlate with disease severity are also present in infected brain samples. Journal of Neurovirology, Washington DC, October 25-30, 2013.
- 17. Pirrone V., Nonnemacher M., **Dampier W.**, Aiamkitsumrit B., Williams J., Shah S., Passic S., Blakey B., Zhong W., Moldover B., Feng R., Jacobson J., Wigdahl B. HIV-1

LTR single nucleotide polymorphisms (SNPs) correlate with clinical disease parameters. Journal of Neurovirology, Washington DC, October 25-30, 2013.

Q. Research Presentations

Oral Presentations by Invitation

2009 A Machine Learning Technique for the Classification of Therapeu-

tic Interventions for HIV-1 Patients.
Villanova Computer Science Colloquium

Villanova, Pennsylvania

2009 Classification of Therapeutic Response in HIV-1 Patients Using

Functional Motifs.

GPBA Annual Research Retreat Philadelphia, Pennsylvania

2010 Co-Evolution in Viral Genomes.

GlaxoSmithKline Invited Lecture.

Philadelphia, Pennsylvania

2011 Computational Analysis Pipelines in Python.

Invited Tutorial Children's Hospital of Philadelphia

Philadelphia, Pennsylvania

Invited Lectures

2008 Multiple Alignments from a Bioinformatics Perspective.

Department of Electrical Engineering at Drexel University. Invited lecture for Genomics Signals Processing ECE-690

Philadelphia, Pennsylvania

2008 An Overview of Molecular Evolution.

Department of Mechanical Engineering at Drexel University.

Invited lecture for MechanoEvolution MEM-380

Philadelphia, Pennsylvania

2010 Quantitative Methods for Analyzing Biological Reactions.

Invited Lecture, Izmir Institute of Technology

Izmir, Turkey