

org.eclipse.etrice.examples.dynamicactors5 Model Documentation

generated by eTrice

August 14, 2013

Contents

1	Model Description	3
2	Logical System Description	3
2.1	LS	3
2.1.1	Instance Tree	3
3	Subsystem Description	3
3.1	Main	3
3.1.1	Structure	3
4	Protocol Class Description	4
4.1	PC	4
4.1.1	Incoming Messages	4
4.1.2	Outgoing Messages	4
5	Data Class Description	4
6	Actor Class Description	4
6.1	Appl	4
6.1.1	Structure	4
6.1.2	Attributes	5
6.1.3	Operations	5
6.2	Container	5
6.2.1	Structure	5
6.2.2	Attributes	5
6.2.3	Operations	5
6.2.4	Statemachine	6
6.2.4.1	Top Level	6
6.3	Optional	6
6.3.1	Structure	6
6.3.2	Attributes	7
6.3.3	Operations	7
6.3.4	Statemachine	7
6.3.4.1	Top Level	7

List of Figures

1	LS Instance Tree	3
2	Main Structure	3
3	Appl Structure	4
4	Container Structure	5
5	Container Top State	6
6	Optional Structure	6
7	Optional Top State	7

1 Model Description

2 Logical System Description

2.1 LS

2.1.1 Instance Tree




Figure 1: LS Instance Tree

3 Subsystem Description

3.1 Main

3.1.1 Structure




Figure 2: Main Structure

4 Protocol Class Description

4.1 PC

4.1.1 Incoming Messages

Message	Data	Description
sayHello		

4.1.2 Outgoing Messages

Message	Data	Description
hello	txt	

5 Data Class Description

6 Actor Class Description

6.1 Appl

6.1.1 Structure




Figure 3: Appl Structure

6.1.2 Attributes

6.1.3 Operations

6.2 Container

6.2.1 Structure




Figure 4: Container Structure

6.2.2 Attributes

6.2.3 Operations

Name:	dumpTree
ReturnType:	void
Arguments:	msg:string

6.2.4 Statemachine

6.2.4.1 Top Level




Figure 5: Container Top State

6.3 Optional

6.3.1 Structure




Figure 6: Optional Structure

6.3.2 Attributes

6.3.3 Operations

6.3.4 Statemachine

6.3.4.1 Top Level




Figure 7: Optional Top State