

HIRES Work-Precision Diagrams

Chris Rackauckas

July 6, 2020

```
using OrdinaryDiffEq, ParameterizedFunctions, Plots, ODE, ODEInterfaceDiffEq, LSODA,  
DiffEqDevTools, Sundials
```

```
Error: Failed to precompile OrdinaryDiffEq [1dea7af3-3e70-54e6-95c3-0bf5283  
fa5ed] to /builds/JuliaGPU/DiffEqBenchmarks.jl/.julia/compiled/v1.4/Ordinar  
yDiffEq/DlSvy_YAMOL.ji.
```

```
using LinearAlgebra  
LinearAlgebra.BLAS.set_num_threads(1)
```

```
gr() #gr(fmt=:png)
```

```
Error: UndefVarError: gr not defined
```

```
f = @code_def Hires begin  
    dy1 = -1.71*y1 + 0.43*y2 + 8.32*y3 + 0.0007  
    dy2 = 1.71*y1 - 8.75*y2  
    dy3 = -10.03*y3 + 0.43*y4 + 0.035*y5  
    dy4 = 8.32*y2 + 1.71*y3 - 1.12*y4  
    dy5 = -1.745*y5 + 0.43*y6 + 0.43*y7  
    dy6 = -280.0*y6*y8 + 0.69*y4 + 1.71*y5 -  
          0.43*y6 + 0.69*y7  
    dy7 = 280.0*y6*y8 - 1.81*y7  
    dy8 = -280.0*y6*y8 + 1.81*y7  
end
```

```
Error: LoadError: UndefVarError: @code_def not defined  
in expression starting at none:2
```

```
u0 = zeros(8)  
u0[1] = 1  
u0[8] = 0.0057  
prob = ODEProblem(f,u0,(0.0,321.8122))
```

```
Error: UndefVarError: ODEProblem not defined
```

```
sol = solve(prob,Rodas5(), abstol=1/1014, reltol=1/1014)
```

```
Error: UndefVarError: Rodas5 not defined
```

```
test_sol = TestSolution(sol)
```

```
Error: UndefVarError: TestSolution not defined
```

```
abstols = 1.0 ./ 10.0 .^ (4:11)  
reltols = 1.0 ./ 10.0 .^ (1:8);
```

```
8-element Array{Float64,1}:
 0.1
 0.01
 0.001
 0.0001
 1.0e-5
 1.0e-6
 1.0e-7
 1.0e-8
```

```
plot(sol)
```

```
Error: UndefVarError: plot not defined
```

```
plot(sol, tspan=(0.0, 5.0))
```

```
Error: UndefVarError: plot not defined
```

0.1 Omissions

The following were omitted from the tests due to convergence failures. ODE.jl's adaptivity is not able to stabilize its algorithms, while GeometricIntegratorsDiffEq has not upgraded to Julia 1.0. GeometricIntegrators.jl's methods used to be either fail to converge at comparable dts (or on some computers errors due to type conversions).

```
#sol = solve(prob, ode23s()); println("Total ODE.jl steps: $(length(sol))")
#using GeometricIntegratorsDiffEq
#try
#    sol = solve(prob, GIRadIIA3(), dt=1/10)
#catch e
#    println(e)
#end
```

The stabilized explicit methods are not stable enough to handle this problem well. While they don't diverge, they are really slow.

```
setups = [
  Dict{alg=>ROCK2()},
  Dict{alg=>ROCK4()},
  Dict{alg=>ESERK5()}
]
```

```
0-element Array{Any,1}
```

0.2 High Tolerances

This is the speed when you just want the answer.

```
abstols = 1.0 ./ 10.0 .^ (5:8)
reltols = 1.0 ./ 10.0 .^ (1:4);
setups = [Dict{alg=>Rosenbrock23()},
  Dict{alg=>Rodas3()},
  Dict{alg=>TRBDF2()},
  Dict{alg=>CVODE_BDF()},
  Dict{alg=>rodas()},
  Dict{alg=>radau()}]
```

```

Dict(:alg=>RadauIIA5()),
Dict(:alg=>ROS34PW1a()),
Dict(:alg=>lsoda()),
]

Error: UndefVarError: Rosenbrock23 not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups;
    save_everystep=false, appxsol=test_sol, maxiters=Int(1e5), numruns=10)

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups; dense = false, verbose=false,
    appxsol=test_sol, maxiters=Int(1e5), error_estimate=:l2)

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups;
    appxsol=test_sol, maxiters=Int(1e5), error_estimate=:L2)

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

setups = [Dict(:alg=>Rosenbrock23()),
    Dict(:alg=>Kvaerno3()),
    Dict(:alg=>CVODE_BDF()),
    Dict(:alg=>KenCarp4()),
    Dict(:alg=>TRBDF2()),
    Dict(:alg=>KenCarp3()),
    # Dict(:alg=>SDIRK2()), # Removed because it's bad
    Dict(:alg=>radau())]

Error: UndefVarError: Rosenbrock23 not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups;
    save_everystep=false, appxsol=test_sol, maxiters=Int(1e5))

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups; dense = false, verbose=false,
    appxsol=test_sol, maxiters=Int(1e5), error_estimate=:l2)

Error: UndefVarError: test_sol not defined

plot(wp)

```

Error: UndefinedVarError: plot not defined

```
wp = WorkPrecisionSet(prob, abstols, reltols, setups;  
                      appxsol=test_sol, maxiters=Int(1e5), error_estimate=:L2)
```

Error: UndefinedVarError: test_sol not defined

```
plot(wp)
```

Error: UndefinedVarError: plot not defined

```
setups = [Dict{:alg=>Rosenbrock23()},  
          Dict{:alg=>KenCarp5()},  
          Dict{:alg=>KenCarp4()},  
          Dict{:alg=>KenCarp3()},  
          Dict{:alg=>ARKODE(order=5)},  
          Dict{:alg=>ARKODE()},  
          Dict{:alg=>ARKODE(order=3)}]
```

Error: UndefinedVarError: Rosenbrock23 not defined

```
names = ["Rosenbrock23" "KenCarp5" "KenCarp4" "KenCarp3" "ARKODE5" "ARKODE4" "ARKODE3"]  
wp = WorkPrecisionSet(prob, abstols, reltols, setups;
```

```
names=names, save_everystep=false, appxsol=test_sol, maxiters=Int(1e5))
```

Error: UndefinedVarError: test_sol not defined

```
plot(wp)
```

Error: UndefinedVarError: plot not defined

```
wp = WorkPrecisionSet(prob, abstols, reltols, setups; dense = false, verbose=false,  
                      appxsol=test_sol, maxiters=Int(1e5), error_estimate=:l2)
```

Error: UndefinedVarError: test_sol not defined

```
plot(wp)
```

Error: UndefinedVarError: plot not defined

```
setups = [Dict{:alg=>Rosenbrock23()},  
          Dict{:alg=>TRBDF2()},  
          Dict{:alg=>ImplicitEulerExtrapolation()},  
          #Dict{:alg=>ImplicitDeufhardExtrapolation()}, # Diverges  
          #Dict{:alg=>ImplicitHairerWannerExtrapolation()}, # Diverges  
          Dict{:alg=>ABDF2()},  
          Dict{:alg=>QNDF()},  
          Dict{:alg=>Exprb43()},  
          Dict{:alg=>Exprb32()}  
]
```

Error: UndefinedVarError: Rosenbrock23 not defined

```
wp = WorkPrecisionSet(prob, abstols, reltols, setups;  
                      save_everystep=false, appxsol=test_sol, maxiters=Int(1e5))
```

Error: UndefinedVarError: test_sol not defined

```
plot(wp)
```

Error: UndefinedVarError: plot not defined

0.2.1 Low Tolerances

This is the speed at lower tolerances, measuring what's good when accuracy is needed.

```
abstols = 1.0 ./ 10.0 .^ (7:13)
reltols = 1.0 ./ 10.0 .^ (4:10)
```

```
setups = [Dict(:alg=>GRK4A()),
          Dict(:alg=>Rodas4P()),
          Dict(:alg=>CVODE_BDF()),
          Dict(:alg=>ddebdf()),
          Dict(:alg=>Rodas5()),
          Dict(:alg=>rodas()),
          Dict(:alg=>radau()),
          Dict(:alg=>lsoda()),
          Dict(:alg=>RadauIIA5()),
        ]
```

Error: UndefVarError: GRK4A not defined

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5))
```

Error: UndefVarError: test_sol not defined

```
plot(wp)
```

Error: UndefVarError: plot not defined

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;verbose=false,
                      dense=false,appxsol=test_sol,maxiters=Int(1e5),error_estimate=:l2)
```

Error: UndefVarError: test_sol not defined

```
plot(wp)
```

Error: UndefVarError: plot not defined

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:L2)
```

Error: UndefVarError: test_sol not defined

```
plot(wp)
```

Error: UndefVarError: plot not defined

```
setups = [
          Dict(:alg=>Rodas5()),
          Dict(:alg=>Kvaerno5()),
          Dict(:alg=>CVODE_BDF()),
          Dict(:alg=>KenCarp4()),
          Dict(:alg=>Rodas4()),
          Dict(:alg=>radau())
        ]
```

Error: UndefVarError: Rodas5 not defined

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5))
```

```

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups; verbose=false,
                      dense=false, appxsol=test_sol, maxiters=Int(1e5), error_estimate=:l2)

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups;
                      appxsol=test_sol, maxiters=Int(1e5), error_estimate=:L2)

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

setups = [Dict{:alg=>Rosenbrock23()},
          Dict{:alg=>KenCarp5()},
          Dict{:alg=>KenCarp4()},
          Dict{:alg=>KenCarp3()},
          Dict{:alg=>ARKODE(order=5)},
          Dict{:alg=>ARKODE()},
          Dict{:alg=>ARKODE(order=3)}]

Error: UndefVarError: Rosenbrock23 not defined

names = ["Rosenbrock23" "KenCarp5" "KenCarp4" "KenCarp3" "ARKODE5" "ARKODE4" "ARKODE3"]
wp = WorkPrecisionSet(prob, abstols, reltols, setups;

names=names, save_everystep=false, appxsol=test_sol, maxiters=Int(1e5))

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

wp = WorkPrecisionSet(prob, abstols, reltols, setups; verbose=false,
                      dense=false, appxsol=test_sol, maxiters=Int(1e5), error_estimate=:l2)

Error: UndefVarError: test_sol not defined

plot(wp)

Error: UndefVarError: plot not defined

```

The following algorithms were removed since they failed.

```

#setups = [#Dict{:alg=>Hairer4()},
           #Dict{:alg=>Hairer42()},
           #Dict{:alg=>Rodas3()},
           #Dict{:alg=>Kvaerno4()},
           #Dict{:alg=>KenCarp5()},
           #Dict{:alg=>Cash4()}

#]
#wp = WorkPrecisionSet(prob, abstols, reltols, setups;
#                      save_everystep=false, appxsol=test_sol, maxiters=Int(1e5))
#plot(wp)

```

0.2.2 Conclusion

At high tolerances, `Rosenbrock23` and `lsoda` hits the the error estimates and are fast. At lower tolerances and normal user tolerances, `Rodas5` is extremely fast. When you get down to `reltol=1e-10` `radau` begins to become as efficient as `Rodas4`, and it continues to do well below that.

```
using DiffEqBenchmarks
DiffEqBenchmarks.bench_footer(WEAVE_ARGS[:folder],WEAVE_ARGS[:file])
```

0.3 Appendix

These benchmarks are a part of the `DiffEqBenchmarks.jl` repository, found at: <https://github.com/JuliaDiffEq/DiffEqBenchmarks.jl>

To locally run this tutorial, do the following commands:

```
using DiffEqBenchmarks
DiffEqBenchmarks.weave_file("StiffODE","Hires.jmd")
```

Computer Information:

```
Julia Version 1.4.2
Commit 44fa15b150* (2020-05-23 18:35 UTC)
Platform Info:
  OS: Linux (x86_64-pc-linux-gnu)
  CPU: Intel(R) Core(TM) i7-9700K CPU @ 3.60GHz
  WORD_SIZE: 64
  LIBM: libopenlibm
  LLVM: libLLVM-8.0.1 (ORCJIT, skylake)
Environment:
  JULIA_DEPOT_PATH = /builds/JuliaGPU/DiffEqBenchmarks.jl/.julia
  JULIA_CUDA_MEMORY_LIMIT = 2147483648
  JULIA_PROJECT = @.
  JULIA_NUM_THREADS = 8
```

Package Information:

```
Status: `~/builds/JuliaGPU/DiffEqBenchmarks.jl/benchmarks/StiffODE/Project.toml`
[eb300fae-53e8-50a0-950c-e21f52c2b7e0] DiffEqBiological 4.3.0
[f3b72e0c-5b89-59e1-b016-84e28bfd966d] DiffEqDevTools 2.22.0
[5a33fad7-5ce4-5983-9f5d-5f26ceab5c96] GeometricIntegratorsDiffEq 0.1.0
[7f56f5a3-f504-529b-bc02-0b1fe5e64312] LSODA 0.6.1
[c030b06c-0b6d-57c2-b091-7029874bd033] ODE 2.5.0
[09606e27-ecf5-54fc-bb29-004bd9f985bf] ODEInterfaceDiffEq 3.7.0
[1dea7af3-3e70-54e6-95c3-0bf5283fa5ed] OrdinaryDiffEq 5.41.0
[65888b18-ceab-5e60-b2b9-181511a3b968] ParameterizedFunctions 5.3.0
[91a5bcdd-55d7-5caf-9e0b-520d859cae80] Plots 1.5.3
```

[b4db0fb7-de2a-5028-82bf-5021f5cfa881] ReactionNetworkImporters 0.1.5
[c3572dad-4567-51f8-b174-8c6c989267f4] Sundials 4.2.5
[a759f4b9-e2f1-59dc-863e-4aeb61b1ea8f] TimerOutputs 0.5.6
[37e2e46d-f89d-539d-b4ee-838fcccc9c8e] LinearAlgebra