

## AMO DTF Inkjet Printer with Powder system

The DTF printer is widely used in the production of printing T-shirts, canvas bags, sweatshirts, and pillows. Meanwhile it is suitable for e-commerce and personalized cultural and creative fields as well as clothing enterprises sales, capable of quickly responding to small orders and meeting the market's demand personalization and rapid response. It is an efficient, convenient, and personalized printing device with a wide range of application prospects and market potential.

### Machine parameters

Head information i3200-2H(W+C) ( 2heads i3200,1 head for white ink,1 head for cmyk colores)

Print width 600MM

Circuit board system HOSON(LAN)

Printing speed:

3pass 25 m<sup>2</sup>/h

4pass 22 m<sup>2</sup>/h

6pass 14 m<sup>2</sup>/h

8pass 10 m<sup>2</sup>/h

Printer info:

working voltage AC220V 50/60HZ

Power 2500W

working environment

Normal working temperature:22-28°C

humidity:40%-60%

Machine size L1720MM W830MM H1600MM

Packing dimensions 2000MM(L)810MM(W)640MM(H)



The advertisement features a large, detailed image of the AMO DTF Printer & Powder machine, a large industrial-grade device with a red and white top section and a black base. To the left of the main machine, a series of four smaller images are connected by blue arrows, illustrating the workflow: 1. A smaller version of the printer. 2. A powder shaker or sifter. 3. A heat press machine. 4. A finished yellow t-shirt with a printed design. In the bottom left corner, the 'AMO' logo is displayed in large, bold, black letters. In the bottom right corner, the 'EPSON' logo is shown with the tagline 'EXCEED YOUR VISION', and below it, the 'VSDT' logo with the text 'variable-sized droplet technology' and two small images of printed eyes.

**DTF Printer & Powder machine**

**AMO**

**PRECISIONCORE**

**EPSON**  
EXCEED YOUR VISION

**VSDT**  
variable-sized droplet technology

New Style in 2025:






## ■ 产品细节 / Product Details



白墨循环功能  
White ink circulation function



精密铝梁 - 机架稳定不易变形  
Precision Aluminum Beam



铝板式墨栈 - 稳定清洗状态  
Automatic lifting ink stack



缺纸报警 - 避免无效打印实现无人值守  
Paper lacking



三挡可调压轮 - 满足不同材料的压力需求  
Adjustable Press roller



左右防撞功能 - 避免损伤喷头  
Anti-hitting bracket



智能温控 - 三段加热  
Temperature Control System