

ESCAPE Y2K - An Integrated Escape Room

1st Kyle L. Sedgwick
College of Engineering
University of Utah
Salt Lake City, U.S

2nd Jake D. Bales
College of Engineering
University of Utah
Salt Lake City, U.S

3rd Nami Eskandarian
College of Engineering
University of Utah
Salt Lake City, U.S

Abstract—“ESCAPE Y2K” is an interactive escape room experience that relies on computer engineering as its main control source. The escape room is built to be an autonomous, immersive, sci-fi, horror experience using digital/analog circuit design, image/audio processing, communication protocols, and embedded computing. Players will interact and solve puzzles under a time limit while avoiding fictional threats within the game in order to complete the experience and win. This is done with a time travel mechanic that allows players to forward or reverse an artificial clock that changes the time within the room and activates certain events that could both benefit and disadvantage them.

Index Terms—Analog, Embedded Systems, Escape Room, Horror, Interactive, Networking, Science Fiction

I. INTRODUCTION

Escape rooms are a fun and engaging way to promote critical thinking and puzzle solving for children and adults alike. In most established escape rooms, there is a level of behind the scenes interaction with a room operator, triggering events and unlocking clues as the players progress. This usually works quite well and allows for some additional variability if the operator is given some creative freedom with how they run the escape room. However, it also has an inherited limitation with requiring an operator for the room to function. Potential exists for an autonomous escape room where players follow a game script without the requirement of an external human operator. This project determines to create a system and design philosophy that allows for a more streamlined and easily modifiable process for making more complex and dynamic escape rooms. Custom analog and digital systems, as well as a control program executing on a central server drives the escape room’s interactive elements. A solution such as this can greatly heighten scopes and stakes of escape rooms in the future, providing uniquely exciting experiences for the players and eases the jobs of the room owners due to automation.

The escape room created for this demonstration is “Escape Y2K”, a science fiction analog horror experience. Inspired by the public panic caused by the Y2K scare, spurred from unknown consequences as digital system clocks update their year count to ‘00’ and the ambiguity between it’s interpretation as ‘2000’ (Y2K) or ‘1900’, “Escape Y2K” will be set before the start of the new millennia on January 31, 1999. Due to technological disturbance, scientists have discovered a creature that will destroy all of humanity, its presence and danger felt in televisions spread across the room. It is up to the team of players to discover how to send this creature back using

puzzle solving and time travel. Using a remote to forward and reverse a clock that represents in-universe time, they can stop the year from turning to 2000 which causes total system failure and humanity to end. This inspires the tagline of the game: “Don’t let the clock strike midnight.”

II. BACKGROUND

Escape rooms provide participants with an interactive and exciting puzzle experience. Players start by being “locked” in a room (for safety reasons, players are never really locked inside) with a set of instructions that lead them through a series of puzzles. Some of these puzzles are more traditional, such as solving a cypher or figuring out a combination for a lock, while others make the players think a little bit deeper. Many of these puzzles are on the simple size in an attempt to have a good balance of fun and difficulty. And, many of these rooms attempt to fit their puzzles within a certain theme, such as escaping from an Egyptian tomb or trying to escape from the zombie apocalypse [1]. In order to successfully escape, it is expected that the team of players all work together to solve every puzzle before time runs out.

Instead of using a large amount of analog puzzles and a “host” that is in charge of controlling which parts of the room are locked and unlocked when players complete certain actions, the room will adapt and progress on its own as players advance through the various puzzles. A similar idea was done by the 2021 Technical Symposium with “a course with the overarching goal of designing and constructing an automated escape room” [2]. Outside of that however, most of the effort will be drawn from a creative process for telling a story; providing presence to players by immersing them with puzzles using old technology. Old phones, cassette players, televisions, and other props from the Y2K era will be modified for horror and also allow for puzzle solving. All of this will be done with the explicit purpose of showing off the wireless communication between the server and the puzzles to keep track of player progression.

III. PROJECT IMPLEMENTATION

While many aspects of our escape room are likely to be somewhat modular, and able to be re-arranged quickly, some puzzles and in-game events will demand certain elements of the room to be set up in specific locations relative to each other. For example, the clock controls, game clock, and action clock should all be in close proximity to each other for ease

of access. The CRT TVs should be pointed across the audio cassette player to limit access during certain events. Finally, props need to be kept in repeatable locations or lock boxes for consistency in certain puzzles.

In the below diagrams, there are a few key elements to notice. The black boxes with white screens represent the CRT TVs that have sensors and lights to trigger during in-game events. The grey towers are filing cabinets, to play into the office aesthetic of the game. The light green slab on the desks in the corner is where we will have the chessboard, and the yellow head represents one of the busts that will be included in some puzzles. The center podium will hold the cassette player. Finally, the orange circle is the time clock, and the nearby green box represents the clock controls.

A. Safe-Cracking Puzzle

One of the puzzles that we implemented was a safe cracking puzzle. A hint for this puzzle was recorded on a cassette tape that would help the players know which numbers they needed to turn the safe to. Once the puzzle was reset by turning the dial to zero and holding the reset button until the lights flashed, if they turned left until they got to 33, right until they got to 72, and left again until they reached 11 then the puzzle would be solved! However, players were only able to solve this puzzle when the player clock (the giant physical clock) displayed a time between 2:15 and 4:30. If all of the above conditions were met, a puzzle box would open, showing them a plugboard combination.

B. Potentiometer Tuning

The potentiometer puzzle does not provide a direct solution with clear feedback on how it ought to be solved. Instead, the four dials need to be placed in the correct orientation by trial and error. This puzzle uses the analog signal inputs to find the voltage between each pair of potentiometers for a total of three analog signals. Because this puzzle uses analog signals, the ESP module boards are unable to be used as they have no analog capabilities.

The five LEDs on the box light up when the respective voltage across the pair of potentiometers is in the correct range (like variable voltage dividers). Because they need to either be determined as “correct” or “incorrect” without any variability between them, the LEDs are set up with digital signals to turn on or off when the correct voltage is reached. The first (furthest left) LED turns on when the device has power, and the last (furthest right) only turns on when the middle three are illuminated and the correct time frame is shown on the clock. The remaining LEDs are interdependent on one another, and do not hint at the correct position of any individual dial, only when all four are in a valid orientation together.

C. Radio Number Station

The “number station” puzzle utilizes the most abstract clue of the three main room puzzles. Unlike the other puzzle clues, there is no hint as to what box to use. The tape itself only contains five numbers to align with a box that has five number

switches. The A side of the tape is played in reverse, so it is nearly impossible to understand what numbers are being stated, but a hint printed on a separate sheet of paper urges the player to listen to the message backward by flipping the tape over. While this is not how cassette tapes physically work, the B side of the tape is recorded separately with the audio playing forward. The static and information on the tape is inspired by “number stations” that were played on radio transmissions during the cold war.

Once the players listen to the recording in the correct orientation, they are able to simply use the number switches on the provided box to enter the stated combination. The switches output signals based on the binary values of each number, which are decoded by an Arduino Uno to determine when the puzzle is complete. Like the other three initial puzzles, it is not fully determined complete until the correct combination is displayed and the correct time frame is reached in the game clock.

D. Audio Control and Tapes

E. Props and Hints

F. Adding Time

Originally, the idea was to give players a set amount of time to complete the room. Fifteen minutes seemed to be a reasonable amount time to give them because the puzzles were designed to take about 5 minutes each to solve and there were three puzzles. However, this all changed when a wonderful idea struck. This idea was motivated by the idea that the players not solving the puzzles might just be standing around for a large majority of their time in the escape room. This idea came in an effort to keep everyone bustling about, doing their best to solve the puzzles that had been created for them.

To help remedy this, one puzzle was set aside for a special purpose. This puzzle had a keypad on the face, and when a correct combination was entered it would give players an extra minute to escape the room. However, in order to make this a bit more complicated, the combinations were broken down into math problems that, when solved, would reveal one of the combinations. This would help to keep some players busy while others did their best to solve the room within the allotted time, and also would cause the room to end quicker if players were unable to correctly calculate all ten math equations.

G. TVs, State, and Detection

H. Time Control and the Clock

I. Wireless Communication and Circuit Design

One of the central ideas behind what makes this escape room different from other escape rooms is that all of the puzzles are able to communicate wirelessly with a central server, indicating when they had been solved. Using this information, the server could then communicate wirelessly with the locked puzzle boxes, telling them to open without needing any external intervention. This paradigm was used extensively throughout the escape room, allowing special events to trigger themselves and allowing certain components to connect and

function synchronously, giving the room a sense of interconnectedness. This wireless communication was achieved through the use of a dummy WiFi router and arduinos with ESP modules attached to them, restricting their connection to the internet as a whole but allowing them to talk on an interconnected LAN network.

This network was further enhanced by the implementation of a server, which would propagate signals to any module that may need to be informed of an event and keep track of the current state of the room. An "admin control panel" was also developed, which allows any user that is "behind the scenes" to activate special events, lock or unlock boxes, and reset the current state of the room.

J. Box Control




Fig. 1. Front isometric scale depiction of the initial escape room layout.




Fig. 2. Rear isometric scale depiction of the initial escape room layout.

IV. EVALUATION




Fig. 3. When the motor arms are under the metal plate, the container remains locked




Fig. 4. When the arms are rotated out from the metal plate, the container is unlocked and can manually be opened.




Fig. 5. The internal solenoid can be used for several effects. For example, when facing the container opening, it can pop the door open automatically. If it is facing a wall, it will create a knock sound, or if it does not contact with anything, it can make a clicking noise to signal the box is unlocked.

Wi-Fi

Wi-Fi will act as an incredibly reliable and secure option for our senior project. One of the benefits of Wi-Fi is that is

it so widely supported. There are lots of libraries that would make communication and connection over Wi-Fi as simple as possible. Plus, the connection range is incredibly good over Wi-Fi, and the data rate is quite high (around 54 Mbps) [4]. There are two drawbacks to Wi-Fi, however, the first being that it uses a bit more energy than Zigbee to operate, which may become a problem depending on how many of our components need to operate on a portable energy source. The second is that there are so many other devices that operate using Wi-Fi, and we may want the privacy that a connection through Zigbee would provide.

Zigbee

On the other hand, Zigbee would be an interesting option for a variety of reasons. The most beneficial reason to using Zigbee would be its topology. Zigbee uses a mesh network topology, which allows each of the network devices to connect with one another, rather than being dependent upon a central hub to manage the details of the escape room. This would decrease the number of “network-hops” a command would need to traverse, allowing components to tell locks when their puzzle has been solved. We may end up needing a central hub, so this benefit could nullified, but I digress. Furthermore, Zigbee is much less widely used than Wi-Fi providing us with a unique experience when trying to get all of our components to communicate with one another. It also consumes less energy and has a lower data transmission rate than Wi-Fi (maxing out at 250 Kbps), which could help our wireless components be more energy efficient [4]. These details are yet to be explored, however, and will need to be more properly considered when we have a more developed plan as to what our escape room is going to require.

V. CONCLUSIONS

In conclusion, we are confident that this project will help us grow and become more capable engineers in the future. We are going to learn more about how to deal with lots of interconnected micro-systems, how to create a compelling and immersive story, how to properly document and track our work, and how to work together as a team on a long-term development project. All of these things are incredibly valuable to prospective employers, and we are excited to leave college as prepared as possible to enter the workforce. Furthermore, this is a project that we are all incredibly excited about, which will help us produce something that we can be proud of by the end of next semester!

VI. APPENDIX A: REFERENCE MATERIAL

A. Bill of Materials

In order to have a functioning project that we can be proud of, we are going to need a lot of materials. A list of these materials have been included below

- Programmable microcontrollers
- Analog clock
- Cameras
- Small CRT televisions

- Audio cassette player
- Writable audio cassette tapes
- MP3 digital audio controller
- Speakers
- Motors (To act as lock releases)
- Solenoids
- LED Display
- Adjustable RGB lights
- Wireless communication modules
- Storage containers
- Busts with detachable modules

VII. APPENDIX B: TROUBLES OF NOTE DURING DEVELOPMENT REFERENCES

- [1] “Escape room,” Wikipedia, 10-Feb-2023. [Online]. Available: https://en.wikipedia.org/wiki/Escape_room. [Accessed: 24-Mar-2023].
- [2] M. Pfeifer, B. Völker, S. Böttcher, S. Köhler, and P. M. Scholl, “Teaching embedded systems by constructing an escape room,” Proceedings of the 52nd ACM Technical Symposium on Computer Science Education, 2021.
- [3] A. Ascalon, “Escape rooms: Everything you need to know (2022),” Escape Rooms — Everything You Need To Know (2022), 01-Dec-2022. [Online]. Available: <https://theescapegame.com/blog/what-is-an-escape-room/>. [Accessed: 24-Mar-2023].
- [4] B. Priya, “What are the differences between Zigbee and Wi-Fi,” Tutorials Point, 17-Mar-2022. [Online]. Available: <https://www.tutorialspoint.com/what-are-the-differences-between-zigbee-and-wi-fi>. [Accessed: 03-May-2023].