#### **OPERATING SYSTEM - CS23431**

# **EXP 6(A)**

## FIRST COME FIRST SERVE

NAME: KARTHIKHA SRE M ROLL NO: 230701143

#### **PROGRAM:**

```
#include <stdio.h>
int main() {
int n, i; printf("Enter number of processes: "); scanf("%d", &n);
int bt[n], wt[n], tat[n];
printf("\nEnter burst time for each process:\n");
for (i = 0; i < n; i++) {
  printf("P[%d]: ", i + 1);
  scanf("%d", &bt[i]);
}
wt[0] = 0;
for (i = 1; i < n; i++) {
  wt[i] = wt[i-1] + bt[i-1];
for (i = 0; i < n; i++) {
  tat[i] = bt[i] + wt[i];
}
int total wt = 0, total tat = 0;
for (i = 0; i < n; i++) {
  total_wt += wt[i];
  total tat += tat[i];
}
printf("\nProcess\tBurst Time\tWaiting Time\tTurnaround Time\n");
for (i = 0; i < n; i++) {
  printf("P[%d]\t%5d\t\t%5d\t\t%5d\n",
```

```
i + 1, bt[i], wt[i], tat[i]);

printf("\nTotal waiting time = %d\n", total_wt);
printf("Total turnaround time = %d\n", total_tat);
printf("Average waiting time = %.2f\n", (float)total_wt / n);
printf("Average turnaround time = %.2f\n", (float)total_tat / n);
return 0;
}
```

## **OUTPUT:**

```
[student@localhost ~]$ ./a.out
Enter number of process: 3

Enter burst time for each process: 24
3
3
Process Burst time Waiting time Turn Around Time
0 24 0 24
1 3 24 27
2 3 27 30

Total waiting time is: 51
Total turn around time is: 81
Average waiting time is: 17
Average turn around time is: 27
[student@localhost ~]$ ■
```