

**05** Hr **54** Min  
**01** Sec**Guidelines**

Coding Area

Editor | Compile &  
Run History

Submissions

Feedback Form

Graphs

# Coding Area

**A B C D E F**

ONLINE EDITOR (F)

## Work Life

### + Problem Description

Jay works for support project where he has to resolve some tickets each day (denoted by **A[i]**). He knows, ahead of time, the number of tickets for each day for **N** days. Let **A** be an array of length **N**. Each element **A[i]** (**where i=1 to i=N**) denotes number of tickets to resolve on **i**th day. Jay is struggling to balance his work life. On some days, workload is huge and on other days, it is very little. Now he can procrastinate and choose to postpone up to **K** tickets to next day. However, tickets can only be postponed once. (Refer example 2 for more clarity). Find optimal solution where workload can be distributed as evenly as possible with above constraints and print the maximum number of tickets he needs to resolve on given days.

### + Constraints

$$1 \leq T \leq 50$$

$$1 \leq N \leq 100$$

$$1 \leq K \leq 100$$

$$1 \leq A[i] \leq 10^9$$

### + Input Format

First line is integer **T** denoting number of test cases.

For each test case:

First line is **N K** described above

Next line is **N** spaced integers denoting number of tickets for each day

### + Output

For each test case, print a single integer per line denoting maximum number of tickets Jay needs to resolve after optimal rearrangement with above constraints.

## + Test Case

## + Explanation

### Example 1

Input

2

3 100

3 1 2

3 1532

28 31 37

Output

2

37

Explanation

Initially highest workload is on first day (3 tickets). Now 1 ticket should be postponed from day 1 to day 2. So array is [2,2,2] and maximum workload is 2. For second test case, no rearrangement is required, hence the output is 37.

Example 2:

Input:

1

3 100

7 1 1

Output:

4

Explanation:

Initially highest workload is on first day (7 tickets). Now we postpone 4 tickets from day 1 to day 2. Array now looks like [3,5,1]. Now on day 2, even K is 100, we can only postpone 1 ticket since tickets can only be postponed once. (In other words, 4 tickets out of 5 which were postponed from day 1 has to be resolved on day 2. They cannot be postponed any further). So after postponing 1 ticket array looks like [3,4,2] and maximum workload is 4, hence answer is 4.

## Upload Solution [ Question : F ]

☐ I, **nishant chaddha** confirm that the answer submitted is my own.

☐ Took help from online sources (attributions)

Choose a  
File...

[CodeVita FAQs](#)

[About CodeVita](#)

[Privacy Policy](#)

[Careers](#)



© 2019 Tata Consultancy Services Limited. All Rights Reserved.