

Problem 5.51 :**Given:** The definition of Fourier transform.

$$\mathbf{X}(\omega) = \mathbf{F}[x(t)] = \int_{-\infty}^{\infty} x(t)e^{-j\omega t} dt \quad (1)$$

Find: Using the definition of Fourier transform, prove that

$$\mathbf{F}\|t(f(t))\| = j \frac{d}{d\omega} \mathbf{F}(\omega) \quad (2)$$

Problem 5.52 :**Given:** Let the Fourier transform of $f(t)$ be

$$\mathbf{F}(\omega) = \frac{1}{A + j\omega} e^{-j\omega} + B \quad (3)$$

Find: Determine the transforms of the following signals (set $A = 2$ and $B = 1$)

- a. $f(\frac{5}{8}t)$
- b. $f(t) \cos(At)$

Problem 5.53 :**Given:** Let the Fourier transform of $f(t)$ be

$$\mathbf{F}(\omega) = \frac{A}{(B + j\omega)} \quad (4)$$

Find:

- a. $f(3t - 2)$
- b. $tf(t)$

Problem 5.55 :**Given:** The waveform

$$\frac{\sin(20\pi t)}{\pi t} \frac{\sin(10\pi t)}{\pi t} \quad (5)$$

Find: Show that the spectrum of the above is zero for $\|\omega\| > 30\pi$.




Figure 1: Fig. P5.23




Figure 2: Fig. P5.39

Problem 5.68 :

Given: The circuit in Figure P5.23 and the waveform in Figure P5.39

Find:

- Derive the expression for $v_{out}(t)$ using Fourier analysis.
- Plot $v_{out}(t)$ using $A = 5 \text{ V}$, $T = 3 \text{ ms}$, $R_1 = 500 \Omega$, $R_2 = 2 \text{ k}\Omega$, and $C = 0.33 \mu\text{F}$.
- Repeat part (b) with $C = 0.33 \text{ mF}$ and comment on the results




Figure 3: Figure P6.28

Problem 6.28 :

Given: The figure P6.28

Find: Derive the impulse response of a system characterized by the frequency response shown in Fig. P6.28. Express your answer in terms of three sinc functions.

Problem 6.57 :

Given: In World War II, voice radio scramblers used modulation schemes to distort a signal so that enemy forces could not understand it unless it was demodulated properly. In one scheme, a signal $x(t)$, bandlimited to 4 kHz , is modulated to generate an output signal

$$y(t) = [2x(t) \cos(8000\pi t)] * \left[\frac{\sin(8000\pi t)}{\pi t} \right] \quad (6)$$

Find:

- Plot the range of the spectrum $y(t)$.
- Describe why the scrambled signal's spectrum is "distorted."
- Show that $x(t)$ can be recovered from $y(t)$ using

$$x(t) = [2y(t) \cos(8000\pi t)] * \left[\frac{\sin(8000\pi t)}{\pi t} \right] \quad (7)$$




Figure 4: Figure P6.59

Problem 6.59 :

Given: FM stereo signals are formed using the system shown in Fig. P6.59, where $L(t)$ is the left speaker signal and $R(t)$ is the right speaker signal. Assume both signals are bandlimited to 15 kHz . Also the signal $C(t)$ is a 38 kHz sinusoidal carrier given by $C(t) = 2\cos(76000\pi t)$.

Find: Sketch the spectrum of $z(t)$.