

Assignment01

Kaichun Yang

2022-09-15

My Git settings:

```
git config --global --list user.email=yang_kc@outlook.com user.name=KCyyy
```

My Git remote settings:

```
$ git remote -v origin https://github.com/KCyyy/EDA-Fall2022 (fetch) origin https://github.com/KCyyy/EDA-Fall2022 (push) upstream https://github.com/ENV872/EDA-Fall2022 (fetch) upstream DISABLE (push)
```

My Git changes:

fa4e72b (HEAD -> main, origin/main, origin/HEAD) Add Lesson 3 Rmd files c2de398 Add Assignment 2 b94f9ee uploaded Lab2 file 2342d5a Create 02_Reproducibility_CodingBasics.Rmd d74b397 Adds 01_gitExercise.pdf 20a7b70 Add data files f992081 Create Assignments folder 972c063 Create Lessons folder 34b6cc8 Create .gitignore a07d95c Initial commit

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

Including Plots

You can also embed plots, for example:

```
plot(pressure)
```



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.