



XSLT <xsl:apply-templates> Element

[< Previous](#)[Next >](#)

The <xsl:apply-templates> element applies a template rule to the current element or to the current element's child nodes.

The <xsl:apply-templates> Element

The <xsl:apply-templates> element applies a template to the current element or to the current element's child nodes.

If we add a "select" attribute to the <xsl:apply-templates> element, it will process only the child elements that matches the value of the attribute. We can use the "select" attribute to specify in which order the child nodes are to be processed.

Look at the following XSL style sheet:

Example

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

  <xsl:template match="/">
    <html>
    <body>
    <h2>My CD Collection</h2>
    <xsl:apply-templates/>
    </body>
    </html>
  </xsl:template>

  <xsl:template match="cd">
    <p>
    <xsl:apply-templates select="title"/>
    <xsl:apply-templates select="artist"/>
    </p>
  </xsl:template>

  <xsl:template match="title">
    Title: <span style="color:#ff0000">
    <xsl:value-of select="."/></span>
    <br />
  </xsl:template>

  <xsl:template match="artist">
    Artist: <span style="color:#00ff00">
    <xsl:value-of select="."/></span>
```

```
<br />
</xsl:template>


</xsl:stylesheet>
```

Try it Yourself »

◀ Previous

Log in to track progress

Next ▶



COLOR PICKER





Join our **Mini Bootcamp!**



*"W3Schools Bootcamp
is the best investment
then I have ever made"*

Student at W3Schools

[👉 Read more](#)

[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

[Report Error](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Get Certified

- [HTML Certificate](#)
- [CSS Certificate](#)
- [JavaScript Certificate](#)
- [Front End Certificate](#)
- [SQL Certificate](#)
- [Python Certificate](#)
- [PHP Certificate](#)
- [jQuery Certificate](#)
- [Java Certificate](#)
- [C++ Certificate](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

