Slip 13

10 Marks:

```
java
Copy code
import java.util.Scanner;
class Continent {
    String continent;
    void input() {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter Continent Name:");
        continent = sc.nextLine();
    }
}
class Country extends Continent {
    String country;
    void input() {
        super.input();
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter Country Name:");
        country = sc.nextLine();
}
class State extends Country {
    String state;
    void input() {
        super.input();
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter State Name:");
        state = sc.nextLine();
    }
    void display() {
        System.out.println("Continent: " + continent);
        System.out.println("Country: " + country);
        System.out.println("State: " + state);
    }
}
public class Main {
    public static void main(String[] args) {
        State s = new State();
        s.input();
        s.display();
}
```

20 Marks:

```
java
Copy code
import java.util.Scanner;
class Operations {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int choice;
        do {
            System.out.println("1. Calculate the volume of a cylinder");
            System.out.println("2. Find the factorial of a given number");
            System.out.println("3. Check if the number is Armstrong or not");
            System.out.println("4. Exit");
            System.out.print("Enter your choice: ");
            choice = sc.nextInt();
            switch (choice) {
                case 1:
                    calculateVolumeOfCylinder();
                    break;
                case 2:
                    findFactorial();
                    break;
                case 3:
                    checkArmstrong();
                    break;
                case 4:
                    System.out.println("Exiting...");
                    break;
                default:
                    System.out.println("Invalid choice! Please enter
again.");
        } while (choice != 4);
    public static void calculateVolumeOfCylinder() {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter the radius of the cylinder: ");
        double radius = sc.nextDouble();
        System.out.print("Enter the height of the cylinder: ");
        double height = sc.nextDouble();
        double volume = 3.14 * radius * radius * height;
        System.out.println("The volume of the cylinder is: " + volume);
    }
   public static void findFactorial() {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter a number: ");
        int number = sc.nextInt();
        long factorial = 1;
        for (int i = 1; i \le number; i++) {
            factorial *= i;
```

```
System.out.println("The factorial of " + number + " is: " +
factorial);
    public static void checkArmstrong() {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter a number: ");
        int number = sc.nextInt();
        int originalNumber = number;
        int result = 0;
        while (number != 0) {
            int remainder = number % 10;
            result += Math.pow(remainder, 3);
            number /= 10;
        if (result == originalNumber) {
           System.out.println(originalNumber + " is an Armstrong number.");
            System.out.println(originalNumber + " is not an Armstrong
number.");
    }
}
```