

Installation of Java and Simple Java Programs

Aim:

To install Java Development Kit (JDK), configure the environment, and write simple Java programs including Hello World.

PRE LAB EXERCISE

QUESTIONS

1. What is JDK and why is it required?

JDK (Java Development Kit) is a software package used to **develop Java applications**. It contains tools like **compiler (javac)**, **debugger**, and **JRE**.

Why it is required:

- To **write, compile, and run Java programs**
- Provides development tools needed by programmers
- Without JDK, we **cannot develop** Java programs.

2. Difference between JDK, JRE, and JVM.

Feature	JDK	JRE	JVM
Full form	Java Development Kit	Java Runtime Environment	Java Virtual Machine
Purpose	Develop + Run Java programs	Run Java programs	Executes bytecode
Contains	JRE + development tools	JVM + libraries	Only execution engine
Used by	Developers	Users	System
Includes compiler	Yes	No	No

3. What is the purpose of the main() method in Java?

The **main() method** is the **entry point** of a Java program.

Purpose:

- Execution of a Java program **starts from main()**
- JVM looks for the main() method to begin execution

Syntax:

```
public static void main(String[] args)
```

IN LAB EXERCISE


Objective:

To verify Java installation and execute a basic Java program.

INSTALLATION STEPS:

STEP 1: Open Browser

- Open your browser and go to the official [URL](https://www.eclipse.org/) Eclipse Downloads page.




STEP 2: Download Eclipse Installer

- Then, click on the "Download" button to download Eclipse IDE.




STEP 3: Download EXE

- Now, click on the "Download x86_64" button.




STEP 4: Then click on the "Download" button. After clicking on the download button the .exe file for the eclipse will be downloaded.



STEP 5: Open Download EXE

- Now go to File Explorer and click on "Downloads" after that click on the "*eclipse-inst-jre-win64.exe*" file for installing Eclipse IDE.




STEP 6: Install Eclipse

- Then, click on "Eclipse IDE for Java Developers".




STEP 7: Then, click on the "Install" button.




Step 8: Create New Project

Now click on "Create a new Java project".




STEP 9: Create a new java project

- By clicking on the File menu and choosing New → Java Project.
- By right clicking anywhere in the Project Explorer and selecting New → Java Project.


- By clicking on the New button () in the Tool bar and selecting Java Project.

STEP 10: Enter the Project Name

- Select the Java Runtime Environment (JRE) or leave it at the default
- Select the Project Layout which determines whether there would be a separate folder for the source codes and class files. The recommended option is to create separate folders for sources and class files.




STEP 11: Create a new java package

- By clicking on the File menu and selecting New → Package.
- By right click in the package explorer and selecting New → Package.
- By clicking on the package icon which is in the tool bar ().



STEP 11:

- Enter/confirm the source folder name.

- Enter the package name.
- Click on the Finish button.




STEP 12: Create a New Java class.


- By clicking on the File menu and selecting New → Class.
- By right clicking in the package explorer and selecting New → Class.
- By clicking on the class drop down button () and selecting class ().

STEP 13:

- Ensure the source folder and package are correct.
- Enter the class name.
- Select the appropriate class modifier.
- Enter the super class name or click on the Browse button to search for an existing class.
- Click on the Add button to select the interfaces implemented by this class.
- Examine and modify the check boxes related to method stubs and comments.



STEP 14: Class created successfully.



BASIC PROGRAMS:

Program 1: Hello World Program

Source Code:

```
package hello;

public class Hello {

    public static void main(String[] args) {

        System.out.println("Hello World");

    }

}
```

Output:

```
<terminated> Hello [Java Application] C:\Users\Rohitha B\
Hello World
```

Program 2: Display Personal Details

Source Code:

```
package Name;

public class name {

    public static void main(String[] args) {

        System.out.println("Name: Rohitha B");

        System.out.println("Age: 18");

    }

}
```

Output:

```
<terminated> name [Java Application] C:\Users\Rohitha B\
Name: Rohitha B
Age: 18
```

Program 3: Addition of Two Numbers

Source Code:

```
package hello;

public class Hello {

    public static void main(String[] args) {

        int a = 10, b = 50;

        System.out.println("Sum = " + (a + b));

    }

}
```

Output:

```
<terminated> Hello [Java Application] C:\Users\Rohitha B\
Sum = 60
```

Program 4: Area of a Rectangle

Source Code:

```
package hello;

public class Hello {

    public static void main(String[] args) {

        int length = 80, breadth = 40;

        System.out.println("Area = " + (length * breadth));

    }

}
```

Output:

```
<terminated> Hello [Java Application] C:\Users\Rohitha B\
Area = 3200
```

Program 5: Simple Interest Calculation

Source Code:

```
package hello;
```

```

public class Hello {

    public static void main(String[] args) {

        int p = 1000;

        int r = 2;

        int t = 4;

        int si = (p * r * t) / 100;

        System.out.println("Simple Interest = " + si);

    }

}

```

Output:

```

<terminated> Hello [Java Application] C:\Users\Rohitha B\
Simple Interest = 80

```

POST LAB EXERCISE

1. Write a Java program to display your name and department.

```

public class NameDept {

    public static void main(String[] args) {

        System.out.println("Name: Rohitha B");

        System.out.println("Department: CSE");

    }

}

```

2. Modify the program to print the output in same line.

```

public class NameDept {

    public static void main(String[] args) {

        System.out.print("Name:Rohitha B ");

        System.out.print("Department: CSE");

    }

}

```

3. What happens if main() is written without static?

If main() is written **without static**, the program **will not run**.

Reason:

- JVM cannot call main() without creating an object
- static allows JVM to call main() directly

4. Why is Java called platform independent?

Java is called **platform independent** because:

- Java programs are compiled into **bytecode**
- Bytecode runs on **JVM**
- JVM is available for different operating systems

5. Write a program to find the cube of a number.

```
public class NameDept {  
    public static void main(String[] args) {  
        int num = 3;  
        int cube = num * num * num;  
        System.out.println("Cube of the number is: " + cube);  
    }  
}
```

Result:

Thus the Java IDE was successfully installed and a simple Java program was executed.

ASSESSMENT

Description	Max Marks	Marks Awarded
Pre Lab Exercise	5	
In Lab Exercise	10	
Post Lab Exercise	5	
Viva	10	
Total	30	
Faculty Signature		

Rohitha B**24BCS229**