



**Hochschule Flensburg**

University of Applied Science



**Wind Energy Technology Institute**

Research on wind Energy

# Wind Farm Project in Gujarat, India

## Wind Farm Project Development, WiSe 2024/25

Master's degree in Wind Engineering, Flensburg, Germany

### Submitted by

Karan Soni	(760153)
Mozafary Mostafa	(750247)
Patil Rahul	(750532)

### Supervising Professors:

Prof. Marina Blohm  
(Europa-Universität Flensburg)

### Date of submission:

26.01.2025

## Table of Contents

Declaration on Report.....	vi
Acronyms .....	vii
1. Abstract .....	1
2. Introduction .....	2
2.1 The Evolution of Wind energy in India.....	2
2.2 Importance of Wind Energy in Gujarat .....	2
2.3 Objectives of the Report .....	3
3. Literature Review .....	4
3.1 Wind Resource Assessment of Gujarat.....	4
3.2 Review of existing wind energy projects.....	4
3.2.1 Scaling challenges in Gujarat .....	4
3.2.2 Suzlon secures a repeat order of 193.2 MW in Gujarat .....	4
4. Methodology.....	5
5. Requirement & Criterial to develop wind farm in Gujarat .....	6
5.1 Regional Planning Requirement.....	6
5.2 Guidelines for Micro siting of wind turbines (MNRE) .....	6
5.3 Law & Regulation as well as Park Layout .....	7
5.3.1 Consent to Establish (CTE) from Gujarat State Pollution Control Board (GPCB) .....	7
5.3.2 Permission from Forest Department .....	8
5.4 Eco-sensitive zones .....	9
5.5 NOC from Airports Authority of India (AAI) and Ministry of Defence .....	10
6. Wind Farm Development .....	11
6.1 Wind Area Selection.....	11
6.2 Electrical Grid Infrastructure and Cable Routing: Ensuring Connectivity .....	15
6.3 Turbine Components: Logistics and Transformation .....	15
7. Community Engagement: Strategies for Local Acceptance .....	18
8. Land Leasing and Acquisition: Securing the Site.....	19
8.1 Lease Duration and Terms.....	19

8.2	Eligibility and Allocation.....	19
8.3	Application and Approval Process .....	19
8.3.1	Government land Approval Process: .....	20
8.3.2	Private land Approval Process:.....	21
8.4	Usage and Compliance.....	22
8.5	Financial and Operational Responsibilities .....	22
8.6	Governance and Oversight.....	22
8.7	Provision of Land procurement/ acquisition in Gujarat Wind Power Policy 2016.....	23
9.	Addressing Conflicting Interests .....	24
10.	Economical analysis .....	27
10.1	Profitability Analysis: Calculating the Financial Viability .....	27
10.2	Results.....	29
11.	Project Development Timeline .....	30
12.	Barriers and Obstacles to Wind Farm Development .....	31
13.	Long-term Strategy: Wind Energy Development Roadmap to 2030/2050.....	32
14.	Conclusion:.....	33
References.....	<b>Error! Bookmark not defined.</b>	
Appendices.....		i
Park Calculation Report: .....		v
Income Statement of the Wind Farm Project: .....		vi
Income Vs Years: .....		vii
Operating costs (OPEX) vs Years:.....		vii
Debt service Vs Years: .....		vii
Taxes Vs Years:.....		viii

## List of Figures

Figure 6. 1 Merged no-go area.....	12
Figure 6. 2 The merged wind speed into white map .....	12
Figure 6. 3: Wind area and available substation [14] .....	13
Figure 6. 4 Wind rose .....	14
Figure 6. 5 Wind farm area with wind turbine.....	14
Figure 6. 6: Substation and Cable routing plan .....	15
Figure 6. 7: Routes for transporting wind turbine components .....	16
Figure 6. 8: Routes for transporting wind turbine components from Highway to Wind Farm Area .....	17
Figure 8. 1: Government land approval process for wind farm [17].....	20

## List of Tables

Table 5. 1: Forest Clearance Procedure [9] .....	8
Table 6. 1: Specify buffer distances for each feature as per the project guidelines .....	11
Table 6. 2: Suzlon wind turbine manufacturing component's locations and distance from wind farm [15] .....	16
Table 8. 1: Project registration [18].....	23
Table 9. 1: Addressing Conflicting Interest.....	26
Table 10. 1: Economics of A Typical Wind Farm.....	29
Table 10. 2: Results .....	29
Table 11. 1: Project development timeline [18] .....	30

## Declaration on Report

We hereby declare that we, **Karan Soni, Mozafary Mostafa, and Patil Rahul**, have independently written the submitted paper. We did not use any outside support except for the quoted literature and other sources mentioned in the paper. We have clearly marked and separately listed all the literature and other sources we employed when producing this academic work, either literally or in content. This report has not been submitted or published before in the same or similar form.

Flensburg, 26.01.2025

Place, Date



---

Karan Soni

Flensburg, 26.01.2025

Place, Date

Mozafary Mostafa

Flensburg, 26.01.2025

Place, Date

Patil Rahul

## Acronyms

CAPEX	Capital Expenditure
OPEX	Operating Expenditure
QGIS	Quantum Geographic Information System
NPV	Net Present Value
IRR	Internal Rate of Return
LEC	Levelized Cost of Energy
Min. DSCR	Minimum Debt Service Coverage Ratio
ADSCR	Average Debt Service Coverage Ratio
DFIG	Double Fed Induction Generator
WTG	Wind turbine Generator
IEC	International Electrotechnical Commission
EHV	Extra High Voltage Lines
CTE	Consent to Establish
CTO	Consent to Operator
MoEF	Ministry of Environment and Forest
MoEFCC	Ministry of Environment, Forest and Climate Change
NBWL	National Board for Wildlife
AAI	Airports Authority of India
CCZMs	Colour Coded Zoning Maps
IAF	India AirForce
LMAs	Local Municipal Authorities
NOC	No Objective Certificate
AGL	Above ground Level
DLIR	District Level Industrial and Revenue
PPA	Power Purchase Agreement

CRS	Coordinate Reference System
GPCL	Gujarat Power Corporation Limited
ATS	Agreement to Sell
NA	Non-Agricultural
GST	Goods and Services Tax
HPC	High Power Committee
GEDA	Gujarat Energy Development Agency
ACS	Additional Chief Secretary
PS	Principal Secretary
CCD	Climate Change Department
AS	Additional Secretary
JS	Joint Secretary
EPD	Energy and Petrochemicals Department
GUVNL	Gujarat Urja Vikas Nigam Limited
REC	Renewable Energy Certificate
EBITDA	Earnings before Interest, Taxes, Depreciation and Amortization
EBIT	Earnings before Interest, Taxes
EBT	Earnings before Taxes
HH	Hub Height
RD	Rotor Radius
D	Dimeter
m	meter
Km	Kilo meter
MW	Megawatt
kV	Kilo Volt
kwh	kilo watt hours



# 1. Abstract

This report presents general information on wind farm development in Poladia, Bhuj, Gujarat, India. The project was developed as part of the “Wind Farm Project Development” module within the Wind Energy Engineering Master’s Program at the University of Applied Sciences in Flensburg.

The report discusses the selection of suitable areas using white map criteria specific to Gujarat's requirements. Subsequently, it considers the installation of **six (2.1 MW)** wind turbines from Suzlon and details the wind farm layout, total energy yield, and the calculation of CAPEX and OPEX. The analysis uses three main software tools: QGIS, Earth Pro and Wind Pro.

The selection of Suzlon turbines is justified based on their efficiency, reliability, and suitability for the region. The report also addresses regulatory, environmental, and logistical challenges encountered during development and highlights the project's alignment with Gujarat's renewable energy goals and India's wind energy roadmap.

This study evaluates the financial viability of the project, revealing a positive NPV of **3,03,893 EUR** and an IRR of **8.730%**, indicating profitability and return on investment. With a levelized cost of energy at **0.0179 EUR** and solid debt service coverage ratios, the project promises cost-efficiency and financial stability.

In the project, there was also a discussion about the barriers and obstacles, and how strategies were developed to overcome them. Overall, the Poladia wind farm project showcases a successful integration of advanced engineering, strategic planning, and financial prudence, setting a benchmark for future renewable energy projects in India.

## 2. Introduction

### 2.1 The Evolution of Wind energy in India

India has made significant wind energy farm over the past few decades, becoming Globally, India ranks fourth in terms of installed wind power capacity. The journey began in the **1980s** with small-scale wind energy projects. The first wind farm was established in **1986** in coastal Gujarat. India has developed several large wind farms, particularly in states like Tamil Nadu, Gujarat, and Maharashtra. The growth of the wind industry has created a strong support system, improved project management skills, and built a manufacturing capacity of around **15,000 MW** per year. [1] [2]

### 2.2 Importance of Wind Energy in Gujarat

As of **May 2024**, Gujarat has an impressive **11,823 MW** of installed wind power capacity. This makes it the leading state in India for wind energy, surpassing Tamil Nadu, which has **10,743 MW**. [3] Its growth has been significantly influenced by a dedicated wind and land policy, which is further explored in a later section of this report.

No	State	Wind Potential at 120 m (GW)	Wind Potential at 150 m (GW)
1	Andhra Pradesh	70.90	123.3
2	Gujarat	142.56	180.8
3	Karnataka	124.15	169.3
4	Madhya Pradesh	15.40	55.4
5	Maharashtra	98.21	173.9
6	Rajasthan	127.75	284.2
7	Tamil Nadu	68.75	95.1
8	Telangana	24.83	54.7
9	Other	18.95	27.1

*Table 2. 1: Potential of Energy in Gujarat, India [1]*

## 2.3 Objectives of the Report

- To examine the policies and regulations that have supported the development of wind energy in Gujarat.
- Design and analyse of Wind Farm using GIS, Earth Pro and Wind Pro software.
- Estimate energy yield for wind turbine layout with wake losses and calculate economic analysis
- To identify the key drivers and barriers to the expansion of wind energy in Gujarat, India, including infrastructure, financing, and policy support.
- Making schedule and timetable for wind Farm development project in Gujarat, India.

Chapter 3 provides a comprehensive review of existing wind energy projects and the strategic methods used to overcome various challenges in Gujarat. Chapter 4 discusses the method used to achieve the objective. Chapter 5 outlines the key requirements and criteria for developing wind farms in Gujarat, encompassing regional planning, micro siting guidelines, legal regulations, eco-sensitive zones, and necessary permissions from various authorities. Chapter 6 explores the process of wind farm development, from site selection to infrastructure and logistics. Chapter 7 provides strategies for community engagement to ensure local acceptance of wind projects. Chapter 8 details the land leasing and acquisition process, including lease terms, eligibility, and approval procedures. Chapter 9 addresses conflicting interests and provides solutions to mitigate them. Chapter 10 conducts an economic analysis to evaluate the profitability and financial viability of wind projects. Chapter 11 presents a project development timeline. Chapter 12 identifies barriers and obstacles to wind farm development. Chapter 13 outlines a long-term strategy for wind energy development up to 2030 and 2050. Chapter 14 concludes with key findings and recommendations.

## 3. Literature Review

### 3.1 Wind Resource Assessment of Gujarat

The wind resource estimates in this study highlight regions with average annual wind speeds above **8 m/s**, mainly in the Gulf of Kutch and the southern coast. Similar to past research, our **2011** analysis confirms the highest wind potential in the northwestern Gulf of Kutch, with comparable potential found along the southern coastline. While the International Renewable Energy Agency agrees on high wind speeds in these areas, they report higher speeds of **9 m/s** in the Gulf of Khambhat, exceeding our estimates. [4]

Wind speeds in Gujarat peak from May to August, reaching over **10 m/s**, particularly along the coast, and are lowest in October and November, averaging below **7 m/s**. Gujarat has a tropical and subtropical steppe climate, with occasional cyclones, droughts, and floods. The state experiences three main seasons: winter (November-March), summer (March-June), and monsoon (June-September). The northern region is dry, while the southern part is humid, with coastal winds influenced by sea breezes. [4]

### 3.2 Review of existing wind energy projects.


#### 3.2.1 Scaling challenges in Gujarat

Renewable energy development, particularly large-scale wind farms, faces multifaceted challenges (Land Acquisition and local engagement, Logistical Challenges, Grid Integration, Regulatory and Environmental Hurdles, Financial and Contractual Risks, Stakeholder Coordination) that can significantly impact project timelines, costs, and outcomes. The experiences of hypothetical projects like Adani Wind Energy's **300 MW** wind farm in India's coastal region highlight key obstacles that often arise during such ventures. Successful wind energy projects, such as those proposed by Adani Wind Energy, provide valuable lessons for future initiatives in the renewable energy sector. [5]

#### 3.2.2 Suzlon secures a repeat order of 193.2 MW in Gujarat

Suzlon Group has secured a repeat order from The KP Group for a wind energy project in Gujarat. This collaboration highlights the private sector's commitment to sustainable growth, supported by Gujarat's favourable policy environment. Suzlon's advanced Double Fed Induction Generator (DFIG) technology enhances turbine performance and energy capture. The company's R&D focuses on optimizing energy efficiency and reducing costs. Suzlon's domestically manufactured turbines contribute to India's self-reliance in the renewable energy sector, aligning with the "Aatmanirbhar Bharat" initiative. This partnership supports India's net-zero goals while promoting economic progress through clean energy. [6]

## 4. Methodology



## 5. Requirement & Criteria to develop wind farm in Gujarat

### 5.1 Regional Planning Requirement

To promote the healthy and structured growth of the wind power sector in India, the Ministry of New & Renewable Energy (MNRE) introduced guidelines for wind power project development in **July 1995**, which have been periodically updated (**Last updated 2024**). Considering advancements in technology, new regulations, and the need for accelerated growth in the sector, the MNRE has recognized the importance of issuing comprehensive guidelines for wind power project development in collaboration with various stakeholders.

The process of wind power project development starts with site selection. Identification of suitable sites depends upon land use permission, availability of wind resource, technically and commercially feasible grid connectivity, transport logistics and environmental acceptability.

- Land use permission
- Availability of wind resource
- Technically and commercially feasible grid connectivity
- Transport logistics
- Environmental acceptability

### 5.2 Guidelines for Micro siting of wind turbines (MNRE)

Micro siting is the optimization of energy production through the correct placement of wind turbine generators in the wind farm area, considering all physical constraints of the area.

Micro siting criteria are prescribed as under.

Developer(s) shall optimise the wind turbine locations within their land using appropriate wind flow modelling and optimisation tools (linear and Nonlinear)/techniques subject to site assessment as per **IEC 61400-1** standard for turbine safety considering extreme wind, flow inclination, vertical wind shear, and turbulence with added wake effects and corrections for terrain complexity etc.

Developer(s) shall maintain a distance of  **$2D$**  (D-Rotor Diameter) distance perpendicular to the predominant wind direction and  **$3D$**  distance in the predominant wind direction from the boundary line of each adjoining land of other developer(s) with appropriate offset.

Developer(s) shall maintain a wake loss (in terms of energy) of **10%** between wind turbines with appropriate offset for wind turbines sited on a footprint basis.

Developer(s) shall maintain a distance of  **$HH + 0.5 \cdot RD + 5m$**  (Hub Height+ Half Rotor Diameter +5 meters) from Public Roads, railway tracks, highways, buildings, public institutions and EHV lines.

Developer(s) shall not site wind turbines within **500 m** of any living places for the mitigation of noise. 'dwelling' shall mean at least **15** inhabited buildings. [7]

## 5.3 Law & Regulation as well as Park Layout

### 5.3.1 Consent to Establish (CTE) from Gujarat State Pollution Control Board (GPCB)

#### 5.3.1.1 Consent to Establish (CTE)

Required to obtain CTE under **section 21(1)** of the Air (prevention and control of pollution) **Act, 1981**. Also, CTE under **section 25/26** of the Water Act is required in case of discharge of sewage or trade effluent in a stream or a well or a sewer or a lake. [section 21(1) of the Air (prevention and control of pollution) Act, 1981]

#### 5.3.1.2 Consent to Operate (CTO)

Prior to commercial generation, it is obligatory to apply for CTO under **section 21** of the Air (P & CP) **Act 1981**, with respect to ambient air quality related to noise. [section 21 of the Air (P & CP) Act 1981,]

#### 5.3.1.3 Apply for Hazardous Waste Authorisation

wind power projects use different types of fluids for the smooth operation of the WTG. Primarily, three main types of fluid are used: First, Generator cooling fluid is used as coolant (a mixture of glycol and water, similar to what is used in automobile radiators). Second,

Lubricating oil is used in the gearbox (synthetic oil). Third, Hydraulic oil for operating the blade pitch system, yaw mechanism and brakes. To protect transformers from heating, mineral oil (transformer oil) is used as coolant. [8]

### 5.3.2 Permission from Forest Department

Under **Rule 6** of the Forest (Conservation) **Rules, 2003**, any project that intends to use forest land for non-forest purposes must submit a proposal using the prescribed forms included in the rules.

	<b>Advising/ Recommending body</b>	<b>Route</b>	<b>Final clearance Authority</b>
<b>&lt; 1 hectare</b>	-	-	State Government (Principle Secretary of Forest)
<b>1 – 5 hectares</b>	State forest department	State government to regional office of MoEF	Regional office MoEF
<b>5 – 40 hectares</b>	State Advisory group	State Government to regional office of the MoEF; then to the MoEF with state advisory group recommendations	MoEF
<b>&gt; 40 hectares</b>	Forest Advisory Committee	State government to MoEF	MoEF

Table 5. 1: Forest Clearance Procedure [9]

The forest clearance process begins with the project proponent submitting an application to the nodal officer of the state forest department. The application is forwarded to the district-level field office, where an inspection of the proposed land is conducted. After this evaluation, the application is sent back through the forest department hierarchy to the Principal Secretary of Forests. The final approval authority depends on the extent of forest land to be diverted: the proposal may either be approved by the Regional Office of the Ministry of Environment, Forest, and Climate Change (MoEFCC) or by the Secretary, at the regional or central level, based on the project's scale and requirements. [9]



Further, the forest guidelines also specify certain criteria for the setting-up of a development project, which states that no projects should be in the vicinity of the following:

- National Parks, Wildlife Sanctuaries and Core areas of the Biosphere Reserves.
- Scenic landscapes, areas of geo-morphological significance, unique and representative biomes and eco-systems, heritage sites/structures and areas of cultural heritage and importance.
- Fragile eco-systems such as mountains; areas rich in coral formations as well as marine, coastal, desert, wetland, riverine and island eco-systems. Areas rich in biological diversity, gene pool and other natural resources.

## 5.4 Eco-sensitive zones

In **2002**, the MoEF decreed that an area of **10 km** around national parks and sanctuaries should be assigned as an eco-sensitive zone, with restrictions on development.

Any project including wind power projects that fall inside the zone have to seek approval from the National Board for Wildlife (NBWL). The NBWL may conduct a study if it believes the project may have large-scale impact.

### Wildlife Board's guidelines on linear intrusion:

- The guidelines are extensive and focus firstly on how to avoid the need for new roads and powerlines in natural areas. Only after avoidance is ruled out, do the guidelines go into details of how roads and powerlines should be built to minimize and mitigate damage.
- Keep construction phase as short as possible, avoid night-time work as it disturbs animals.
- When one linear intrusion has been made, new projects should align with it so as not to cause further destruction
- According to the guidelines, roads should be no wider than **12.5 m** for primary roads and 8.5 m for secondary roads.
- To avoid electrocution of elephants powerlines should be a minimum of **6.6 m** above ground on level terrain and a minimum of **9.1 m** above ground on steeper terrain.

- Maintaining **1.5 m** spacing between energized components, cover and insulate energised hardware, include reflectors and perch deterrents. Install underground cables. Monitor effectiveness of measures.
- Structures, such as retaining walls that can act as barriers to animal movement should not be installed along roads, especially in hilly terrain. [10]

## 5.5 NOC from Airports Authority of India (AAI) and Ministry of Defence

**Aircraft Act, 1934** empowers the Central Government to impose restriction on the construction of buildings and other structures within a radius of **20 Km** from ARP of all aerodromes.

No Wind Turbine Generators (WTGs) shall be installed up to **10 Km** from the Radar Antenna of all Static Air Defense Radars and up to 8 km from ATS Radar antenna/VOR.

### Colour Coded Zoning Maps (CCZMs):

- CCZMs have been formulated for all IAF aerodromes and handed over to Local Municipal Authorities (LMAs). Area in the centre of CCZM of **4 Km** radius around threshold of an IAF aerodrome is marked in Red. For all proposed constructions falling in Red Grid/Zone, it shall be mandatory for an applicant, to submit application in specified format and obtain NOC from IAF as per existing procedures/guidelines.
- Area beyond 4 Km from threshold has been demarcated in various zones with different Color Coding on the CCZM. Local Municipal Authorities (LMAs) can approve any building/infrastructure plans only up to maximum elevation specified in the respective zones as depicted on CCZM without referring the case to IAF.
- Under **GSR 751 (E)**, the area marked in 'Green' is beyond **20 Km** from Aerodrome Reference Point of an IAF airfield and is outside the purview for issuance of NOC by IAF. Hence, for any construction/proposal in areas marked in 'Green', the applications are not required to be processed for infrastructure up to a max height of **150 m** AGL above aerodrome elevation. [11]
- No Objection Certificate (NOC) from State Electricity Board
- Land Allotment Letter
- NOC from the District Level Industrial and Revenue (DLIR) Department
- NOC from Mining Department
- NOC from Village Panchayat
- Power Purchase Agreement (PPA)

## 6. Wind Farm Development

### 6.1 Wind Area Selection

To analyse wind farm suitability by integrating wind speed data at **100m** height with geographical and infrastructural constraints.

#### Steps Involved in the QGIS:

##### Step 1: Data Preparation

- Wind speed data at **100m** height. [12]
- GIS layers for: Buildings, Forests, Military areas, Railways, Industrial, Roads, Airports, Airfields, Rivers. [13]
- Import all provided data layers.

##### Step 2: Project Properties Setup

- Set the correct CRS (Coordinate Reference System) as per the dataset.

##### Step 3: Create Buffers

- Use the Buffer tool to create exclusion zones around:

GIS Layers	Distances [m]
Buildings	250
Forests	10,000
Military Areas	10,000
Railways/ Industrial	250
Roads	250
Airports/ Airfields	20,000
Rivers	250

*Table 6. 1: Specify buffer distances for each feature as per the project guidelines*

##### Step 4: Merge Buffers into No-Go Areas

- Combine all individual buffer layers into a single "No-Go Area" layer. [Fig. 6.1 for the merged No-Go Area.]




Figure 6. 1 Merged no-go area




Figure 6. 2 The merged wind speed into white map

### Step 5: Identify Suitable Areas Using Difference Tool

- Use the Difference tool to subtract the "No-Go Area" layer from the total study area.
- The output is a "White Map" layer highlighting areas suitable for wind farms.

### Step 6: Integrate Wind Speed Data

- Overlay wind speed data onto the White Map layer. [See Fig. 6.2]
- Use the Clip Raster by Mask Layer tool.

### Steps Involved in the Earth Pro:

We used Google Earth Pro for a comprehensive site assessment. First, we checked for the presented or not of rivers, existing wind turbines, and other features such as residential areas. Second, we assessed the near of the site to the grid system and evaluated potential cabling routes. Last but not least, we examined transportation facilities and gathered information about land ownership, determining whether it is privately or government owned.




Figure 6. 3: Wind area and available substation [14]

### Steps Involved in the Wind Pro:



First, we selected the optimal wind location (Poladia, Bhuj, Gujarat, India) established the wind area boundary. Next, we chose six Suzlon 2.1 MW wind turbines, strategically positioning them to account for wind direction (See Fig 6.4) and wake effects. Finally, we created an energy yield report to assess the project's potential energy production.




Figure 6. 4 Wind rose




Figure 6. 5 Wind farm area with wind turbine

## 6.2 Electrical Grid Infrastructure and Cable Routing: Ensuring Connectivity

Our wind farm has a capacity of **12.6 MW**, which is relatively below 20 MW. Therefore, we utilized an available substation. The substation, named **Renew Wind Energy (AP2) Pvt Ltd**, operates at **33/220 kV**. The length of the 33 kV line from the wind farm area to the pooling substation is **20 km**, as shown in the figure 6.6.




Figure 6. 6: Substation and Cable routing plan

## 6.3 Turbine Components: Logistics and Transformation

There are four locations: Daman, Vadodara, Gandhidham, and Bhuj (refer to Figure 6.7). Previously, we have selected a wind farm site located in Poladia, Gujarat, India. We had discussed that we chose Suzlon company wind turbines because they are manufactured in Gujarat, India. One of the key advantages is the ease of transportation. The government provides incentives if we select “Made in India” products, it is second key advantages.




Figure 6. 7: Routes for transporting wind turbine components

You can see Table 6.2, which shows the different turbine component manufacturing locations and the distances to the wind farm. Additionally, in Figure 6.7 and 6.8, the National Highway (NH), National Express Highway (NE), and Sub National Highway (754K) are represented. These are the best routes for transporting wind turbine components

Wind Turbine Manufacturing components	Manufacturing Locations	Distance between Manufacturing location to Wind farm [km]
Nacelle	Daman, Gujarat, India	743
Nacelle Cover	Daman, Gujarat, India	743
Hub	Daman, Gujarat, India	743
Rotor Blades	Bhuj, Gujarat, India	57
Tower	Gandhidham, Gujarat, India	136
Electrical	Vadodara, India	544

Table 6. 2: Suzlon wind turbine manufacturing component's locations and distance from wind farm [15]





Figure 6. 8: Routes for transporting wind turbine components from Highway to Wind Farm Area

## 7. Community Engagement: Strategies for Local Acceptance

### **Community Meetings:**

Organize meetings with community members to explain the benefits of the project, such as job creation, infrastructure development, and clean energy. Address any concerns and answer questions.

### **Engage Local Leaders:**

Work with local leaders and influential community members to gain their support. Their endorsement can help in building trust and acceptance within the community.

### **Transparency:**

Maintain transparency throughout the process by sharing project details, timelines, and potential impacts. This can help in building trust and reducing resistance.

### **Benefit Sharing:**

Propose benefit-sharing, such as community development funds, scholarships, or infrastructure improvements, to ensure that the community also gains from the project.

### **Regular Updates:**

Keep the community informed about the progress of the project through regular updates and open communication channels.

## 8. Land Leasing and Acquisition: Securing the Site

**Policy 2023** aims to facilitate the leasing of government fallow land in Gujarat for the establishment of green hydrogen production facilities. These facilities will utilize non-conventional renewable energy sources such as solar, wind, and hybrid wind-solar energy. [16]

### 8.1 Lease Duration and Terms

- Lease Period: **40 years**
- Annual Rent: **₹15,000 (€ 150 – €170) per  $[10^4 m^2]$**  area, subject to a **15%** increase every three years.
- Advance Payment: Annual rent and applicable taxes must be paid in advance. Late payments integrate **12%** simple interest after **90 days**.
- Security Deposit: Applicants must provide a deposit equivalent to one year's rent, a **1%** service charge, and necessary stamp duty upon land possession. [16]

### 8.2 Eligibility and Allocation

- Criteria: Includes financial stability (minimum net worth of **₹1200 crore (€130.44 million)**), experience in renewable energy generation (**minimum 500 MW**).
- Land Allocation Limits: One applicant or their partners can only lease enough land to produce **30 lakh metric tonnes ( $3 \times 10^8$ )** of green hydrogen each year. This means they can't lease more land than what is necessary for that amount of production. [16]

### 8.3 Application and Approval Process

- Pre-Feasibility Report: Applicants must submit a preliminary report demonstrating their capability to produce green hydrogen.
- Review Committees: A Committee of Experts evaluates the applications, followed by the High-Power Committee for final recommendations. [16]
- Tripartite Agreement: Upon approval, a tripartite agreement is signed between the Collector, the nodal agency (GPCL), and the applicant. [16]

### 8.3.1 Government land Approval Process:




Figure 8. 1: Government land approval process for wind farm [17]

### 8.3.2 Private land Approval Process:

#### **Step 1: Title Clearance**

- The first step involves ensuring that the title of the land is clear. This includes:
- Checking all historical ownership records.
- Ensuring there are no disputes, encumbrances, or legal issues associated with the land.
- Reviewing registered documents with the Sub-Registrar's office.

#### **Step 2: Agreement to Sell (ATS) and Sale Deed**

- Agreement to Sell (ATS):
- The developer enters into a formal agreement with the landowner, documenting the agreed price, terms of payment, and timelines for the transaction.
- The ATS may involve an advance payment.
- Sale Deed:
- Once the terms in the ATS are fulfilled, a sale deed is executed.
- The sale deed is then registered with the Sub-Registrar's office, completing the legal transfer of ownership to the developer.

#### **Step 3: Application and Obtaining 89A Permission from revenue department**

- Purpose of 89A Permission:
- Under Section 89A of the Gujarat Land Revenue Code, this permission is required to formally register the land transaction.

#### **Step 4: Conversion to Old Tenure Land & Payment of Premium**

- Understanding Land Tenure:
- Land in Gujarat is often classified as "new tenure" (with restrictions on sale or use). Developers must convert it to "old tenure" to remove restrictions.

#### **Step 5: Apply and Obtain 65 Kh Permission (Non-Agricultural or NA Use)**

##### **Purpose of 65 Kh Permission:**

- Land classified as agricultural must be converted to non-agricultural (NA) for setting up infrastructure like wind turbines.

### Application Process:

- The developer applies to the District Collector or Revenue Department with relevant documents (title clearance, sale deed, and tenure conversion approval).
- The Collector grants permission, officially converting the land use to NA, allowing construction to proceed. [17]

## 8.4 Usage and Compliance

Dedicated Use: Leased land must be exclusively used for green hydrogen production.

Development Timeline: Projects must develop infrastructure and achieve 50% capacity within **3 years** and full capacity within **8 years**.

No Subleasing: The leased land cannot be subleased to third parties. [16]

## 8.5 Financial and Operational Responsibilities

Infrastructure Development: Applicants are responsible for all infrastructure, including power transmission, roads, water supply, and security.

Energy Usage: Generated renewable energy must primarily be used for green hydrogen production within Gujarat. Excess energy sales are subject to government discretion.

Charges and Taxes: All applicable taxes, licensing fees, and GST must be borne by the lease agreement. [16]

## 8.6 Governance and Oversight

Nodal Agency (GPCL): Manages land allocation, application processing, and project monitoring.

High Power Committee (HPC): Sets parameters for equipment and production standards, and prioritizes applications based on predefined criteria.

Revenue Department: Ensures land allocation aligns with state requirements and oversees final approvals. [16]

## 8.7 Provision of Land procurement/ acquisition in Gujarat Wind Power Policy 2016

The Gujarat Energy Development Agency (GEDA) will act as the State Government's Nodal Agency for implementing and facilitating the Gujarat Wind Power Policy-2016. GEDA will support project developers by assisting with the following activities to achieve the policy's objectives:

**Project Registration:** Ensuring wind power projects are properly registered.

S.No	Department	Designation
1	ACS/PS/Secretary (CCD)	Chairman
2	AS/JS/Deputy Secretary (EPD)	Member
3	Chief Electrical Inspector & Collector of Elect. Duty	Member
4	General Manager (Comm), GUVNL	Member
5	Respective District Collector	Member
6	Director, GEDA	Member Secretary

Table 8. 1: Project registration [18]

**Developer Assistance:** Addressing queries and resolving issues faced by wind power project developers.

**Accreditation:** Facilitating the accreditation and recommending wind power projects for registration with the Central Agency under the Renewable Energy Certificate (REC) mechanism.

Wind Turbine Generators (WTGs) can be established on private land, revenue wasteland allotted by the State Government, or land owned by GEDA (if available). The allocation of GEDA-owned land on lease requires the approval of a Coordination Committee, as detailed in the policy's framework. Additionally, this committee is responsible for resolving issues beyond land allotment, such as interpreting specific provisions of the policy.

## 9. Addressing Conflicting Interests

Impact	PYSICAL ENVIRONMENT								SOCIO-ECONOMIC ENVIRONMENT				
Activity	Visual Aesthetics	Topography	Air Quality	Noise Impact	Ground water Quality	Soil removes	Land use	Ground water Resources	Loss of land	Common Property usage /conflict	Community health	Cultural Heritage	Occupational Health & Safety
Sourcing And transportation of construction material etc.	L		M	L		L				L	L		M
Storage and handling of raw material	L		L		L	L	L				L		M
Establishment of labour camp and hiring of labour	L		L	L		L							
Access road construction	M		L	L					L		L		L
Site clearance	M		L	L		L							L
Foundation excavation	M		L	L									M



## Wind Farm Project Development in Gujarat, India

Transportation of WTG components to site and storage	M		L	L							L		M
Erection of WTG's	M	M	L	L			M	L					M
Transformer yard construction	M		L	L				L					M
Laying of transmission lines	M		L	L					M		L		M
Periodic maintenance of all WTG's at every location													M
Maintenance of ancillary facilities such as Store, yard, site office, transmission lines													M
Security of WTG's in operation											L		M

## Wind Farm Project Development in Gujarat, India

---

Operatio n of Wind Turbine		M									L		
-------------------------------------	--	---	--	--	--	--	--	--	--	--	---	--	--

L = Low, M = Medium, H = High [17]

*Table 9. 1: Addressing Conflicting Interest*

## 10. Economical analysis

### 10.1 Profitability Analysis: Calculating the Financial Viability

#### Income:

$$Income = Net\ energy\ yield\ (kwh) \cdot Feed\ in\ tariff\ \left(\frac{Euro}{kWh}\right) \quad (10.1)$$

$$Income = 39924500 \cdot 0.033 = \mathbf{1,290,000\ €} \quad (10.2)$$

#### Operating costs:

$$Oprating\ costs = Total\ operating\ costs\ (Euro) \cdot Inflation \quad (10.3)$$

$$Oprating\ costs = \mathbf{1,05,000\ (€)} \cdot last\ year\ infation \cdot (1 + inflation) \quad (10.4)$$

Inflation: **5.16 %** (for last 10-year average rate)

The total operating cost encompasses a full maintenance contract, lease costs, financial statements, tax advice, insurance, and operational management. It also includes dismantling guarantee reserves, own consumption, miscellaneous expenses, and agricultural impacts like hamster management and yield loss compensation for farmers growing wheat and barley.

#### EBITDA: Earnings before Interest, Taxes, Depreciation and Amortization:

$$EBITDA = Income - Operating\ Costs \quad (10.5)$$

#### Depreciation and Amortization:

$$Depreciation\ and\ Amortization = \frac{Total\ Investment\ costs}{Depreciation\ period} \quad (10.6)$$

$$= \frac{98,07,253\ Euro}{14\ Years}$$

It refers to the reduction in the value of an asset over time, typically due to wear and tear, usage, or obsolescence. We have considered value of **7,00,518 euro** until 14 years.

**EBIT: Earnings before Interest and Taxes:**

$$EBIT = EBITDA - \text{Depreciation and Amortization} \quad (10.7)$$

**Net Financial Income:**

$$\text{Net financial income} = \frac{\text{Opening Balance} - \text{Repayment}}{2} \cdot \text{Interest rate} \quad (10.8)$$

$$\text{Opening Balance} = \text{Total investment cost} - \text{Equity} \quad (10.9)$$

$$\text{Equity} = \text{Total investment cost} \cdot (1 - \text{Debt ratio}) \quad (10.10)$$

Here,

Debt ratio = **72.73%**, Total investment cost = Total purchase price = **98,07,253 €**, Repayment = **4,19,584 €**, Interest rate = **9 %**

**EBT: Earnings before Taxes:**

$$EBT = EBIT + \text{Net financial income} \quad (10.11)$$

[19] [20] [21] [22] [23]

Parameter	Economics	Unit
Number of WT	6	-
Installation output	2100	KW
Total output	12600	kW
Gross Energy Yield	39924500	KWh/a
Total losses	2.20	%
Net Energy Yield	399,046,161	kWh
Site Quality	71.04	%
Feed in Tariff	0.033	Euro/kWh
Total Investment Costs	98,07,253	Euro
Total Operating Costs	1,05,000	Euro
Constant Payment Loan Type (Debt ratio)	72.73	%

<b>Equity</b>	26,74,327	Euro
<b>Term</b>	17	Years
<b>Interest rate of Bank</b>	9.0	%
<b>Debt Capital</b>	71,32,926	Euro
<b>Inflation rate</b>	5.16	%

Table 10. 1: Economics of A Typical Wind Farm

## 10.2 Results

The financial analysis of the project shows a strong performance with a positive NPV of **303,893 Euro**, indicating profitability. The IRR of **8.730%** demonstrates a return on investment, while the LEC of **0.0179 Euro** confirms cost-efficient energy production. The project shows solid financial stability with a minimum DSCR of **1.11** and an average DSCR of **1.40**, ensuring the capability to meet debt obligations. Although the NPV costs are **2,542,246 Euro**, the substantial NPV kWh value of **404,782,498 Euro** highlights significant revenue generation from energy production. Overall, the metrics suggest a viable and profitable project.

	<b>Value</b>	<b>Unit</b>
<b>NPV</b>	303,893	EUR
<b>NPV costs</b>	2,542,246	EUR
<b>NPV kWh</b>	404,782,498	EUR
<b>IRR</b>	8.730	%
<b>LEC</b>	0.0179	EUR
<b>Min. DSCR</b>	1.11	
<b>ADSCR</b>	1.40	

Table 10. 2: Results

## 11. Project Development Timeline

The project development timeline for establishing a wind farm in Gujarat, from greenfield to operation, approximately **5 to 9 years**. It begins with a thorough study of relevant laws and regulations, taking around **2 to 6 months**. This is followed by site assessment, lasting **12 to 15 months**, to evaluate the suitability of potential locations. Land leasing negotiations, which take about **4 to 7 months**, secure the necessary plots for the project. Next comes the planning phase, extending over **18 to 30 months**, where detailed project designs are formulated. Permitting processes occur concurrently, spanning **6 to 12 months**, to obtain the required legal approvals. Securing financing, which also takes **6 to 12 months**, ensures the project has the necessary funds. The construction phase, lasting **12 to 20 months**, involves the physical setup of the wind farm infrastructure. Finally, the commissioning phase, taking **3 to 6 months**, ensures the wind farm is fully operational and integrated into the grid. [18]

Phases	Descriptions	Timeline
1	Study Laws and Regulations	2 – 6 months
2	Site Assessment	12 – 15 months
3	Land Leasing	4 – 7 months
4	Planning	18 – 30 months
5	Permitting	6 – 12 months
6	Financing	6 – 12 months
7	Constructions	12 – 20 months
8	Commissioning	3 – 6 months
9	Operations	20 – 25 years

Table 11. 1: Project development timeline [18]

By conducting the first two processes in parallel, followed by the next four processes together, and then the final two processes sequentially, the timeline is optimized to reduce delays and accelerate the project's completion. With these optimizations, the overall timeline can be reduced to approximately **3.5 to 5 years**, ensuring a more efficient and effective project development process.

## 12. Barriers and Obstacles to Wind Farm Development

### **Land Use Conflicts:**

There are a total of seven landowners for the wind farm. It is important to talk with all the owners and convince them of the benefits of wind farm development, although this can sometimes be challenging.

### **Maintenance Issues:**

Challenges in maintaining and servicing of Wind Turbine, leading to high temperature.

### **Grid Integration:**

Integrating wind energy into the existing power grid can be challenging due to the need for stable and reliable energy supply.

### **Limited Awareness:**

Low awareness among potential users and stakeholders about the benefits and applications of wind turbine.

### **Low Energy Price:**

The present energy price is **0.033 euro/kWh**, which is very low. This benefits for customers, but disadvantages for investors because they receive less profit from the project.

### **High Bank Tax Rate:**

The present bank tax rate is **9%**, which is very high for investors. Investors spend more money into paying bank taxes, comparing to getting benefit from project.

### **Preference for Solar Energy:**

Higher preference for solar energy over wind energy due to various factors such as, low CAPEX, government supports. [24] [25]

## 13. Long-term Strategy: Wind Energy Development Roadmap to 2030/2050

The state of Gujarat has good potential for wind energy development, which can significantly contribute to India's renewable energy goals.

### Vision and Goals:

#### By 2030:

##### Vision of India:

- Achieve an install renewable energy capacity of **500 GW**.
- From them **140 GW (28%)** will be Wind energy production.

##### Vision of Gujarat:

- Achieve an installed renewable energy capacity of **128.6 GW**.
- Increase the share of wind energy to **24%** of the state's total energy mix.
- Launch the first phase of offshore wind projects. [7]

#### By 2050:

- Establish Gujarat as a global leader in wind energy.
- Fully integrate smart grid solutions for efficient energy distribution.
- Achieve a **50%** reduction in carbon emissions from energy production. [7]

### Strategy for achieving goal:

To achieve long-term wind energy goals, Gujarat will improve policy support, adopt advanced turbine technologies, and upgrade infrastructure. By integrating smart grids and encouraging community engagement, the state aims to significantly reduce carbon emissions. Government and company will spend more money in research and development of wind turbine and energy storage system. This comprehensive approach ensures sustainable and efficient wind energy development, positioning Gujarat as a leader in renewable energy.



## 14. Conclusion:

The Poladia wind farm project represents a significant step in renewable energy development, Taking advantage of Gujarat's favourable policy environment and advanced Suzlon technology. By focusing on efficient and reliable turbines, the project achieves a positive NPV and an impressive IRR, indicating strong financial viability. However, the project faces significant challenges due to high bank tax rates and low energy prices, which reduce its overall profitability. Increasing capital investment could enhance project benefits, while alternatives such as raising energy prices or seeking government support for loans could also improve financial outcomes.

The project contributes to India's net-zero goals by reducing carbon emissions and promoting sustainable development. It also drives economic progress through job creation and local manufacturing, aligning with the "Aatmanirbhar Bharat" initiative.

Despite legal barriers and logistical challenges, the project shows strength and effective planning. It serves as a model for future renewable energy projects and highlights the potential for expanding renewable infrastructure in Gujarat.

In the long-term, the Poladia wind farm sets a benchmark for sustainable energy development, supporting India's transition to a greener economy and contributing to global sustainability efforts.

## References

- [1] "MINISTRY OF NEW AND RENEWABLE ENERGY," 01 2024. [Online]. Available: <https://mnre.gov.in/wind-overview>. [Accessed 2024 10 02].
- [2] "A Deep Dive into Wind Energy Farms in India: Tapping into the Power of the Breeze," Green Energy, 23 01 2024. [Online]. Available: <https://powerefficiency.com/wind-energy-farms-in-india/>. [Accessed 02 10 2024].
- [3] "gujarat-bags-award-for-highest-wind-power-installed-capacity," thehindubusinessline, 15 06 2024. [Online]. Available: <https://www.thehindubusinessline.com>. [Accessed 2 10 2024].
- [4] A. P. Z. P. C. Draxl, "Wind Resource Assessment," NREL National Renewable Energy Laboratory, July, 2014.
- [5] M. Gupta, "Scaling Challenges In Gujarat: Adani's 300 MW Wind Farm Project And Its Journey Through Regulatory And Logistical Hurdles," WINDINSIDER EMPOWERING THE WIND SECTOR, 13 05 2024. [Online]. Available: <https://windinsider.com>. [Accessed 10 10 2024].
- [6] Suzlon Group, "Suzlon secures a repeat order of 193.2 MW from The KP Group in Gujarat," 21 December 2023. [Online]. Available: <https://www.suzlon.com>. [Accessed 13 10 2024].
- [7] MINISTRY OF NEW AND RENEWABLE ENERGY, "Clarification to the 'Guidelines for Development of Onshore Wind Power Projects' and amendments," Government of India, 18 12 2024. [Online]. Available: <https://mnre.gov.in/en/document/clarification-to-the-guidelines-for-development-of-onshore-wind-power-projects-and-amendments/>. [Accessed 15 11 2024].
- [8] thc.nic.in, "THE HAZARDOUS WASTES (MANAGEHANDLING AND TRANSBOUNDARY MOVEMENT) RULES, 2008," Official Gazette, MARCH, 2010.
- [9] Forest Clearance, "Forest Conservation Rules," 2003. [Online]. Available: <https://forestsclearance.nic.in>. [Accessed 17.11.2024].

- [10] National Board for Wildlife, Ministry of Environment and Forest, India, "Guidelines for linear infrastructure intrusions in natural areas: roads and powerlines," 10 October 2011. [Online]. Available: <https://moef.gov.in>. [Accessed 25 11 2024].
- [11] India Air Force, "GUIDELINES FOR ISSUE OF NOC FOR CONSTRUCTIONS AROUND INDIAN AIR FORCE AERODROMES," 12 2021. [Online]. Available: <https://indianairforce.nic.in>. [Accessed 11 11 2024].
- [12] DTU, "GLOBAL WIND ATLAS," DTU, ESMAP, WORLD BANK GROUP, VORTEX, [Online]. Available: <https://globalwindatlas.info>. [Accessed 24 11 2024].
- [13] GEOFABRIK, "OpenStreetMap Data Extracts," [Online]. Available: <https://download.geofabrik.de/>. [Accessed 25 11 2024].
- [14] Openinframap, [Online]. Available: [openinframap.org](https://openinframap.org). [Accessed 26 12 2024].
- [15] suzlon, "supply-chain-management-and-manufacturing," 2024. [Online]. Available: <https://www.suzlon.com>. [Accessed 12 12 2024].
- [16] Government of Gujarat, "Policy-2023 for leasing the government fallow land for green hydrogen production using non-conventional energy sources such as solar, wind, wind solar hybrid energy," 08 May 2023. [Online]. Available: <https://www.eqmagpro.com>. [Accessed 13 10 2024].
- [17] ARCADIS India Pvt. Ltd., "ENVIRONMENTAL & SOCIAL IMPACT ASSESSMENT: 250 MW Wind Power Project in Kutch district, Gujarat," ARCADIS, Kutch, 2017.
- [18] Gujarat Government, "policy\_files," 2016. [Online]. Available: <https://geda.gujarat.gov.in>. [Accessed 28 11 2024].
- [19] A. Joshi, "Gujarat Sets ₹2.84/kWh Tariff for wind projects below 10 MW commissioned by 2027," MERCOM Clean Energy Insights, 04 09 2024. [Online]. Available: <https://www.mercomindia.com>. [Accessed 25 12 2024].
- [20] Macrotrends, "India Inflation Rate 1960-2024," Macrotrends LLC, [Online]. Available: <https://www.macrotrends.net>. [Accessed 25 12 2024].
- [21] U. Ehlers, *Project financing in the wind power sector (Lecture Note)*, Flensburg, Germany: Hochschule Flensburg Prof. Marina Blohm, 20.11.2024.

- [22] EI News Network, "GERC Updates Regulations for Small Wind Projects," *energetica INDIA*, 05 September 2024. [Online]. Available: <https://www.energetica-india.net>. [Accessed 27 12 2024].
- [23] iNDEXTb/GM(Project&Tech.), "Wind Farm - An Opportunity for Investment in Gujarat," Government of Gujarat, Gandhinagar.
- [24] M. B. Arshi Banu P S, "Wind energy feasibility and wind turbine selection studies for the city Surat, India," *Clean Energy*, vol. 8, no. 3, pp. 166-173, 2024.
- [25] L. C. a. A. B. Vaisakh Suresh Kumar, "Scaling up small wind turbines in India (Barriers and options for the way forward)," WRI-INDIA.ORG and CLEAN , Delhi, 2024.
- [26] A. P. a. Z. P. . Draxl, "Wind Resource Assessment," National Renewable Energy Laboratory (NREL), 2014.
- [27] R. m. <https://www.mercomindia.com/gujarat-land-policy-solar-wind-projects>, "Gujarat's New Land Policy for Solar, Wind Projects to Make Developers More Accountable," MERCOM, Clean Energy Insights, 17 September 2020. [Online]. Available: <https://www.mercomindia.com/gujarat-land-policy-solar-wind-projects>. [Accessed 05 10 2024].
- [28] D. M. Blohm, *Lecture Notes on Wind Farm Development*, Flensburg, 2024.
- [29] EU-INDIA CLEAN ENERGY & CLIMATE PARTNERSHIP, "About the partnership," European Union , 30 March 2016. [Online]. Available: <https://www.cecp-eu.in>. [Accessed 13 10 2024].
- [30] Nature India, "Is the drive for clean energy throwing environmental caution to the wind?," *NEWS FEATURE*, 16 June 2019.
- [31] P. C. Abhishek Gawande, "Environmental and social impacts of wind energy: a view point with reference to India," Indian Institute of Forest Management, Bhopa, 2019.
- [32] Gujarat Urja Vikas Nigam Ltd, "REQUEST FOR SELECTION (RfS)," 10 07 2023. [Online]. Available: <https://jmkresearch.com>. [Accessed 20 10 2024].

- [33] V. Shah, "India Sets Sail on 1 GW Offshore Wind Energy Projects in Gujarat, Tamil Nadu," goodreturns, 19 June 2024. [Online]. Available: <https://www.goodreturns.in>. [Accessed 22 10 2024].
- [34] Editorial Team, "Gujarat: Pioneering Sustainable Wind Power Generation in India," SSMB.IN, 19 September 2024. [Online]. Available: <https://ssmb.in/2024/09/19/gujarat-pioneering-sustainable-wind-power-generation-in-india/>. [Accessed 22 10 2024].
- [35] GE VERNova, "GE acquires 49% stake in Continuum onshore wind farm in support of the energy transition in India," GE, [Online]. Available: <https://www.gevernova.com>. [Accessed 22 10 2024].
- [36] Gujarat Energy Development Agency, Gujarat Government, [Online]. Available: <https://geda.gujarat.gov.in>. [Accessed 22 10 2024].
- [37] Wind farm BoP, "Wind farm testing and commissioning," 2017, [Online]. Available: <https://www.windfarmbop.com/>. [Accessed 22 10 2024].

# Appendices

## Park Calculation Report:

Project:  
**Project\_Guj**

Licensed user:  
**Hochschule Flensburg, University of Applied Sciences**  
Darf nur für Zwecke der Lehre verwendet werden  
-- --

student / weti-lab-vt10@hs-flensburg.de  
Calculated:  
12/18/2024 10:52 AM/4.0.547

### PARK - Main Result

**Calculation:** SUZLON\_2.1\*6\_Resource

**Wake Model** N.O. Jensen (RISO/EMD) Park 2 2018


Calculation performed in UTM (north)-WGS84 Zone: 44  
At the site centre the difference between grid north and true north is: -0.5°

**Power curve correction method**  
New windPRO method (adjusted IEC method, improved to match turbine control) <RECOMMENDED>  
**Air density calculation method**  
Height dependent, temperature from climate station  
Station: BEGAMPET V3 2014  
Base temperature: 26.6 °C at 545.0 m  
Base pressure: 1013.3 hPa at 0.0 m  
Air density for Site center in key hub height: 0.0 m + 112.0 m = 1.152 kg/m³ -> 94.0 % of Std  
Relative humidity: 0.0 %

**Wake Model Parameters**  
Wake decay constant: 0.090 DTU default onshore  
Hub height independent

**Omnidirectional displacement height from objects**

**Wake calculation settings**  
Angle [°] Wind speed [m/s]  
Start end stop start end stop  
0.5 360.0 1.0 0.5 30.5 1.0



New WTG

Scale 1:40,000

### Resource file(s)

C:\Users\student\Desktop\Soni\_Patil\_10\PROJECT\_GUJ\Project\_Guj\_Res\_50\_Hub\_135.0\_150.0\_110.0\_0.rsf

### Calculated Annual Energy for Wind Farm

		Specific results*									
WTG combination	Result	GROSS (no loss)		Wake loss	Capacity factor	Mean WTG result	Full load hours	Mean wind speed @hub height			
	PARK	Free WTGs									
	[MWh/y]	[MWh/y]	[%]		[%]	[MWh/y]	[Hours/year]		[m/s]		
Wind farm	39,026.7	39,924.5	2.2		35.3	6,504.5	3,097				6.9

n) Based on wake reduced results and any curtailments.

### Calculated Annual Energy for each of 6 new WTGs with total 12.6 MW rated power

WTG type				Power curve					Annual Energy			
Links	Valid	Manufact.	Type-generator	Power, rated	Rotor diameter	Hub height	Creator	Name	Result	Wake loss	Free mean wind speed	
				[kW]	[m]	[m]				[MWh/y]	[%]	[m/s]
1 A	Yes	Suzlon	S97-2,100	2,100	97.0	112.0	EMD	Level 0 - Calculated - SB47 S97 - 03-2013	6,420.5	3.7	6.88	
2 A	Yes	Suzlon	S97-2,100	2,100	97.0	112.0	EMD	Level 0 - Calculated - SB47 S97 - 03-2013	6,519.8	2.2	6.88	
3 A	Yes	Suzlon	S97-2,100	2,100	97.0	112.0	EMD	Level 0 - Calculated - SB47 S97 - 03-2013	6,441.5	1.4	6.82	
4 A	Yes	Suzlon	S97-2,100	2,100	97.0	112.0	EMD	Level 0 - Calculated - SB47 S97 - 03-2013	6,472.3	0.4	6.81	
5 A	Yes	Suzlon	S97-2,100	2,100	97.0	112.0	EMD	Level 0 - Calculated - SB47 S97 - 03-2013	6,598.3	3.2	6.95	
6 A	Yes	Suzlon	S97-2,100	2,100	97.0	112.0	EMD	Level 0 - Calculated - SB47 S97 - 03-2013	6,574.2	2.5	6.92	

Annual Energy result includes shown losses. Additional losses and uncertainty must be considered for an investment decision.

### WTG siting

UTM (north)-WGS84 Zone: 44

Easting Northing Z Row data/Description

1 New	527,077	2,550,325	109.9	Suzlon S97 2100 97.0	10!	hub: 112.0 m	(TOT: 160.5 m)	(11)				
2 New	526,132	2,549,743	100.0	Suzlon S97 2100 97.0	10!	hub: 112.0 m	(TOT: 160.5 m)	(12)				
3 New	525,475	2,550,184	97.5	Suzlon S97 2100 97.0	10!	hub: 112.0 m	(TOT: 160.5 m)	(13)				
4 New	525,328	2,550,923	107.5	Suzlon S97 2100 97.0	10!	hub: 112.0 m	(TOT: 160.5 m)	(14)				
5 New	526,852	2,550,966	120.0	Suzlon S97 2100 97.0	10!	hub: 112.0 m	(TOT: 160.5 m)	(15)				
6 New	526,178	2,551,250	120.0	Suzlon S97 2100 97.0	10!	hub: 112.0 m	(TOT: 160.5 m)	(16)				




More information →

PARK\_SUZLON\_2.1-6\_Resource\_full\_report.pdf


## Income Statement of the Wind Farm Project:

Years	Profit after tax (Euro)
2025	-314,377
2026	-320,076
2027	-326,069
2028	-163,490
2029	-132,354
2030	-101,561
2031	-71,128
2032	-41,073
2033	-11,824
2034	17,824
2035	46,623
2036	74,960
2037	102,810
2038	130,148
2039	857,467
2040	694,104
2041	636,539
2042	654,049
2043	671,099
2044	687,664


## Income Vs Years:



## Operating costs (OPEX) vs Years:




## Debt service Vs Years:





## Taxes Vs Years:



What to know more about project?

Check out our GitHub;

<https://github.com/KSoni1505/Wind-Farm-Project-Development>