## VT16 - EL2450 - Assignment II

Alexandros Filotheou 871108-5590 alefil@kth.se Roberto Sanchez-Rey 840616-9139 rosr@kth.se

## 1 Question 1

Rate Monotonic is an scheduling method that assigns fixed priorities to tasks, proportional to its activation frequency. That means that for any given tasks  $J_a$ ,  $J_b$  with periods  $T_a < T_b$ ,  $J_a$  is assigned a higher priority than  $J_b$ .

## 2 Question 2

A set of periodic tasks  $\{J_i\}$  is schedulable with Rate Monotonic scheduling if

$$U = \sum_{i} \frac{C_i}{T_i} \le n(2^{1/n} - 1)$$

In the case where  $T_1 = 20$ ,  $T_2 = 29$ ,  $T_3 = 35$  ms and  $C_i = 6$  ms,  $i = \{1, 2, 3\}$ , U = 0.678 and  $n(2^{1/n} - 1) = 0.78$ . Hence tasks  $J_1, J_2, J_3$  are schedulable with RM.




Figure 1: A portion of the RM schedule  $\sigma$  for tasks  $J_1, J_2, J_3$ . Shaded areas denote the waiting time.

## 3 Question 3

All penduli are stable. We observe that the higher the natural frequency of a pentulum, the quicker is the response both in rise and settling time, although with magnified overshoot. This makes sense since the higher natural frequency, the lower the length of the pendulum, hence the control must be swift.




Figure 2: The angular displacement of each pendulum. Blue:  $P_1$ , Red:  $P_2$ , Orange:  $P_3$