

# **DAM. UNIT 1. ACCESS TO FILES. PART 1. NON ASSESSABLE EXERCISES**

**DAM. Acceso a Datos (ADA) (a distancia en inglés)**

## **Unit 1. ACCESS TO FILES**

**Part 1. Intro, Java review and basic file access. Non assessable exercises**

**Abelardo Martínez**

Based and modified from Sergio Badal ([www.sergiobadal.com](http://www.sergiobadal.com))

**Year 2024-2025**

# Aspects to bear in mind

## Important

**If you look for the solutions surfing the Internet or asking the oracle of ChatGPT you will be fooling yourself.** Keep in mind that **ChatGPT is not infallible or all-powerful.**

It is a great tool to speed up your work once you have mastered a subject, but using it as a shortcut when acquiring basic skills and knowledge seriously undermines your learning. If you use it to get solutions or advice on your own, check the proposed solutions carefully as well. Try to solve the activities using the resources we have seen and the extended documentation you will find in the "Virtual Classroom".

# Tips for programming

We advice to follow the next coding standards:

- One instruction per line.
- Add comments to make your code clearer and more readable.
- Use the Hungarian notation to recognise the type of variables at first sight.
- If necessary, we strongly recommend using buffer-based solutions.
- Remember that there are several ways to implement a solution, so choose the one you like best.

# 1. Console mode. Basic file access

## Activity (non assessable)

**Try to solve these 10 exercises.** Feel free to share your doubts at the UNIT forum.

1. Write a Java program to get a list of all file/directory names from the given.
2. Write a Java program to get specific files by extensions from a specified folder.
3. Write a Java program to check if a file or directory specified by pathname exists or not.
4. Write a Java program to get last modified time of a file.
5. Write a Java program to get file size in bytes, Kb, Mb.
6. Write a Java program to read a file content line by line.
7. Write a Java program to store text file content line by line into an array.
8. Write a Java program to write and read a plain text file.
9. Write a Java program to append text to an existing file.
10. Write a Java program to find the longest word in a text file. Choose the way to implement: ~~Scanner~~ or **BufferedReader** version.

## 2. Console mode. Complete file access. Shopping cart

### Activity (non assessable)

Create a program in Java to manage PRODUCTS in a shopping cart by printing and using a specific menu. After each option, the user should see the same menu until option zero is pressed. Feel free to share your doubts at the UNIT forum.

**ATTENTION:** Use the proper exceptions when accessing to files.

Menu options:

- **Press 0 to “Exit”**
- **Press 1 to “Ask for products until user enters zero as Product name”**
  - For every product we need the Name (String), the Price (Double) and the Units (Integer), added to the ArrayList of products.
  - Check if the product name already exists in the array list. If yes, you must display a message on the screen. You must ask for each value (in loop) until the user enters a valid name.
  - Once zero is entered as a product name, all products will be saved in a “txt” file called “products.txt”, overwriting the whole file if exists.
  - One product is stored per line.
  - Afterwards, the menu will be printed again.
- **Press 2 to “List all the products stored”**
  - Just read the “txt” file and print every book.
- **Press 3 to “Remove all products”**
  - Just delete the “txt” file.

Menu example:

```
*****  
MENU
```

\*\*\*\*\*

=====

0. Exit

1. Add products

2. List all products

3. Remove all products

=====

Select an option:

### 3. Graphical mode. Complete file access. Shopping cart

#### Activity (non assessable)


Convert the former program to a graphical environment using the Java GUI interface. Feel free to share your doubts at the UNIT forum.

**ATTENTION:** Use the proper exceptions when accessing to files.

Remember to choose the appropriate **Java version** when creating a GUI project. For example, in Ubuntu:

▶  JRE System Library [JavaSE-1.8]

- **Create the graphical objects: labels, text fields, buttons, images. Customize the elements with your own design.**
  - Create project with Java appropriate machine.
  - To distribute the objects in a free way, use: JFrame → property Layout → Absolute layout.
  - For example:



SHOPPING CART

Product Price Units

SHOPPING CART

Add product

Save file


Delete file

Load file

- **Button Add Product.**


- Adds the product information (name -string-, price -double- and units -integer-) to the shopping cart (textArea).
- Every field must be separated by a tab.
- Every product in a different line.
- For example:






- **Button Save file.**

- All products will be saved in a text file called "products.txt", overwriting the whole file if exists.
- Every product in a different line.
- Show a message dialogue with the result. For example:



- **Button Load file.**


- Ask the user if he/she is sure to do it. For example:




- If yes, then clear the text area, read the text file line by line and fill in the text area with every product.

- **Button Delete file.**

- Ask the user if he/she is sure to do it. For example:



- If yes, delete the text file. For example:



- **Exit the programme/program.**


- Quit by default; that is, when you click on the “x” you close the application.

## 3.1. How to enable graphical interface in Eclipse

In the study guide we have a link (in Spanish) to enable the graphical interface in Eclipse:  
<https://www.cablenaranja.com/java-como-activar-el-editor-visual-en-eclipse/>

Once we have installed the necessary components, we can create a JFrame and place different graphical elements (click on "Design" tab). It is very similar to the rest of programming languages. There is a palette with the different objects (buttons, text fields, etc.) and we just have to drag and drop them on the form. Then we can assign them an action for the event we want.

Here you have a screenshot of the shopping cart design.



Licensed under the [Creative Commons Attribution Share Alike License 4.0](https://creativecommons.org/licenses/by-sa/4.0/)