**Tagging Dataplex Assets** 

experiment Lab schedule 45 minutes universal\_currency\_alt No cost

show chart Introductory

\*\*\*

### **GSP1145**



## **Overview**

Dataplex is an intelligent data fabric that enables organizations to centrally discover, manage, monitor, and govern their data across data lakes, data warehouses, and data marts to power analytics at scale.

Data Catalog is a fully managed, scalable metadata management service within Dataplex that you can use to tag data assets and search for assets to which you have access. Tags allow you to attach custom metadata fields to specific data assets for easy identification and retrieval (such as tagging certain assets as containing protected or sensitive data); you can also create reusable tag templates to rapidly assign the same tags to different data assets.

In this lab, you learn how to use Data Catalog within Dataplex to create a tag template, apply it to Dataplex assets, and then use the tag to search for assets.

## What you'll do

- Enable the Dataplex and Data Catalog APIs
- Create a lake, zone, and asset in Dataplex
- Create a tag template
- Apply a tag template to Dataplex assets
- Search for assets using tags

# Setup and requirements

## Before you click the Start Lab button

Read these instructions. Labs are timed and you cannot pause them. The timer, which starts when you click **Start Lab**, shows how long Google Cloud resources will be made available to you.

This hands-on lab lets you do the lab activities yourself in a real cloud environment, not in a simulation or demo environment. It does so by giving you new, temporary credentials that you use to sign in and access Google Cloud for the duration of the lab.

To complete this lab, you need:

• Access to a standard internet browser (Chrome browser recommended).

**Note:** Use an Incognito or private browser window to run this lab. This prevents any conflicts between your personal account and the Student account, which may cause extra charges incurred to your personal account.

• Time to complete the lab---remember, once you start, you cannot pause a lab.

**Note:** If you already have your own personal Google Cloud account or project, do not use it for this lab to avoid extra charges to your account.

## How to start your lab and sign in to the Google Cloud console

- 1. Click the **Start Lab** button. If you need to pay for the lab, a pop-up opens for you to select your payment method. On the left is the **Lab Details** panel with the following:
  - The Open Google Cloud console button
  - Time remaining
  - The temporary credentials that you must use for this lab
  - Other information, if needed, to step through this lab
- 2. Click **Open Google Cloud console** (or right-click and select **Open Link in Incognito Window** if you are running the Chrome browser).

The lab spins up resources, and then opens another tab that shows the **Sign in** page.

*Tip:* Arrange the tabs in separate windows, side-by-side.

Note: If you see the Choose an account dialog, click Use Another Account.

3. If necessary, copy the Username below and paste it into the Sign in dialog.

student-04-418415282464@qwiklabs.net content\_c

You can also find the Username in the Lab Details panel.

- 4. Click Next.
- 5. Copy the **Password** below and paste it into the **Welcome** dialog.

KXqUseXSKTeh content\_c

You can also find the **Password** in the **Lab Details** panel.

6. Click Next.

**Important:** You must use the credentials the lab provides you. Do not use your Google Cloud account credentials.

Note: Using your own Google Cloud account for this lab may incur extra charges.

- 7. Click through the subsequent pages:
  - Accept the terms and conditions.
  - Do not add recovery options or two-factor authentication (because this is a temporary account).
  - Do not sign up for free trials.

After a few moments, the Google Cloud console opens in this tab.

## **Enable Dataplex and Data Catalog APIs**

- 1. In the Google Cloud Console, enter Cloud Dataplex API in the top search bar.
- 2. Click on the result for Cloud Dataplex API under Marketplace.
- 3. Click Enable.
- 4. Repeat steps 1-3 for Google Cloud Data Catalog API.

# Task 1. Create a lake, zone, and asset

In this task, you create a new Dataplex lake to store customer order information, add a curated zone to the lake, and then attach a pre-created BigQuery dataset as a new asset in the zone.

### Create a lake

1. In the Google Cloud Console, in the Navigation menu (
), navigate to Analytics > Dataplex.

If prompted Welcome to the new Dataplex experience, click Close.

- 2. Under Manage lakes, click Manage.
- 3. Click Create lake.
- 4. Enter the required information to create a new lake:

Property	Value
Display Name	Orders Lake
ID	Leave the default value.
Region	us-west1

Leave the other default values.

5. Click Create.

It can take up to 3 minutes for the lake to be created.

### Add a zone to the lake

- 1. On the Manage tab, click on the name of your lake.
- 2. Click Add zone.
- 3. Enter the required information to create a new zone:

Property	Value
Display Name	Customer Curated Zone
ID	Leave the default value.
Туре	Curated zone
Data locations	Regional

Leave the other default values.

For example, the option for **Enable metadata discovery** under **Discovery settings** is enabled by default and allows authorized users to discover the data in the zone.

#### 4. Click Create.

It can take up to 2 minutes for the zone to be created.

You can perform the next task once the status of the zone is **Active**.

### Attach an asset to a zone

- 1. On the **Zones** tab, click on the name of your zone.
- 2. On the Assets tab, click Add assets.
- 3. Click Add an asset.
- 4. Enter the required information to attach a new asset:

Property	Value
Туре	BigQuery dataset
Display Name	Customer Details Dataset
ID	Leave the default value.
Dataset	qwiklabs-gcp-00-39fb3a8fd0bd .customers

Leave the other default values.

5. Click Done.

- 6. Click Continue.
- 7. For **Discovery settings**, select **Inherit** to inherit the Discovery settings from the zone level, and then click **Continue**.
- 8. Click Submit.

Create a lake, zone, and asset in Dataplex

Check my progress

Assessment Completed!

# Task 2. Create a tag template

To start tagging data, you first need to create one or more tag templates. A tag template can be a public or private tag template. When you create a new tag template, the option to create a public tag template is the default and recommended option. Users who have the required view permissions for a data asset can view all the public tags associated with it. This supports simple search for discovery while also adhering to data access controls already implemented on the underlying data.

In this task, you create a public tag template to label BigQuery table columns with a protected status. With a public tag template, users who have access to the underlying BigQuery table columns will be able to see the tags applied to the columns.

- 1. On the left menu, under Manage Metadata, click Tag templates.
- 2. Click Create tag template.
- 3. Enter the required information to define the tag template:

Property	Value
Template Display Name	Protected Data Template
Template ID	Leave the default value.

Location	us-west1
Visibility	Public

4. Click **Add field**, and enter the required information to add a new field to the template:

Property	Value
Field Display Name	Protected Data Flag
Field ID	Leave the default value.
Туре	Enumerated

- 5. For Enumerated values > Values 1, enter YES.
- 6. Click Add value, and for Values 2, enter NO.
- 7. Click Done.
- 8. Click Create.



Create a tag template

Check my progress

Assessment Completed!

# Task 3. Apply a tag template to Dataplex assets

After you create a tag template, you can use it to attach tags to any number of desired data assets to which you have access.

In this task, you apply your previously created tag template to specific columns in the BigQuery table that you want to label with a protected data status.

1. On the left menu, under **Discover**, click **Search**.

2. For <b>Filters</b> > <b>Systems</b> , enable the checkbox for <b>Dataplex</b> .
3. Click on the <b>customer_details</b> table.
If you do not see the <b>customer_details</b> table, wait a few minutes and then refresh the page to allow the Dataplex asset list to be updated.
4. Click Attach tags.
5. For Choose what to tag, enable the checkboxes for the following columns:
• zip
• state
• last_name
• country
• email
• latitude
• first_name
• city
• longitude
6. Click OK.
7. For Choose the tag templates, select Protected data template.
8. For <b>Protected data flag</b> , select <b>YES</b> .
9. Click Save.
Apply a tag template to Dataplex assets  Check my progress

# Task 4. Search for assets using tags

After you have tagged data assets, you can search for them using Data Catalog within Dataplex.

In this task, you search for the assets that have been tagged using the Protected Data tag template.

- 1. On the left menu, under **Discover**, click **Search**.
- 2. For Filters > Tags, enable the checkbox for Protected data template.
- 3. Click on the customer details table.
- 4. Click on the **Schema and column tags** tab to see the Protected Data tags on the specified columns.

# Congratulations!

You used Data Catalog within Dataplex to create a tag template, applied it to Dataplex assets, and then used the tag to search for assets.

## Google Cloud training and certification

...helps you make the most of Google Cloud technologies. Our classes include technical skills and best practices to help you get up to speed quickly and continue your learning journey. We offer fundamental to advanced level training, with on-demand, live, and virtual options to suit your busy schedule. Certifications help you validate and prove your skill and expertise in Google Cloud technologies.

### Manual Last Updated May 22, 2024

### Lab Last Tested May 22, 2024

Copyright 2024 Google LLC All rights reserved. Google and the Google logo are trademarks of Google LLC. All other company and product names may be trademarks of the respective companies with which they are associated.