

## 3.5 Validating with JOSM

### Overview

**Validation** is a process of checking the data quality (in this case, map data quality) for accuracy, consistency, completeness and anomaly. Validation is important to maintain the quality of OSM data. When checking for accuracy, you need to make sure that the map data is aligned with the imagery and is correct in terms of geometry. For consistency, make sure that all mapped objects are consistent in shape. For example, when you found a residential area, make sure all the buildings are consistently traced and orthogonalized.



*Accurately mapped buildings*



*Consistently mapped buildings*

Figure 1: Example of data validation

For completeness, it depends on what information you want to collect when mapping and what mapping method is used. Information collected using remote mapping method would be different with the information collected by conducting field survey. Information collected using remote mapping method will be very limited since you only have satellite imagery and gpx tracks available as reference. For anomaly, make sure there is no abnormal looking mapped objects. See the picture below, the mapped buildings on the left tends to be smaller than the mapped buildings on the right. After carefully checking the imagery, it turns out that the smaller buildings are actually tombs that are mapped as buildings.



*Accurately mapped buildings*



*Consistently mapped buildings*

Figure 2: Example of data completeness

While light validation can be completed using iD Editor, HOT recommends that detailed validation be completed using JOSM.



## Skills and Technology Needed

- Computer
- Internet connection (for data download)
- OSM account
- JOSM

## Resources

### HOT Training Presentation:

- Validation in JOSM [1] \* **## Practice Validation** The following activity covers the process of validating bad OSM data in JOSM. This activity uses an example file that can be downloaded here [2]. Estimated time for completion:\*\* 1 hour

### Objectives:

- To be able to understand validation process for OSM data
- To be able to perform validation using Validation Tools on JOSM
- To be able to fix commonly error, warning and mistake found during validation

## 1. Opening OSM Data

After successfully downloaded sample data, open file **validation\_sample.osm** into your JOSM by following these steps:

- Click menu **File** ▢ **Open**



#### JOSM Menu File

- Go to your directory where you save validation\_sample.osm. Select the file **validation\_sample.osm** and then click **Open**.



Opening an osm file on JOSM

- After opening the exercise file, your JOSM will look like this:



Exercise file on JOSM

## 2. Using JOSM Validation Tools

JOSM provides a built-in validator that checks and fixes invalid map data called Validation Tools. After checking for accuracy, consistency, completeness and anomaly, run this validation tools so that the map data is perfectly valid. To get started with the Validation tools, you need to activate the Validation Results Windows by following these steps:

- Click menu **Windows** ▢ **Validation Results**





Windows menu on JOSM

- Validation results Windows will appear on the left side of your JOSM



Validation results Windows

After activating the Validation Results Windows, now you can start validation using JOSM Validation Tools. Download OSM data first using either Slippy Map or Tasking Manager, then you can click the Validation button in the Validation Results Windows. Let's use OSM data sample for exercise.

- To run validation on all the data in the current data layer, which is validation\_sample.osm, make sure that there is no data selected. Then, click **Validation** button in the Validation Results Windows. Once the validation process is finished, Validation Results Windows will be filled with listed errors and warnings. The amount of errors and warnings found depends on the quality of the data. For example, on this OSM data sample, you will find one error and twenty one warnings.



#### Validation Results from OSM Data Sample

- A new layer called Validation errors will also be added to the Layers Windows. This layer will highlight the errors and warnings found - red highlight for errors and yellow highlight for warnings.



## Highlighted errors and warnings

### 3. Fixing Errors and Warnings

Errors are important to fix. Do not ignore errors. If you have errors on your OSM data, you won't be able to upload it into OSM Server until you fix the errors. Some errors can be fixed automatically using the Fix button on Validation Results Windows. Warnings are problems that are important to fix, but in some cases, such as "Unnamed Ways", they are tolerable. Mostly, warning should be fixed manually. Now, let's try to fix errors and warnings found on *validation\_sample.osm*. There are one error and twenty one warnings found on *validation\_sample.osm*. They are:

- Error: Duplicated ways (1)
- Warning: Building inside building (4)
- Warning: Crossing building/highway (1)
- Warning: Crossing buildings (1)
- Warning: Crossing highways (1)
- Warning: deprecated tagging - amenity=hotel is deprecated, use tourism=hotel instead (1)
- Warning: missing tag - incomplete object: only name (1)
- Warning: node connects highway and building (1)
- Warning: Overlapping highways (1)
- Warning: Unclosed way - building (1)
- Warning: Unnamed ways (6)
- Warning: Untagged ways (1)
- Warning: Way end node near other highway (2)

Now, let's fix all the errors and warnings one by one.

**3.1 Fixing Error: Duplicated ways** Duplicated ways error come up when there are ways that duplicate. This is usually caused by unstable internet connection when uploading OSM data into OSM server. Initially, to fix errors or warning, you should select the error or warning you want to fix. Go to the Duplicated ways error in the Validation Result Windows, click the + icon so that it looks like the picture below.



#### Duplicated objects on Validation Results

Select the objects where it is duplicated and **Right-click**  **Zoom to problem** to zoom and see the duplicated objects. Your map canvas will zoom in to the duplicated objects. Fortunately, duplicated ways can be automatically fixed. After selecting the duplicated objects, click **Fix**. Voila, your error is fixed!



Zooming to Error: Duplicated ways

**3.2 Fixing Warning: Building inside building** Building inside building warning come up when there is a building object inside another building object. To fix it, go to the building inside building warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



Building inside building on Validation Results

Select the objects listed under the warning Building inside building and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.





Zooming to Warning: Building inside building

Most of warning should be fixed manually. To fix building inside building, simply delete one of the buildings. To decide which one to be deleted, please take a look at the imagery and carefully decide which one to be deleted. Voila, you just fixed a building inside building.



Fixing a building inside building warning

**3.3 Fixing Warning: Crossing building/highway** Crossing building/highway come up when there is a building crossing with highway. To fix it, go to the crossing building/highway warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



Crossing building/highway on Validation Results

Select the objects listed under the warning Crossing building/highway and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



Zooming to Warning: Crossing building/highway

To fix crossing building/highway, simply move one of the crossed objects, either the building or the segment/node of the highway. To decide which object that should be moved, please take a look at the imagery.



Fixing a crossing building/highway warning

**3.4 Fixing Warning: Crossing buildings** Crossing buildings warning come up when there are two or more buildings overlapped with each other. To fix it, go to the crossing buildings warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



Crossing buildings on Validation Results

Select the objects listed under the warning Crossing buildings and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



Zooming to Warning: Crossing buildings

To fix crossing buildings, simply move one of the overlapped buildings so that they won't be overlapping anymore. To decide which buildings that should be moved, please take a look at the imagery.





## Fixing a crossing buildings warning

**3.5 Fixing Warning: Crossing highways** Crossing highways warning come up when there are highways that cross each other with no crossing node. To fix it, go to the crossing highways warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



### Crossing highways on Validation Results

Select the objects listed under the warning Crossing highways and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



### Zooming to Warning: Crossing highways

To fix crossing highways, simply add a crossing node in the highway intersection. To add node at intersection, you can use JOSM additional tools, but first you have to activate plugin `utilsplugins2`. You can go to menu **Preferences**  **Plugins**, search for `utilsplugins2` and give a check for `utilsplugin2`.





Activating plugin utilsplugins2

To add node at intersection, select the two crossing highways, and go to menu **More tools** → **Add nodes at intersections**. And voila, your crossing highways now have a crossing node.



Adding node at intersection

**3.6 Fixing Warning: deprecated tagging** Deprecated tagging warning come up when there is an object or more in your OSM data that used deprecated tagging. To fix it, go to the deprecated tagging warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



Deprecated tagging on Validation Results

Select the objects listed under the warning deprecated tagging and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



Zooming to Warning: deprecated tagging

Fortunately, deprecated tagging can be fixed automatically using Fix button. After selecting the object that has deprecated tagging, press the **Fix** button. JOSM will automatically change the deprecated tag into the new one.



Fixing deprecated tagging

**3.7 Fixing Warning: missing tag** Missing tag warning come up when there is one or more objects that have no tag or the tag is incomplete. To fix it, go to the missing tag warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



### Missing tag on Validation Results

Select the objects listed under the warning missing tag and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



### Zooming to Warning: missing tag

In this case, the object “Monrovia Park” only has tag name. It does not have the tag that identify it as park. What you have to do is simply add a tag to define that it is a park, named Monrovia Park. To add tag, click menu **Presets**  **Search preset...** and search for Park. Select one that suits the kind of park you map, in this case you can select Geography/Land use/Park, then click **Select**. Leave the name as is, then click **Apply Preset**.




### Adding tag



Fixing missing tag warning

**3.8 Fixing Warning: node connects highway and building** Node connects highway and building warning come up when there is a building node connects with highway. To fix it, go to the node connects highway and building warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



Node connects highway and building on Validation Results

Select the objects listed under the warning node connects highway and building and **Right-click** **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



Zooming to Warning: Node connects highway and building



To fix this, simply separate the connected nodes by selecting the connected nodes first then click menu **Tools** **UnGlue Ways** or **press G** on keyboard for shortcut. After separating the connected nodes, keep in mind to move either the whole building or the highway's node since both nodes are still overlapping.

|   |                          |              |
|---|--------------------------|--------------|
| <b>Tools</b> More tools Data Selection Presets Imag                                 |                          |              |
|    | Split Way                | P            |
|    | Combine Way              | C            |
|    | Reverse Ways             | R            |
|    | Simplify Way             | Shift+Y      |
|    | Align Nodes in Circle    | O            |
|    | Align Nodes in Line      | L            |
|    | Distribute Nodes         | Shift+B      |
|    | Orthogonalize Shape      | Q            |
|    | Create Circle            | Shift+O      |
|    | Merge Nodes              | M            |
|   | Join Node to Way         | J            |
|  | Move Node onto Way       | N            |
|  | Disconnect Node from Way | Alt+J        |
|  | <b>UnGlue Ways</b>       | <b>G</b>     |
|  | Join overlapping Areas   | Shift+J      |
|  | Create multipolygon      | Ctrl+B       |
|  | Update multipolygon      | Ctrl+Shift+B |

Zooming to Warning: Node connects highway and building



Fixing node connects highway and building warning

**3.9 Fixing Warning: Overlapping highways** Overlapping highways come up when there are highways overlapping each other. To fix it, go to the overlapping highways warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



#### Overlapping highways on Validation Results

Select the objects listed under the warning overlapping highways and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



#### Zooming to Warning: Overlapping highways

To fix this warning, firstly you should split the overlapped segment of the highway. Select one end node where the highways are overlapped, then click menu **Tools**  **Split way** or **press P** on keyboard for shortcut. Select the other end node where the highways are overlapped, and then menu **Tools**  **Split way** or **press P** on keyboard again. Now the overlapped segment have splitted. All you have to do now is to delete the overlapped segment by selecting the segment and then press delete on your keyboard.



Fixing overlapping highways warning

**3.10 Fixing Warning: Unclosed way - building** Unclosed way - building warning come up when there is one or more buildings drawn as unclosed polygon. This happens when you draw building manually using node tools without building tools and the first node and the last node are not merged. To fix it, go to the unclosed way - building warning in the Validation Results Windows, click the + icon so that it looks like the picture below.




Unclosed way - building on Validation Results

Select the objects listed under the warning unclosed way - building and **Right-click** **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



Zooming to Warning: Unclosed way - building

To fix this, select the first node and the last node of the building and merge it by clicking menu **Tools** **Merge Nodes** or **pressing M** on keyboard. And voila, now your building is a closed polygon.



Fixing unclosed way - building warning

**3.11 Fixing Warning: Unnamed ways** Unnamed ways warning come up when there is one or more highways (main road) that do not have names. This warning is one of the tolerable warning, so you can just ignore this. If you know the name of the road, you can add the road's name by adding tag name to the road. However, if you do not know the name, please just leave it as is rather than giving a random name that could be misleading. To ignore this warning, you can just leave it as is or you can also put it on your Ignore list so that this warning does not come up when you perform validation in the future. Click the "Unnamed Ways" warning in the warning list, then click **Ignore** and click **Whole Group**.





Putting a warning into Ignore List

You can always put it back to your warning list if you change your mind, so that this warning will come up again when you perform validation by clicking **Manage Ignore**, then **right-click** on the warning you want to put back and choose **Don't ignore**.



Managing Ignore List

**3.12 Fixing Warning: Untagged ways** Untagged ways warning come up when there is untagged object. To fix it, go to the untagged ways warning in the Validation Results Windows, click the + icon so that it looks like the picture below.



#### Untagged ways on Validation Results

Select the objects listed under the warning untagged ways and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



#### Zooming to Warning: Untagged ways

To fix it, just simply add tag/preset to the object. Please take a look at the imagery to decide what tag to add to the object. Select the object and then go to menu Preset and select the tag that suits the object. For example, if this object turns out to be hospital, add tag/preset hospital.



#### Fixing untagged ways warning

**3.13 Fixing Warning: Way end node near other highway** To fix way end node near other highway, go to the way end node near other highway in the Validation Results Windows, click the + icon so that it looks like the picture below.



#### Way end node near other highway on Validation Results

Select the objects listed under the warning untagged ways and **Right-click**  **Zoom to problem** to zoom and see the objects. Your map canvas will zoom in to the objects.



### Zooming to Warning

To fix it, select the end node and then activate Draw mode by pressing A on keyboard. Then, draw the road so that it is connected to the road nearby.



### Fixing Warning

Congratulations! Now you have finished fixing errors and warnings in the validation\_sample.osm. Hopefully after completing this exercise, you can perform validation for OSM data. More validator means better OSM data quality.

### Full links

1: <https://docs.google.com/presentation/d/1p2lJJluFv25qIXTE8qTzHJQW5QNbWr6sULJ7N-gjTx4/edit?usp=sharing> 2: [https://drive.google.com/file/d/13QgUDEoBA7uLSUkjsK8cEFsadmjpbNg\\_/view?usp=sharing](https://drive.google.com/file/d/13QgUDEoBA7uLSUkjsK8cEFsadmjpbNg_/view?usp=sharing)