# 新能源与储能容量配置优化研究

报告人: 杜洪博

导 师: 寇彩霞

北京邮电大学 理学院

2023年12月3日

### 目录

- 1 问题背景与研究意义
- 2 研究现状
- 3 研究内容与方法
- 4 计划与预期成果

- 1 问题背景与研究意义
- ② 研究现状
- 3 研究内容与方法
- 4 计划与预期成果

## 问题背景与研究意义

### 问题背景与研究意义

- ① 问题背景与研究意义
- 2 研究现状
- 3 研究内容与方法
- 4 计划与预期成果

## 研究现状

## 研究现状

- 1 问题背景与研究意义
- 2 研究现状
- 3 研究内容与方法
- 4 计划与预期成果

## 研究方法

#### Assumption 1( $\mu$ -strong convexity and L -smoothness)

 $f_i, 1 \leq i \leq n$  is strongly convex and has Lipschitz continuous gradients, i.e.,

$$\mu I \prec \nabla^2 f_i(w) \prec LI$$
 (1)

For  $\omega \in R^d$ ,  $\mu$  is strong convexity constant and L is Lipschitz constant.

Assumption 2 (low and upper bounds of step size) every step size  $\alpha_k$  in Alg1 and Alg2 algorithm satisfies  $\alpha_1 \le \alpha_k \le \alpha_2$ 

Assumption 3 (upper bound of scalar  $\beta_k$  ) There exists constants  $\beta$  such that

$$\beta_k \le \frac{\|g_k\|^2}{\|g_{k-1}\|^2} \le \beta \tag{2}$$

## 研究方法

- ① 问题背景与研究意义
- 2 研究现状
- 3 研究内容与方法
- 4 计划与预期成果

#### 计划与预期成果

- 1 Propose the minimal variance stochastic gradient estimate
- Propose two improved algorithms of SCGA and CGVR: Alg1 and Alg2
- 3 Prove the linear convergence rate of the new algorithms under strong convexity and smoothness
- From a series of experiments, compared with SCGA and CGVR, Alg1 and Alg2 is competitive algorithms.

Thanks for your attention!