

# Cucumber Report

05-Dec-2022, 10:31:55 am

Start : Dec 05, 10:29:59.544 am

End : Dec 05, 10:31:51.241 am

Duration : 1 m 51.697 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 4  
FAILED - 2  
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Renew Fleet feature</u>	1 m 51.697 s	1	0	1	0	3	2	1	0
<u>Reinstate Fleet feature</u>	1 m 38.878 s	1	0	1	0	6	2	1	3





#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	1 m 51.697 s
2	<u>Reinstate Fleet feature</u>	1	0	1	0	1 m 38.878 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet chrome</u>	3	2	1	0	1 m 51.687 s
2	<u>Reinstate Fleet feature</u>	<u>IRP Reinstate fleet edge</u>	6	2	1	3	1 m 38.878 s



## Renew Fleet feature

<b>FAILED</b>	<b>DURATION - 1 m 51.697 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:29:59.544 am // 10:31:51.241 am /					



## IRP Renew fleet chrome

<div><div>FAILED</div><div>DURATION - 1 m 51.687 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:29:59.554 am // 10:31:51.241 am /				
Renew Fleet feature				



#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user Launch the application using URL and login with valid credentials	PASSED	41.178 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.401 s
2	When User will navigate to the IRPLink Expand the Services header on the left column of the screen and select IRP Click on Renew fleet from Fleet card menu.	PASSED	1 m 1.004 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.410 s


#	Step / Hook Details	Status	Duration
			
3	<p>Then User will provide all the Account Number Details to start with IRP Transaction</p> <pre> java.lang.IllegalStateException: You can not use Scenario.log or Scenario.attach when a step is not being executed     at io.cucumber.core.runner.TestCaseState.requireActiveTestStep(TestCaseState.java:157)     at io.cucumber.core.runner.TestCaseState.log(TestCaseState.java:106)     at io.cucumber.java.Scenario.log(Scenario.java:100)     at com.celtic.automation.cmcs.parallel.RWC001.user_will_provide_all_the_account_number_details_to_start_with_irp_transaction(RWC001.java:139)     at ?.User will provide all the Account Number Details to start with IRP Transaction(file:///C:/Users/SANGEETHA/git/celetic/src/test/resources/parallel/RWC001.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.393 s
	<p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.95, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\SANGEE~1\AppData\Local\Temp\108.0.5359.71\wdp}, goog:chromeOptions: {debuggerAddress: localhost:63368}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:63368/devtools, se.cdpVersion: 108.0.5359.95, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)     at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69) </pre>	FAILED	0.005 s



## Reinstate Fleet feature

<b>FAILED</b>	<b>DURATION - 1 m 38.878 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 10:29:59.564 am // 10:31:38.442 am /					

## IRP Reinstate fleet edge

<b>FAILED</b>	<b>DURATION - 1 m 38.878 s</b>		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 10:29:59.564 am // 10:31:38.442 am /				
Reinstate Fleet feature				

#	Step / Hook Details	Status	Duration
1	Given User login as an Internal user	PASSED	26.486 s
	Launch the application using URL and login with valid credentials		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.504 s
	anyname		
			
2	When User will navigate to IRP & Reinstate Fleet	PASSED	19.387 s
	Expand the Services header on the left column of the screen and select IRP		
	Navigate to Fleet menu .Click on More and select Fleet Reinstatement		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.286 s
	anyname		

#	Step / Hook Details	Status	Duration
			
3	<p>Then User will provide all the inputs &amp; select the record on the grid</p> <p>Enter the fleet details having inactive duration of 18 months or more .(ie the fleet was last active in June 2019 if current year is 2020) &amp; hit the proceed button</p> <pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence     at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)     at jdk.proxy2/jdk.proxy2.\$Proxy32.sendKeys(Unknown Source)     at com.celtic.automation.cmcs.util.ElementUtil.webEditTxt(ElementUtil.java:1211)     at com.celtic.automation.cmcs.pages.FleetPage.enterLastInactiveDays(FleetPage.java:98)     at com.celtic.automation.cmcs.parallel.RIN001.user_will_provide_all_the_inputs_select_the_record_on_the_grid(RIN001.java:157)     at ?.User will provide all the inputs &amp; select the record on the grid(file:///C:/Users/SANGEETHA/git/celetic/src/test/resources/parallel/RIN001.feature:5)     * Not displayable characters are replaced by '?'. </pre>	FAILED	1.199 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.468 s
4	Then User will navigate to Distance page & Proceed	SKIPPED	0.000 s
5	Then User will navigate to billing Page & provide mandatory inputs & proceed	SKIPPED	0.004 s
6	And User will validate the Success Information Message	SKIPPED	0.001 s
	<p>AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.35, ms:edgeOptions: {debuggerAddress: localhost:63401}, msedge: {msedgedriverVersion: 107.0.1418.62 (cd9348711d31..., userDataDir: C:\Users\SANGEE~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63401/devtoo..., se:cdpVersion: 107.0.1418.35, </pre>	FAILED	0.042 s



#	Step / Hook Details	Status	Duration
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69)		