```
Source code
index.html:
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<form action="Dashboard" method="post">
Enter Name<input type="text" name="uname">
Enter Password<input type="password" name="pass">
<input type="submit" value="Login">
</form>
</body>
</html>
Dashboard.java
package ppl Validlogin;
import jakarta.servlet.RequestDispatcher;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.io.PrintWriter;
/**
 * Servlet implementation class Dashboard
public class Dashboard extends HttpServlet {
     private static final long serialVersionUID = 1L;
     protected void service (HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
           response.setContentType("<html><text>");
           PrintWriter out=response.getWriter();
           RequestDispatcher rd=null;
           String username=request.getParameter("uname");
           String password=request.getParameter("pass");
```

```
if(username!=null && username.equalsIgnoreCase("khan") &&
password!=null && password.equalsIgnoreCase("khan@123")) {
                  rd=request.getRequestDispatcher("Success");
                 rd.forward(request, response);
           else {
                 rd=request.getRequestDispatcher("index.html");
                 rd.include(request, response);
                 out.println("Invalid ID & Password");
           String url=request.getRequestURI().toString();
           PrintWriter pw=response.getWriter();
           pw.println("<a href=Logout?>logout</a>");
     }
     protected void doGet(HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
     }
     protected void doPost(HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
           // TODO Auto-generated method stub
           doGet(request, response);
     }
Succes.java
package pp1 Validlogin;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.io.PrintWriter;
 * Servlet implementation class Succes
public class Success extends HttpServlet {
     private static final long serialVersionUID = 1L;
     protected void service (HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
     PrintWriter out=response.getWriter();
     out.println("Wlcome"+request.getParameter("uname")+"Login
success");
     }
      * @see HttpServlet#doGet(HttpServletRequest request,
HttpServletResponse response)
      */
```

```
protected void doGet(HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
           // TODO Auto-generated method stub
           response.getWriter().append("Served at:
").append(request.getContextPath());
     }
}
Logout.java
ackage pp1 Validlogin;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.io.PrintWriter;
/**
 * Servlet implementation class Logout
public class Logout extends HttpServlet {
     private static final long serialVersionUID = 1L;
     protected void service (HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
           PrintWriter out=response.getWriter();
           out.print("logout Succesfully");
      }
}
```