Rajalakshmi Engineering College

Name: Kanishka S

Email: 240701227@rajalakshmi.edu.in

Roll no: 2116240701227 Phone: 8825651385

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 17

Section 1: MCQ

1. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

2. What is the difference between r+ and w+ modes?

Answer

in w+ the pointer is initially placed at the beginning of the file and the pointer is at the end for r+

Status: Wrong Marks: 0/1

What is the output of the following code? x = 1 / 0except ZeroDivisionError: print("Caught division by zero error") finally: print("Executed") Answer Caught division by zero errorExecuted Marks: 1/1 Status: Correct 4. What happens if an exception is not caught in the except clause? Answer The program will display a traceback error and stop execution Status: Correct Marks: 1/1 5. What is the correct way to raise an exception in Python? **Answer** raise Exception() Status: Correct Marks: 6. What is the default value of reference_point in the following code? file_object.seek(offset [,reference_point]) Answer 0 Status: Correct

What will be the output of the following Python code? f = None for i in range (5): with open("data.txt", "w") as f: if i > 2: break print(f.closed) Answer True Marks : 1/1 Status: Correct 8. What is the purpose of the except clause in Python? Answer To handle exceptions during code execution Status: Correct Marks: 1/1 9. What is the output of the following code? x = "hello" + 5 except TypeError: print("Type Error occurred") finally: print("This will always execute") **Answer** Type Error occurredThis will always execute Status: Correct Marks: 1/1 How do you rename a file?

Answer

os.rename(existing_name, new_name)

Status: Correct Marks: 1/1

11. What is the output of the following code?

```
class MyError(Exception):
   pass
```

try:

raise MyError("Something went wrong") except MyError as e: print(e)

Answer

Something went wrong

Status: Correct Marks: 1/1

12. What happens if no arguments are passed to the seek function?

Answer

file position is set to the start of file

Status: Wrong Marks: 0/1

- 13. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct

14. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(____(1), "wb") print("Name of the file:

Answer

1) ex.txt2) fo.name

Status: Wrong Marks: 0/1

15. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks : 1/1

16. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Marks: 1/1 Status: Correct

- 17. What will be the output of the following Python code?
- # Predefined lines to simulate the file content

Marks: 1/1

```
lines = [
  "This is 1st line",
  "This is 2nd line"
  "This is 3rd line"
  "This is 4th line",
  "This is 5th line"
]
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Displays Output
Status: Correct
                                                                     Marks: 1/1
18. Fill in the blanks in the following code of writing data in binary files.
import _____(1)
rec=[]\(\)
while True:
rn=int(input("Enter"))
  nm=input("Enter")
  temp=[rn, nm]
  rec.append(temp)
  ch=input("Enter choice (y/N)")
  if ch.upper=="N":
     break
f.open("stud.dat","
   _____.dump(rec,f)(3)
        __.close()(4)
Answer
(pickle,wb,pickle,f)
Status: Correct
                                                                     Marks : 1/1
```

19.	Which	of the	following	is true	about
-----	-------	--------	-----------	---------	-------

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

20. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1