

In []: Assignment No: 6

Contents for Theory:
 1. Concepts used in Naïve Bayes classifier
 2. Naive Bayes Example
 3. Confusion Matrix Evaluation Metrics

In [23]: #step1:Import libraries and create alias for Pandas, Numpy and Matplotlib

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [24]: from sklearn.model_selection import train_test_split

```
from sklearn.preprocessing import StandardScaler
from sklearn.naive_bayes import GaussianNB
from sklearn.metrics import accuracy_score, confusion_matrix, classification_report, pre
```

In [25]: #step2:Import the Iris dataset

```
df = pd.read_csv("C:\\Users\\Welcome\\Downloads\\iris dataset\\iris.csv")
```

In [26]: # Step 3: Initialize the DataFrame

```
print(df.head())
```

| | sepal_length | sepal_width | petal_length | petal_width | species |
|---|--------------|-------------|--------------|-------------|---------|
| 0 | 5.1 | 3.5 | 1.4 | 0.2 | setosa |
| 1 | 4.9 | 3.0 | 1.4 | 0.2 | setosa |
| 2 | 4.7 | 3.2 | 1.3 | 0.2 | setosa |
| 3 | 4.6 | 3.1 | 1.5 | 0.2 | setosa |
| 4 | 5.0 | 3.6 | 1.4 | 0.2 | setosa |

In [22]: # Step 4: Data Preprocessing

```
if df.select_dtypes(include=['object']).shape[1] > 0:
    df = pd.get_dummies(df, drop_first=True)
```

In [18]: df.dropna(inplace=True)

In [27]: X = df.drop(columns=['species']) # Assuming 'species' is the target variable
 y = df['species']

In [28]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)

In [29]: scaler = StandardScaler()
 X_train = scaler.fit_transform(X_train)
 X_test = scaler.transform(X_test)

In [30]: gaussian = GaussianNB()
 gaussian.fit(X_train, y_train)

Out[30]:

▼ GaussianNB ⓘ ?
 GaussianNB()
https://scikit-learn.org/1.4/modules/generated/sklearn.naive_bayes.GaussianNB.html

```
In [31]: y_pred = gaussian.predict(X_test)
```

```
In [32]: accuracy = accuracy_score(y_test, y_pred)
```

```
In [33]: print("Accuracy:", accuracy)
```

Accuracy: 1.0

```
In [34]: precision = precision_score(y_test, y_pred, average='micro')
```

```
In [35]: print("Precision:", precision)
```

Precision: 1.0

```
In [36]: recall = recall_score(y_test, y_pred, average='micro')
```

```
In [37]: print("Recall:", recall)
```

Recall: 1.0

```
In [38]: conf_matrix = confusion_matrix(y_test, y_pred)
print("Confusion Matrix:\n", conf_matrix)
```

Confusion Matrix:


```
[[10 0  0]
 [ 0 9  0]
 [ 0 0 11]]
```

```
In [39]: class_report = classification_report(y_test, y_pred)
print("Classification Report:\n", class_report)
```

Classification Report:

| | precision | recall | f1-score | support |
|--------------|-----------|--------|----------|---------|
| setosa | 1.00 | 1.00 | 1.00 | 10 |
| versicolor | 1.00 | 1.00 | 1.00 | 9 |
| virginica | 1.00 | 1.00 | 1.00 | 11 |
| accuracy | | | 1.00 | 30 |
| macro avg | 1.00 | 1.00 | 1.00 | 30 |
| weighted avg | 1.00 | 1.00 | 1.00 | 30 |

```
In [40]: plt.figure(figsize=(6,4))
sns.heatmap(conf_matrix, annot=True, fmt='d', cmap='Blues', xticklabels=np.unique(y_test)
plt.xlabel('Predicted')
plt.ylabel('Actual')
plt.title('Confusion Matrix Heatmap')
plt.show()
```



```
In [ ]: Name : Karan More
Roll no. 13234
```