Rajalakshmi Engineering College

Name: Karolin Auxilia J

Email: 240701228@rajalakshmi.edu.in

Roll no: 240701228 Phone: 9977228588

Branch: REC

Department: I CSE FC

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 2 Total Mark : 20 Marks Obtained : 20

Section 1: MCQ

1. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
lines = [
    "This is 1st line",
    "This is 2nd line",
    "This is 3rd line",
    "This is 4th line",
    "This is 5th line"
]

print("Name of the file: foo.txt")

# Print the first 5 lines from the predefined list for index in range(5):
    line = lines[index]
```

print("Line No %d - %s" % (index + 1, line.strip())) Answer **Displays Output** Status: Correct Marks: 1/1 2. What is the correct way to raise an exception in Python? Answer raise Exception() 3. What is the output of the following code? Status: Correct Marks : 1/1 try: x = "hello" + 5except TypeError: print("Type Error occurred") finally: print("This will always execute") **Answer** Type Error occurred This will always execute Status: Correct Marks: 4. Fill in the code in order to get the following output: Output: Name of the file: ex.txt fo = open(____(1), "wb") print("Name of the file: ", **Answer**

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

5. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

6. What happens if no arguments are passed to the seek function?

Answer

file position remains unchanged

Status: Correct Marks: 1/1

7. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

 $['John,21\n',Raj,20\n']$

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks : 1/1 8. How do you create a user-defined exception in Python? Answer By creating a new class that inherits from the Exception class Status: Correct Marks: 1/1 9. Which of the following is true about fp.seek(10,1) Answer Move file pointer ten characters ahead from the current position Status: Correct Marks: 1/1 10. How do you rename a file? Answer os.rename(existing_name, new_name) Marks : 1/1 Status: Correct 11. What is the output of the following code? class MyError(Exception): pass try: raise MyError("Something went wrong") except MyError as e: print(e) Answer Something went wrong

Marks : 1/1 12. Fill in the blanks in the following code of writing data in binary files. import _____ (1) rec=∏ while True: rn=int(input("Enter")) nm=input("Enter") temp=[rn, nm] rec.append(temp) ch=input("Enter choice (y/N)") if ch.upper=="N": break f.open("stud.dat","_ _")(2) _____.dump(rec,f)(3) ____.close()(4) Answer (pickle,wb,pickle,f) Status: Correct Marks: 1/1 13. What is the purpose of the except clause in Python? Answer To handle exceptions during code execution Status: Correct Marks: 1/1 14. Which clause is used to clean up resources, such as closing files in Python? Answer finally Status: Correct

Status: Correct

15. What will be the output of the following Python code? f = None for i in range (5): with open("data.txt", "w") as f: if i > 2: break print(f.closed) Answer True 16. What happens if an exception is not caught in the except clause?

Answer The program will display a traceback error and stop execution Status: Correct Marks: 1/1 17. What is the output of the following code? x = 1 / 0except ZeroDivisionError: print("Caught division by zero error") finally: print("Executed") **Answer** Caught division by zero errorExecuted Status: Correct Marks: 1/1 Match the following:

- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

19. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

20. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

240101228

240101228

240701228

2,40101228