

KARTHIK J 2024-IT ▾**K2****Started on** Friday, 3 October 2025, 1:49 PM**State** Finished**Completed on** Friday, 3 October 2025, 1:51 PM**Time taken** 1 min 53 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct Mark 1.00 out of 1.00**Problem Statement:**

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

Input Format

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

Output Format

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

Answer: (penalty regime: 0 %)

```

1 #include <stdio.h>
2
3 void findPair(int arr[], int low, int high, int x) {
4     if (low >= high) {
5         printf("No\n");
6         return;
7     }
8
9     int sum = arr[low] + arr[high];
10
11    if (sum == x) {
12        printf("%d\n%d\n", arr[low], arr[high]);
13        return;
14    } else if (sum < x) {
15        findPair(arr, low + 1, high, x);
16    } else {
17        findPair(arr, low, high - 1, x);
18    }
19}
20
21 int main() {
22     int n;
23     scanf("%d", &n);
24
25     int arr[n];
26     for (int i = 0; i < n; i++) {
27         scanf("%d", &arr[i]);
28     }
29
30     int x;
31     scanf("%d", &x);
32
33     findPair(arr, 0, n - 1, x);
34     return 0;
35}
36

```

| | Input | Expected | Got | |
|---|------------------------------------|----------|---------|---|
| ✓ | 4 2 4 8 10 14 | 4 10 | 4 10 | ✓ |
| ✓ | 5 2 4 6 8 10 100 | No | No | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)